

DEPARTMENT OF ENERGY

(Kagawaran ng Enerhiya)

Procurement Management Division

3F DOE Main Bldg., Energy Center, Rizal Drive Bonifacio Global City, Taguig City, Philippines 1632 Telephone No.: (02) 3479-2900 local 383

Facsimile: (02) 8541-4105 Email address: bacsecretariat@doe.gov.ph

BIDDING DOCUMENTS

(re-bidding) Security Services (Multi-Year Contract)

(Purchase Request No.02-0101-2023-EP-0030) Multi-Year Contract Authority No. MYCA-BMB-E-22-0000067

> 6th Edition **July 2020**

Section I. Invitation to Bid



(RE-BIDDING) EARLY PROCUREMENT OF DOE'S SECURITY SERVICES (MULTI-YEAR CONTRACT)

1. The *Department of Energy (DOE)* is undertaking this procurement under the Guidelines for the Implementation of Early Procurement for the Early Procurement of DOE's Security Services and intends to apply the sum of Twenty-Four Million Eight Hundred Eighty Five Thousand Twenty Seven Pesos Only (Php24,885,027.00) being the Approved Budget for the Contract (ABC) for the 1st year of the three (3) years multi-year contract, to payments under Purchase Request No. 02-0101-2023-EP-0030. Bids received in excess of the ABC shall be automatically rejected at bid opening. The award of the contract is subject to the effectivity of GAA for FY 2023.

Below is the schedule of total approved budget allocation for this multi-year project under the Department of Budget and Management Approved Multi-Year Contract Authority No. MYCA-BMB-E-22-0000067:

Year	Approved Budget under Multi-year Contract (Php)
1 st year (1 January 2023- 31 December 2023)	24,885,027.00
2 nd year (1 January 2024- 31 December 2024)	24,934,143.00
3 rd year (1 January 2025- 31 December 2025)	24,934,143.00

Once awarded, the winning bidder has the obligation to honor the succeeding year contract with DOE based on the above schedule of approved budget. The DOE reserves the right to pre-terminate contract without liability for reasons of budgetary limitations in succeeding years.

- 2. The DOE now invites bids for Early Procurement of DOE's Security Services (Multi-Year Contract). Delivery of the Goods and Services is required to start within thirty (30) calendar days upon receipt of Notice to Proceed. Bidders should have completed a contract similar to the Project, within two (2) years from the date of submission and receipt of bids. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

Under GPPB Resolution No. 09-2020, due to logistical constraint brought about by the public safety emergency, the bidder may submit alternate eligibility documents such as, Expired Business/Mayor's permit with proof and/or receipt of renewal, unnotarized Omnibus Sworn Statement and Bid Securing Declaration form, the said submission is conditioned that the winning bidder shall replace such submission with the proper required documents, otherwise, the corresponding payment will not be processed. The Performance Securing Declaration is acceptable subject to the conditions set forth under the above resolution.

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the IRR of RA 9184.

4. Interested bidders may obtain further information from *Department of Energy – Procurement Management Division* and inspect the Bidding Documents at the address given below during office hours from Mondays to Fridays 8:00am to 4:00pm.

Procurement Management Division
Department of Energy
3F DOE Main Building, Energy Center,
Rizal Drive, Bonifacio Global City
Taguig City, Philippines 1632

Considering the COVID -19 situation, the DOE also accepts payment for the bid documents through bank payment (Landbank of the Philippines):

Payment for : Bidding Documents for [Item to be Bidded]

Payee Account Name: DOE Trust Fund Account Number: 0052-1155-58
Swift Code: TLBPPHMM

Beneficiary Address: Department of Energy, Energy Center, BGC,

Taguig City

Copy of the payment receipt must be emailed to:

Jaymee Joy A. Deogracias:

bacsecretariat@doe.gov.ph or jdeogracias@doe.gov.ph

For pre-bid conference purposes, the bid documents may be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity. The bidder shall pay the Bidding Documents not later than the submission of their bids.

Bidders are encouraged to download a copy of the Bid Documents from the DOE or PhilGEPS website for pre-bid conference purposes instead of physically securing a hard copy at the DOE-BAC Secretariat office.

- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **12 January 2023** from the address below and upon payment of the applicable fee for the Bidding Documents, pursuant to Section 5 of Appendix 8 of the 2016 IRR of RA 9184, in the amount of Php25,000.00.
- 6. The Department of Energy will hold a Pre-Bid Conference on **19 December 2023** which will start at **09: 00 AM** at the DOE **Audio Visual Room** DOE BAC Main Office.

If the Bidders has COVID-19 related constraints, they have the options to attend the Prebid thru Video conferencing using MS Teams, prospective bidders are advised to download MS Teams app prior to the date of the Pre-bid Conference. The bidders are required to submit the following information through bacsecretariat@doe.gov.ph or jdeogracias@doe.gov.ph on or before 18 January 2023:

- 1. Complete name of the authorized company representative who will participate in the Pre-Bid Conference. Complete company Name, address and contact details:
- 2. Active email addresses where the invitation/link will be sent; and
- 3. Indicate the item/s the company would like to participate
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before 9:00 AM of 02 February 2023 submission could be made through courier service provided it will be stamped-received by the DOE Records Management Division or the BAC Secretariat on or before 9:00 AM of 02 February 2023. Online submission is not yet available. Late bids shall not be accepted.

Procurement Management Division
Department of Energy
3F DOE Main Building, Energy Center,
Rizal Drive, Bonifacio Global City
Taguig City, Philippines 1632

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **10:00 AM of 02 February 2023,** DOE Audio Visual Room, DOE-Main Building. Bidder's authorized representative, as stated in the bid submission, is required to attend the Bid Opening at the DOE AVR. Bids will be opened in the presence of the bidders' representative.

Department of Energy DOE Main Building, Energy Center, Rizal Drive, Bonifacio Global City Taguig City, Philippines 1632

The official representative as stated in the bid submission is required to attend the bid opening. Attendees shall be subject to the DOE Protocol for Visitors; compliance to social distancing, wearing of masks, body temperature screening, filling up of self-screening form which must be filled-up prior to the arrival at DOE (the form can be downloaded at the DOE website). Visitors who show signs of COVID-19 related symptoms such as, cough, flu, fever, high body temperature, sneezing are advised not to proceed to DOE since they will not be allowed to enter the DOE compound. Virtual participation of the opening bids for Bidders can be witnessed through the MS Teams platform.

In case of any constraints, bidders have the options to attend the Opening of Bids thru Video conferencing using MS Teams, prospective bidders are advised to download MS Teams app prior to the date of the Pre-bid Conference. The bidders are required to submit the following information through bacsecretariat@doe.gov.ph or jdeogracias@doe.gov.ph on or before 01 February 2023.

10. To minimize errors in the preparation of bids, bidders are strongly enjoined to send the person or representative actually preparing their bids to attend/participate in the Pre-bid Conference. The bidders' representative shall carefully consider all the discussions during the Pre-bid Conference and be guided by them in the preparation of bids.

Official communication or notification shall be sent through the official email provided by the suppliers and are considered official and duly received by the supplier even without confirmation of such receipt.

- 11. The Department of Energy (DOE) reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Jaymee Joy A. Deogracias

Procurement Management Division 3F DOE Main Bldg., Energy Center, Rizal Drive Bonifacio Global City, Taquiq City. Philippines 1632

Email address: bacsecretariat@doe.gov.ph

Telephone/Facsimile: (02) 3479-2900 local 383 (02) 8541-4105

Website: www.doe.gov.ph

(sgd)

Usec. Giovanni Carlo J. Bacordo
Chairperson
Bids and Awards Committee

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Department of Energy wishes to receive Bids for the DOE's Security Services (Multi-Year Contract) under Purchase Request No. 02-0101-2023-EP-0030.

2. Funding Information

2.1. The GOP through the source of funding as indicated below for GAA **FY2023** in the amount of Php24,934,027.00 for the 1st year of the Multi-Year Contract.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule is inclusive of all Value added tax and all other applicable taxes and charges and shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to

Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: Philippine Pesos

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until 18 May 2023. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB**Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One (1) Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Provisions of Institutional Security Services
	 b. completed within two (2) years prior to the deadline for the submission and receipt of bids
7.1	Subcontracting no allowed
10.1	Brochures of products being offered is part of the submission for post qualification
12	The price of the Goods shall be quoted DDP – Department of Energy , Taguig City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	 a. Not less than Php498,680.54 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. Not less than Php1,246,701.35 if bid security is in Surety Bond.
15.	Each Bidder shall submit one (1) original and four (4) copies of the first and second components of its bid.
20.2	No further Instructions

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC				
Clause 1	Delivery and Documents –			
·	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	"The delivery terms applicable to the Contract are DDP delivered Department of Energy, Taguig City. In accordance with INCOTERMS."			
	"The delivery terms applicable to this Contract are Department of Energy, Taguig City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is: Mr. Jericho O. Bragado, Chief-GSD			
	Delivery and Documents			
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	The delivery terms applicable to this Contract are delivered at DOE Main Office. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
	Packaging			
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration,			

where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

Transportation

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available, but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers, risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

C

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2	The terms of payment shall be as follows: Monthly Billing based on actual services rendered will be paid upon compliance with the billing and payment provision under the TOR and completion of all deliverables and issuance of end-user's acceptance certificate and submission of complete documents. Payment is through List of Due and Demandable Accounts Payable - Advice to Debit Account (LDDAP-ADA) and subject to usual government budgeting, auditing, and accounting procedures.
4	Inspection and Tests: As stated in the TOR/Specifications
5.1	No further instructions

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Item	Qty.	Unit	Delivery Date
1	DOE's Security Services (Multi-Year Contract)	1	Lot	Thirty (30) Calendar Days upon receipt of Notice to Proceed

Section VII. Technical Specifications/ Terms of Reference

Terms of Reference/Specifications

DOE's Security Services (Multi-Year Contract)

Bidder's Compliance

. Approved budget allocation for this multi-year project under the Department of Budget and Management Approved Multi-Year Contract Authority No. MYCA-BMB-E-22-0000067:

Year	Approved Budget under Multi-year Contract (Php)
1st year (1 January 2023- 31 December 2023)	24,885,027.00
2 nd year (1 January 2024- 31 December 2024)	24,934,143.00
3 rd year (1 January 2025- 31 December 2025)	24,934,143.00

ANNEX "A"

RULES AND REGULATIONS PERTAINING TO CONTRACTOR'S SECURITY PERSONNEL OFFENSES

The acts or omissions listed hereunder constitute negligence of duty or imprudence which shows lack of moral behavior or paucity of discipline. **CONTRACTOR** shall impose or apply the appropriate penalties or sanctions or corrective measures against its security personnel assigned to **CLIENT's** premises who commit such misbehavior or misconduct.

1. Conduct and Behavior

- a. Commission of an act which is or may constitute a crime;
- Holding of unauthorized meeting at CLIENT's premises that would adversely affect CLIENT's operation and/or activities;
- c. Commission of an illegal or immoral act within **CLIENT's** premises;

- d. Carrying of prohibited weapons or banned objects,
 e.g., drugs, lighters, fan-knives, firearms, etc.
 within CLIENT's premises;
- e. Fighting or attempting bodily harm on any person except in self-defense while within **CLIENT's** premises or while performing work for **CLIENT** whether within or outside its premises;
- f. Malicious mischief or horseplay resulting in injury to person/s or destruction of **CLIENT's** property for which it may be held liable;
- g. Intimidations or coercion of fellow CONTRACTORS' workers, CLIENT's employees, customers, guests and/or any person, in any manner which adversely affects CLIENT's interests;
- Concealing a disease which endangers fellow CONTRACTORS' workers or CLIENT's personnel, contracted workers, job orders, guests/visitors, etc.;
- Refusal to submit to or failure to meet security requirements of **CLIENT** or being in the opinion of **CLIENT**, a poor security risk;
- j. Intentionally damaging CLIENT's property or any property for which CONTRACTOR's may be held liable; and
- k. Refusal to comply or failure to carry out legal instructions of superiors and/or **CLIENT's** concerned GSD personnel.

2. **Negligence of Duty**

- a. Negligence in assigned tasks/duties;
- b. Habitual neglect of duty;
- c. Unnecessary use or playing games on cellphones while on duty/shift;
- d. After having access to information, failure to report as soon as possible the loss, spillage, or damage of **CLIENT's** property that it may be held liable;
- d. Sleeping or napping while on duty;

- e. Leaving work and/or workplace without proper relief or authorization during time of duty/shift; and
- f. Unauthorized leave or not reporting for duty without informing beforehand the immediate supervisor so relievers can be deployed to take over the tasks. This applies to group of workers with obvious interest to sabotage their works at **CLIENT's** premises.

3. **Insubordination**

- a. Disobedience to the lawful order of superiors in connection with his/her duties;
- Refusal to answer questions in any investigation authorized or conducted by **CLIENT** unless such answers would violate Constitutional rights; and
- c. Insult or willful disrespect on the honor of supervisors or any official or employee of **CLIENT** or persons transacting business with **CLIENT**.

4. **Dishonesty**

- a. Unauthorized use of **CLIENT's** resources;
- Stealing and/or attempting to steal from CLIENT, its employees, other contractors and/or clientele;
- Offering or receiving money or other valuable consideration in exchange for a job, better working place, or any change in working conditions, and/or refusal to be rotated to other areas within CLIENT's premises;
- d. Substituting material and/or object with intent to gain;
- e. Obtaining or attempting to obtain **CLIENT's** funds, equipment, products, supplies and materials through fraudulent means from **CLIENT's** suppliers, warehouses, plants or stations, and other assigned work places; and
- f. Defrauding **CLIENT** in any manner.

5. Alcoholic Beverages and Prohibited/Regulated Drugs

- a. Unauthorized use or possession of prohibited/regulated drugs within CLIENT's premises;
- Drinking liquor within **CLIENT's** premises except during official occasions and locations as authorized by **CLIENT**;
- c. Reporting for work under the influence of liquor and/or prohibited/regulated drugs, or with observed disturbance of mindset due depression or stress (physical or financial); and
- d. Selling or inducing any person to take prohibited/regulated drugs within CLIENT's premises except when duly authorized for medical reasons.

6. **Safety**

- a. Failure to observe **CLIENT's** safety rules and regulations;
- Carelessness with regard to safety of fellow CONTRACTORS' workers or CLIENT's employees, guests and visitors;
- After having access to information, failure to report immediately, an accident or injury involving fellow CONTRACTORS' workers, CLIENT's employees or damage to CLIENT's property;
- d. Smoking in "No Smoking" areas within **CLIENT's** premises or property;
- e. Carrying matches or lighters, or other than safety matches or lighters with close covers, or having open lights or fires within prescribed limits where such practice is forbidden within **CLIENT's** premises or property;
- f. Removing safety devices from **CLIENT's** machinery, equipment or any other property without permission;
- g. Driving **CLIENT's** vehicle recklessly or at excessive speed, or at speed above the area speed limit or driving any other vehicle in the same manner within **CLIENT's** premises;

- h. Allowing unauthorized persons to operate **CLIENT's** vehicle or equipment when the same is assigned to him/her;
- Driving under the influence of liquor or prohibited/regulated drugs;
- j. Intentionally destroying or damaging **CLIENT's** property or other equipment;
- k. Failure to wear safety attire when prescribed within **CLIENT's** premises;
- Staying after work in **CLIENT's** premises unless otherwise authorized by the Chief of General Services Division (GSD); and
- m. Unauthorized entry in restricted areas/office/closed rooms within **CLIENT's** premises.

7. Other Acts or Omissions

- Leaving and/or vacating respective assigned post and/or area of responsibility when on-duty at CLIENT's premises unless properly relieved upon the order of the GSD Chief of CLIENT;
- Improper or non-wearing of CONTRACTOR's uniform when on-duty at CLIENT's premises and/or in CLIENT's other sites;
- Use of stairwell in going up and down CLIENT's building/s except when handling heavy items/documents/ equipment wherein the elevator can be used;
- d. Discourtesy to CLIENT's personnel, guests, visitors and other CONTRACTORS' workers;
- e. Use of **CLIENT's** telephone direct line in placing outside call with charges without proper written authorization from the GSD Chief of **CLIENT**; and
- f. Loafing to other areas where he/she is not assigned except during the period for morning snack (0900H-0915H), lunchtime (1200H-1300H), and afternoon snack (1500H-1515H) and/or unauthorized entry to offices or closed areas at **CLIENT's** premises.

					ANNEX "
	SCHEDULE OF POSTING OF SECUR	ITV OFFICERS	AND GUARDS		
	SCHEDULE OF FOSTING OF SECON	TT OTTICERS			
#	POSTS	SHIFT	DUTY - TIME	HRS	NO. OF GUARDS
1	Traffic Control (Rizal Drive/Curve to Main Gate entrance)	Ist Shift	0500H - 1300H	8	1
	, , , , , , , , , , , , , , , , , , , ,	2nd Shift	1300H - 2100H	8	1
2	Pedestrian Access at Left-side area of Main Gate	Ist Shift	0500H - 1300H	8	1
2	USC Valciales Inspection Avec many Main Cate	2nd Shift	1300H - 2100H	8	2
3	USG Vehicles' Inspection Area near Main Gate	Ist Shift 2nd Shift	0600H - 1400H 1400H - 2200H	8	2
		3rd Shift	2200H - 0600H	8	1
4	Main Building Lobby	Ist Shift	0600H - 1400H	8	1
		2nd Shift	1400H - 2200H	8	1
_		3rd Shift	2200H - 0600H	8	1
5	Annex Building Lobby	Ist Shift 2nd Shift	0600H - 1400H 1400H - 2200H	8	1 1
		3rd Shift	2200H - 0600H	8	1
6	Motorpool Gate	Ist Shift	0600H - 1400H	8	1
	·	2nd Shift	1400H - 2200H	8	1
		3rd Shift	2200H - 0600H	8	1
7	Old Motorpool Parking Area and Roving covering	Ist Shift	0600H - 1400H	8	1
_	ERTLS 2 Lab. Test Facilities and EUMB Charging Station	2nd Shift	1400H - 2200H	8	1
8	Sunken Garden Parking Area and West Perimeter Fence	Ist Shift	0600H - 1400H	8	1
		2nd Shift 3rd Shift	1400H - 2200H 2200H - 0600H	8	1 1
9	Service Road/driveway to NPTL, LATD, ERDB, including	Ist Shift	0600H - 1400H	8	1
	Main Bldg. North Fire Exit, GSD parking area and vicinities	2nd Shift	1400H - 2200H	8	1
LO	Inspection Area before Main Gate (Outgoing Vehicles)	Ist Shift	0600H - 1400H	8	1
		2nd Shift	1400H - 2200H	8	1
L1	Multi-Purpose Bldg. (MPB) Basement Lobby and vicinity	Ist Shift	0600H - 1400H	8	1
L2		2nd Shift 2nd Shift	1400H - 2200H 1400H - 2200H	8	<u>1</u>
	Roving North Perimeter fence and vicinities (Rear areas of LATD, Gonio, MPB)	3rd Shift	2200H-0600H	8	1
L3	5/F PNOC Bldg. 5 Lobby (OSEC & EOs)	Ist Shift	0600H - 1400H	8	1
	5,1 + 110 c Blag. 5 2000 (602 c a 200)	2nd Shift	1400H - 2200H	8	1
14	4/F PNOC Bldg. 5 Lobby	Ist Shift	0600H - 1400H	8	1
		2nd Shift	1400H - 2200H	8	1
15	3/F PNOC Bldg. 5 Lobby (OUSEC, OASEC, OIMB, PAO)	Ist Shift	0600H - 1400H	8	1
16	2/F PNOC Bldg. 5 Lobby (REMB)	2nd Shift Ist Shift	1400H - 2200H 0600H - 1400H	8	<u>1</u>
	12/1 TNOC Blug. 3 LOBBY (NEIVIB)	2nd Shift	1400H - 2200H	8	1
17	G/F PNOC Bldg. 5 Lobby	G Ist Shift	0600H - 1400H	8	1
		2nd Shift	1400H - 2200H	8	1
18	Basement Parking PNOC Bldg 5	Ist Shift	0600H - 1400H	8	1
	CCTV De aus Manitagin a	2nd Shift	1400H - 2200H	8	1
19	CCTV Room Monitoring	Ist Shift 2nd Shift	0600H - 1400H 1400H - 2200H	8	1 1
		3rd Shift	2200H - 0600H	8	1
20	Roving in-between bldgs.(Covered Pathways & vicinities	Ist Shift	0600H - 1400H	8	1
	daytime and escort on collection of garbage, electrical and	2nd Shift	1400H - 2200H	8	1
	plumbing inspection, monitoring of staff in the bldgs.	3rd Shift	2200H - 0600H	8	1
21	and parked vehicles at night)	I C lot Shift	0600H 1400		4
21	ERDB / Lobby of Databank Basement	LC Ist Shift 2nd Shift	0600H - 1400H 1400H - 2200H	8	<u>1</u> 1
22	Receiving Area (side of TD)	Ist Shift	0600H - 1400H	8	1
		2nd Shift	1400H - 2200H	8	1
23	PNOC Building 5 Assist (Close-in Security to Secretary)	Ist Shift	0600H - 1800H	12	1
		2nd Shift	1800H - 0600H	12	1
24	Annex Basement Lobby (SPMD Warehouse counter)	Day Shift	0800H - 1700H	8	1
	Assist Annex Building Lobby Assist Main Building Lobby	LC Day Shift LC Day Shift	0730H - 1630H 0730H - 1630H	8	1 1
27	Assist Motorpool Gate	Day Shift	0730H - 1630H	8	1
28	Detachment Commander	Ist Shift	0600H - 1800H	12	1
	Security Officer A	2rd Shift	1800H - 0600H	12	1
29	Warehouse in Antipolo	Ist Shift	0600H - 1800H	12	1
	Lucas 5'-14 06' (150)	2rd Shift	1800H - 0600H	12	1
SU	Luzon Field Office (LFO)	Ist Shift 2nd Shift	0600H - 1400H 1400H - 2200H	8	3
		3rd Shift	2200H - 0600H	8	3
	Total Manpower Complement	J. G. Simit			72
	The assigned locations and time of duty of the Security Person	nnel may vary du	e to intervening circ	cumstanc	es subject to
	Break down: 1 DC, 1 SQs, 70 SGs/LGs				
	Break down: 1 DC, 1 SOs, 70 SGs/LGs				

DOE SECURITY SERVICES CONTRACT

ANNEX "C"

ELEVEN GENERAL ORDERS FOR SECURITY PROFESSIONALS

- 1. To take charge of my post and all company properties in view and protect/preserve the same with utmost diligence.
- 2. To walk in an alert manner during my tour of duty observing everything that takes place within sight or hearing.
- 3. To report all violation of regulations and orders that I am instructed to enforce.
- 4. To relay all calls from posts more distant from the security house where I am stationed.
- 5. To quit my post only when properly relieved.
- 6. To receive, obey and pass to the relieving guard all orders from company officers or officials, superiors, post in-charge or shift leaders.
- 7. To talk to no one except in line of duty.
- 8. To sound or call the alarm in case of fire or disorder.
- 9. To call the superior officer in any case not covered by instructions.
- 10. To salute all company officials, superiors in the agency, ranking public officials and officers of the Philippine National Police; and
- 11. To be especially watchful at night and during the time of challenging, to challenge all persons on or near my post and to allow no one to pass or loiter without proper authority.

units Handheld Metal Bomb Scanner with batteries units Handheld Metal Detectors Handheld Metal Detectors UHF/VHF Handheld Radios with operating batteries throughout the Contract Period (CP) with headsets/earphones each (31 Main; 3 LFO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) Brass Chargers for the rechargeable batteries (11 Main; 2 LFO) units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) Uligital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" t x 2" 0 in size, rechargeable, wide angle, 60x clear image zoom unit bligital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" t x 2" 0 in size, rechargeable, wide angle, 60x clear image zoom unit bligital Recorder Video Cam, Sony or equivalent brand, at least 20 megapixels, 5x optical zoom units Big Umbrellas (2 LFO; 1 Antipolo) Shotgun with bluelts - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Shotgar with 4 fame and 6 fame a	Unit			FOLIDMENT DEVICES SUPPLIES MATERIALS and SPECIALS	FRVICES
units Handheld Metal Bomb Scanner with batteries provided in the base of the control of the cont	units Handheld Metal Detectors Handheld Metal Detectors Incidence Incide			EQUIPMENT, DEVICES, SUPPLIES, INIATERIALS and SPECIAL S	ENVICES
4 units Handheld Metal Detectors UHF/VHF Handheld Radios with operating batteries throughout the Contact Period (CP) with heads et Scanned. Junits Outer Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LPO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LPO) Betta Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LPO) White Past Charges for the rechargeable batteries (11 Main; 2 LPO) White Past Charges for the rechargeable batteries (11 Main; 2 LPO) White Becorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" L x 2" D in size, rechargeable, wide angle, 60x clear image zoom Unit unit Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" L x 2" D in size, rechargeable, wide angle, 60x clear image zoom Units Big Umbrellas (2 LPO; 1 Antipolo) Shotgus with Macaliber with extra fully loaded magazine clip (3 LPO; 1 Antipolo) White Shotgus with bullets - 2 for DOE Main and 1 for LPO 12 gauge Shells (Blindshot, Buckshot or Slug) with 6x seach Per SG on-duty Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle should be s	dunits Handheld Metal Detectors placed inside bags/hugage at entry points expecially at building lobbies. To sound off an alarm when a metal is sanned. 4 units Contract Period (CP) with headsets/earphones each (31 Main; 3 LFO) 5 ps Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) 3 units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) 4 units Megaphone with Siren and Signal Code with rechargeable batteries, 22 voils DC 5 ps Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" Lx 2" Din size, rechargeable, wide angle, 60x and control, etc. and a test of "Lx 2" Din size, rechargeable, wide angle, 60x and control, etc. and a test of "Lx 2" Din size, rechargeable, wide angle, 60x and control, etc. and a test of "Lx 2" Din size, rechargeable, wide angle, 60x and control discharged batteries, 12 with the size of	Qty			
4 units Handheld Metal Detectors Difft/NHF Handheld Radios with operating batteries throughout the Contract Period (CP) with headsets/earphones each (31 Main; 3 LFO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) 12 pcs Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) 13 units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) 14 units Megaphone with Siren and Signal Code with rechargeable batteries, por use in gathering, assemblies, flag eremony, rally, crowd control, etc. 1 unit Digital Carnera, Sony or equivalent brand, at least 4" Lx 2" In 15 in size, rechargeable by, wide angle, 50x clear image zoom 1 unit Digital Carnera, Sony or equivalent brand, at least 20 megapivels, 5x optical zoom 13 units Digital Sony or equivalent brand, at least 20 megapivels, 5x optical zoom 13 units Digital Carnera, Sony or equivalent brand, at least 20 megapivels, 5x optical zoom 14 unit Shogun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 15 units Shogun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 16 unit Billoudar, 20x50 (168R kt at 1,000 yds), coated optics, preferably with night vision capability 2 units Spot Lights with rechargeable batteries 10 units Spot Lights with rechargeable batteries 11 unit Spot Lights with rechargeable batteries 12 sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use at Guard's Tower along perimeter fence and during rowing	units Handheld Metal Detectors Handheld Metal Detectors UHF/VHF Handheld Radios with operating batteries throughout the Contract Period (CP) with headsets/earphones each JA Units (SI) Main; 3 LPO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) Test (Langers for the rechargeable batteries (11 Main; 2 LFO) Test (Langers for the rechargeable batteries (11 Main; 2 LFO) Lettra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) The Units (Megahone with Stren and Signal Code with rechargeable batteries, 12 violts DC) Units (Langers for the rechargeable batteries) Lettra (Langers for the rechargeable batteries) Moderal (Langers for the rechargeable) Moderal (Langers for the rechargeable batteries) Moderal (Langers for the rechargeable) Moderal (Langers for the re	1	unit	Handheid Metal Bornb Scanner with batteries	- · · · · · · · · · · · · · · · · · · ·
UHF/VHF Handheld Radios with operating batteries throughout the Contract Period (CP) with headsets/earphones each (31 Main; 3 LFO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) Batta Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) which is a stronger of the rechargeable batteries (11 Main; 2 LFO) which is a stronger of the rechargeable batteries (11 Main; 2 LFO) which is a stronger of the rechargeable batteries (11 Main; 2 LFO) which is a stronger of the rechargeable batteries (11 Main; 2 LFO) which is a stronger of the rechargeable batteries (11 Main; 2 LFO) bigtal Recorder Video Cam, Sany model HDR-CX405 or equivalent brand, at least 4" L x 2" D in size, rechargeable, wide angle, 60x or use in gathering, assemblies, flag cremony, rally, crowd control, etc. unit bigtal Camera, Sony or equivalent brand, at least 20 megapixels, 5x l'aling of videos and tarping of videos and	UHF/VHF Handheld Radios with operating batteries throughout the Contract Period (CP) with headsets/earphones each (31 Main; 3 LFO) Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) strate Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) wints fast Chargers for the rechargeable batteries (11 Main; 2 LFO) logital Recorder Video Cam, Sony model HDR-CX405 or equivalent transition and signal Code with rechargeable batteries, pror use in gathering, assemblies, flag control of the common, raily, crowd control, etc. Taking of videos and taping of violetal camera, Sony or equivalent brand, at least 20 megapixels, 5x and conduct of investigation, etc. Taking of pictures sepcially during raily and conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation, etc. Taking of pictures sepcially during raily or conduct of investigation. Ready from use at tiobities with a conduct of investigation of the properation and prop				
units of the contract Period (CP) with headsets/earphones each (31 Mair; 3 LFO) pcs Extra Rechargeable Batteries for UHF/VHF Radios (10 Mair; 2 LFO) pcs Extra Rechargeable Batteries for UHF/VHF Radios (10 Mair; 2 LFO) for use by the SGs on-duty sharped by the SGs on-duty for use in gathering, assemblies, flag ceremony, raily, crowd control, etc. Takes of the ceremony, raily, crowd control, etc. Takes of videos and taping of vioices/sounds especially during raily and conduct of investigation. Takes of videos and taping of vioices/sounds especially during raily and conduct of investigation. Takes of videos and taping of vioices/sounds especially during raily and conduct of investigation. Takes of pitcles are control, etc. Takes of vioices/sounds especially during raily and conduct of investigation. Takes of pitcles are control, etc. Takes of pitcles ar	4 units	4	units	Handheid Metai Detectors	To sound off an alarm when a metal is
units Contract Period (CP) with headsets/earphones each So use by the SGs on-duty (31 Main; 3 LPO)	units Contract Period (CP) with headsets/earphones each Goldwin College CP CP CP CP CP CP CP C	-			scanned.
Starta Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO)	Sal Main: 3 LFO 2 pcs Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2 LFO) 3 units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) For immediate use as replacement of discharged batteries of SGs 12 voits DC	3/1	units		For use by the SGs on-duty
pcs LFO) For immediate use as replacement of discharged batteries (11 Main; 2 LFO) For immediate use as replacement of discharged batteries of YSGs	units spat Chargers for the rechargeable batteries (11 Main; 2 LEO) where the spatial state of the spatial state of discharged batteries of SGs units Megaphone with Siren and Signal Code with rechargeable batteries; for use in gathering, assemblies, flag ceremony, rally, crowd control, etc. Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" Lx 2" D in size, rechargeable, wide angle, 60x clearings go zoon unit brand, at least 4" Lx 2" D in size, rechargeable, wide angle, 60x clearings go zoon unit bigital Camera, Sony or equivalent brand, at least 20 megaphiels, 5x laking of pictures especially during rally and conduct of investigation, etc. spatial camera, Sony or equivalent brand, at least 20 megaphiels, 5x laking of pictures especially during rally and conduct of investigation, etc. Mand Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) spatial camera, Sony or equivalent brand, at least 10 Big Umbrallas (2 LFO; 1 Antipolo) spatial camera, Sony or equivalent brand, at least 4" W x 8" L in size of semi-convex mirror with handle li unit with spatial camera, 20x50 (168ft at 1,000 yds), coated optics, preferably with right vision capability. Discoal capability of the properties of the spatial camera and recorder, at least 8 megapixels clear mirror with handle spot Lights with rechargeable batteries sunits Celiphones with camera and recorder, at least 8 megapixels clear mirror. Spot Lights with rechargeable batteries conducted CCTV system, to include installation, UTP CAT-6 Cable Wire in standard Vox format and motion detect capability with 49 AHD (1889 or 2 MP) camera lens (seculative of the 4 DOc camera lens installed a dustifier of builds with sprupes Building), bwo (2) lights Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infrared capabilities, can be digitally sonder. As more camera lens in tover approximately 90 degrees area, clear picture at 20 meters	34	units		Tor use by the sas on-auty
units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) 4 units Fast Chargers for the rechargeable batteries (11 Main; 2 LFO) 4 units Megaphone with Siren and Signal Code with rechargeable batteries, for use in gathering, assemblies, flag eceronomy, rally, crowd control, etc. 5 Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" is 2" 0 in size, rechargeable, wide angle, 50x dear image zoom 1 unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and potical zoom (20 potical zoom) or equivalent brand, at least 20 megapixels, 5x and potical zoom (20 potical zoom) 13 units Big Umbrellas (2 LFO; 1 Antipolo) 14 unit Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 15 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 16 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 17 unit Binocular, 20x50 (168ff at 1,000 yds), coated optics, preferably with finght vision capability of megapement 18 set Submission of Security Management Plan within the 1st two (2) months of engagement 19 units Spot Lights with rechargeable batteries 10 units Cellphones with camera and recorder, at least 8 megapixels clear image 10 units Cellphones with camera and recorder, at least 8 megapixels clear image 10 units Cellphones with camera and batons, whistles and handcuffs 10 unit Cellphones with camera and bround detect capability of the control of the cont	units fast Chargers for the rechargeable batteries (11 Main; 2 LFO) Megaphone with Siren and Signal Code with rechargeable batteries, for use in gathering, assemblies, flag cremony, rally, crowd control, etc. Megaphone with Siren and Signal Code with rechargeable batteries, for use in gathering, assemblies, flag cremony, rally, crowd control, etc. Taking of videos and taping of viceos/sounds specially during rally and conduct of investigation, etc. Taking of videos and taping of viceos/sounds specially during rally and conduct of investigation, etc. Mills Big Umbrellas (2 LFC); 1 Antipolo) Mills Big Umbrellas (2 LFC); 1 Antipolo) Mills Big Umbrellas (2 LFC); 1 Antipolo) Mills Shotgun with bullets - 2 for DOE Main and 1 for LFC); 1 Antipolo) Mills Shotgun with bullets - 2 for DOE Main and 1 for LFC); 1 Mills Shotgun with bullets - 2 for DOE Main and 1 for LFC); 1 Mills Big County, 20x50 (1s8ft at 1,000 yds), coated optics, preferably with inght vision capability. Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Mills Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement. Cellphones with camera and recorder, at least 8 megapixels clear image. Cellphones with camera and recorder, at least 8 megapixels clear image. Cellphones with camera and recorder, at least 8 megapixels clear image. Colored CCTV system, to include installation, UTP CAT-6 Cable Wire instandard Vox format and montion detect capability with 49 AHD (1889 or 2 MP) camera lens (exclusive of the 4 DOE camera lens installed at outlit-purpose Building), two (2) ligitally video Recorders (D/RS) and two (2) monthors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zonemed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode to 15 meters in or zoom mode, thirty-sia (38) of the camera lens ar	12	ncc	Extra Rechargeable Batteries for UHF/VHF Radios (10 Main; 2	
units	aunits Megaphone with Siren and Signal Code with rechargeable batteries, ceremony, rally, crowd control, etc. Megaphone with Siren and Signal Code with rechargeable batteries, ceremony, rally, crowd control, etc. Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" t. x 2" In size, rechargeable, wide angle, 50x clear image zoom Digital Camera, Sony or equivalent brand, at least 20 megapixels, sx chaining of pictures especially during rally and conduct of investigation, etc. Mind Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) Mind Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) Shotgun with buflets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle I unit Bincoular, 20x50 (L68ft at 1,000 yds), coated optics, preferably with night vision capability Bincoular, 20x50 (L68ft at 1,000 yds), coated optics, preferably with night vision capability Cunits Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by DC, SO and SGs at lobbies Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by roving guard To be use by roving guard Lid With Perpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, cancer lears a relieved with infrared capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are builted type with aliminum covers to be installed outside of buildings with linfra-R	12	рсз	LFO)	For immediate use as replacement of
Megaphone with Siren and Signal Code with rechargeable batteries, 12 volts DC Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" t. x 2" or in size, rechargeable, wide angle, 60x clear image zoom Unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x policial zoom Junit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x policial zoom Junits Big Umbrellas (2 LFO; 1 Antipolo) MMM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each Unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Junit Bincular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability and provided	Megaphone with Siren and Signal Code with rechargeable batteries, 12 volts DC Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent thrand, at least 4" t. x" D in Size, rechargeable, wide angle, 60x clear image zoom Unit Digital Camers, Sony or equivalent brand, at least 20 megapixels, 5x Taking of videos and taping of volces/accounts especially during raily and conduct of investigation, etc. Digital Camers, Sony or equivalent brand, at least 20 megapixels, 5x Taking of bictures especially during raily and conduct of investigation, etc. Signal Munits Big Umbrellas (2 LFO; 1 Antipolo) Ready for use at lobbies Mantipolo) Mantipolo Ready for use at lobbies Shotigun with bullets - 2 for DDE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability Shot Lights with rechargeable batteries Sobt Lights with rechargeable batteries Sobt Lights with rechargeable batteries Sobt Lights with rechargeable batteries Cellphones with camera and recorder, at least 8 megapixels clear image Anti-niot shields, helmets and batons, whistles and handcuffs Anti-niot shields helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability on the camera lens are fixed with Infra-red capabilities, can be digitally xoomed, 2.8 mm camera lens installed at Multi-Purpose Bullding), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 16 frames per monitor, camera lens are fixed with Infra-red capability and surpling of selected composition capability and can clearly pick up objects at least 20 days of events before being overwrite, camera lens are bullet type with aluminum coursers to be installed outside of buildings with Infra-Red (IR) capability to playback, save, back-up to when the proper in the proper in the prope	13	units	Fast Chargers for the rechargeable batteries (11 Main: 2 LFO)	discharged batteries of SGs
12 voits DC Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent brand, at least 4" L x 2" 0 in size, rechargeable, wide angle, 60x clear image zoom unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and orduct of investigation, etc. Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and orduct of investigation, etc. Joyan MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) Big Umbrellas (2 LFO; 1 Antipolo) Ready for use at lobbies MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) Per SG on-duty Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle I unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle I unit Signocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with finght vision capability Units Spot Lights with rechargeable batteries Set Submission of Security Management Plan within the 1st two (2) months of engagement set Submission of Security Management Plan within the 1st two (2) months of engagement units Celiphones with camera and recorder, at least 8 megapixels clear image 12 sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rolly eximal weak areas of security deployment Eor use by DC, SO and SGs at lobbies Ready for use during rally, etc. To be use by roving guard Land Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOC camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 management provided on the dead on the dead of 15 meters if not in 200 m mode or 15 meters if not in 200 mende or 15 meters if not in 200 me	Lotts DC ceremony, Tally, crowd control, etc. Digital Recorder Video Cam, Sony model HDR-CX405 or equivalent unit brand, at least 4" t. x.2" 0 in size, rechargeable, wide angle, 60x clear image zoom Unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and conduct of investigation, etc. Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and conduct of investigation, etc. Big Umbrellas (2 LFO; 1 Antipolo) Bready for use at lobbies For vehicles' underchasses inspection at USG/parking lots For vehicles' underchasses inspection at USG/parking lots For use at Guard's Tower along perimetre fence and during roving Umbrellas (2 Umbr			(=====, ===, ===, ===, ===, ===, ===, =	
Unit brand, at least 4" L 2" D in size, rechargeable, wide angle, 60x and conduct of investigation, etc. 1 unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x Taking of vicies/sounds especially during rally aportical zoom 1 unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x Taking of pictures especially during rally optical zoom 13 units Big Umbrellas (2 LFO; 1 Antipolo) Ready for use at lobbies 14 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 15 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 16 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 17 unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with right vision capability 18 set Submission of Security Management Plan within the 1st two (2) months of engagement 19 set Submission of Security Management Plan within the 1st two (2) months of engagement 20 units Cellphones with camera and recorder, at least 8 megapixels clear image 21 sets Anti-riot shields, helmets and batons, whistles and handcuffs 22 lord Auti-riot shields, helmets and batons, whistles and handcuffs 23 sets Anti-riot shields, helmets and batons, whistles and handcuffs 24 lord Auti-riot shields, helmets and batons of the 4D DC camera lens installed at Multi-Purpose Building), two 20 ligital vites decreased applications, and two (2) months of engagement 10 unit ABV electric off road scooter fat tire electric scooter for security guards patrol with Helmet 25 colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two clear pictures to be installed outside of buildings with Infra-Red (1R) capability to demark a lens are builet type with aluminum covers to be in	Digital Recorder Video Cam, Sony model HDR-CX40S or equivalent brand, at least 4" L x 2" D in size, rechargeable, wide angle, 60x clear image zoom unit unit objects a common or equivalent brand, at least 20 megapixels, 5x Taking of pictures especially during rally and conduct of investigation, etc. Taking of pictures especially during rally and conduct of investigation, etc. Taking of pictures especially during rally and conduct of investigation (Probing Power of Common of Commo	4	units		
unit brand, at least 4" k. 2" D in size, rechargeable, wide angle, 60x clear image zoom voices/sounds especially during rally and conduct of investigation, etc. 1 unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x Taking of pictures especially during rally optical zoom 13 units Big Umbrellas (2 LFO; 1 Antipolo) Ready for use at lobbies 13 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 1 unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability 2 units Spot Lights with rechargeable batteries 1 set Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 12 sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. 1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) montors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red (apability on the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (R) capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	unit brand, at least a" t. x 2" D in size, rechargeable, wide angle, 60x clear image zoom unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x and conduct of investigation, etc. 3 units Big Umbrellas (2 LFO; 1 Antipolo) 3 units Shotgun with extra fully loaded magazine clip (3 LFO; 1 Antipolo) 3 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with fight vision capability 2 units Spot Lights with rechargeable batteries 3 Submission of Security Management Plan within the 1st two (2) months of engagement 4 Set Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 2 sets Anti-riot shields, helmets and batons, whistles and handcuffs Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VAG format and motion detect capability with JA HD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally or soom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (Ri) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTz With keyboard unit) at least 20 combines of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
clear image zoom unit Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x1 Taking of pictures especially during optical zoom units Big Umbrellas (2 LFC); 1 Antipolo) Ready for use at lobbies 35 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 1 unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with right vision capability 2 units Spot Lights with rechargeable batteries 1 set Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 1 unit Gellphones with camera and recorder, at least 8 megapixels clear image 1 unit Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 1 unit Gellphones with camera and recorder, at least 8 megapixels clear image 1 unit Submission of Security Management Plan within the 1st two (2) months of engagement 2 units Cellphones with camera and recorder, at least 8 megapixels clear image 3 units Cellphones with camera and recorder of the security guards patrol with Helmet 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monthors (at least 50" in size), configured for at least 10 frames per montor, camera lens are fixed with infra-ede (apability to a begability to be installed outside of buildings with Infra-Red (Rip Lapability and building with 16 pass polyment of outside of buildings with Infra-Red (Rip Lapability and building with 16 pass p	clear image zoom Digital Camera, Sony or equivalent brand, at least 20 megapixels, 5x optical zoom Joy Camera, Sony or equivalent brand, at least 20 megapixels, 5x optical zoom Joy Conduct of investigation, etc. Taking of pictures especially during rally or conduct of investigation rally or conduct or favored and to such a conduct or such as a conduct o	1	unit	1 * '	, ,
units Big Umbrellas (2 LFO; 1 Antipolo) 35 units 9MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) 36 units 9MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) 37 units 9hotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 4 unit 9Probing Device (Mirorr), at least 4" W x 8" L in size of semi-corvex mirror with handle 5 unit 9Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability 10 in spot Lights with rechargeable batteries 6 units 9Sob Lights with rechargeable batteries 7 units 9Sob Lights with rechargeable batteries 8 units 9Sob Lights with camera and recorder, at least 8 megapixels clear image 1 unit 9Sob Calibrones with camera and recorder, at least 8 megapixels clear image 1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet 1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet 1 unit 9AV electric off road scooter fat tire electric scooter for security guards patrol with Helmet 1 unit 1 clore 7AVP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if not zoom mode, thirty-six (36) of the camera lens are fixed with infra-red capability to playbasks, save, back-up to external drive (save photos thru flash drive) for printing of selected sorties of buildings with franca Rel (By, capability and sunglight compensation capability to playbasks, save, back-up to external drive (save photos thru flash drive) for printing of selected sorties of vehicles and plate numbers, etc. and another ten (10) units dome	ally or conduct of investigation prical zoom units big Umbrellas (2 LFO, 1 Antipolo) Mand Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) units Shotgun with builets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Binocular, 20x50 (168ff at 1,000 yds), coated optics, preferably with finght vision capability unit Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image and Anti-riot shields, helmets and batons, whistles and handcuffs A8V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (sculvie of the 4 DOC camera lens installed at Mult1-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 fmess per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if no zoom mode, thirty-sis (36) of the camera lens are builted type with aluminum covers to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			, , , , , , , , , , , , , , , , , , , ,	
units Big Umbrellas (2 LFC; 1 Antipolo) Ready for use at lobbies 9MM Caliber with extra fully loaded magazine clip (3 LFC); 1 Antipolo) Per SG on-duty Antipolo) units Shotgun with bullets - 2 for DOE Main and 1 for LFC 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with inght vision capability units Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image Lelphones with camera and recorder, at least 8 megapixels clear image Anti-riot shields, helmets and batons, whistles and handcuffs Anti-riot shields, helmets and batons, whistles and handcuffs Anti-riot shields, helmet and batons, whistles and handcuffs Alev electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire ins standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DWRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilitity and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PIZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motopol gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10)	units Big Umbrellas (2 LFO; 1 Antipolo) Ready for use at lobbies mits Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Siug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle unit anicular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Soutlights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image anti-riot shields, helmets and batons, whistles and handcuffs Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOC camera lens installed at full-rive part of the part of the part of the part of the	1	unit		
9MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) 3 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 3 Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability 2 units Spot Lights with rechargeable batteries 3 Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet 6 Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRS) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capability and and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motopol gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	9MM Caliber with extra fully loaded magazine clip (3 LFO; 1 Antipolo) 3 units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 3 incurally 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability 4 unit Spot Lights with rechargeable batteries 5 units Spot Lights with rechargeable batteries 6 set Submission of Security Management Plan within the 1st two (2) months of engagement 7 cellphones with camera and recorder, at least 8 megapixels clear image 8 ye sets Anti-riot shields, helmets and batons, whistles and handcuffs 9 unit Walve electric off road scooter fat tire electric scooter for security guards patrol with Helmet 1 unit Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (D/Rs) and two (2) monitors (at least 50" in size), configured for at least 13 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if no zoom mode, thirty-six (36) of the camera lens are builet type with aluminum covers to be installed outside of buildings with Infra-Red (Rip, Lapability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick (clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			optical zoom	rally or conduct of investigation
antipolo) Antipolo Antipolo) Antipolo Antipolo) Antipolo Anti	Shotgun with bullets - 2 for DDE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each 1 unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle 1 unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability of months of engagement 2 units Spot Lights with rechargeable batteries 3 units Cellphones with camera and recorder, at least 8 megapixels clear image 4 unit Cellphones with camera and recorder, at least 8 megapixels clear image 5 units Anti-riot shields, helmets and batons, whistles and handcuffs 6 unit A8V electric off road scooter fat tire electric scooter for security guards patrol with Helmet 7 colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monthors (at least 50 in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with infra-red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another inin (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpolog ates, parking areas to be able to pick (clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	13	units	Big Umbrellas (2 LFO; 1 Antipolo)	Ready for use at lobbies
units Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability units Spot Lights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bulled type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 to external drive (save photos thru flash drive) for printing of selected scenes, etc. 1 lot vicine provided the provided provided provided provers of vehicles and plate numbers, etc. and another ten (10) units dome	Antipolo) Shotgun with bullets - 2 for DOE Main and 1 for LFO 12 gauge Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle at USG/parking lots unit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement mo	35	units		Per SG on-duty
Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle lunit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries sumits Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. white ABV electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 days of events before being overwrite, capability to playback, save, back-up to external drive (save photos thru flash drive) for printing of selected scenes, etc. lot with the probability and sunlight compensation capability and sunlight course are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed outside of buildings with Infra-Red (IR) capability and sunlight to be installed outside of buildings with Infra-Red plane to the dable to pick clear pictures of driviers of vehic	Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle linuit binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability units Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. All unit days patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DDE camera lens installed at Multi-purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			Antipolo)	
Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle lunit Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries sumits Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. white ABV electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are buillet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 days of events before being overwrite, capability to playback, save, back-up to external drive (save photos thru flash drive) for printing of selected scenes, etc. lot with the probability and sunlight compensation capability and sunlight course are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed outside of buildings with Infra-Red (IR) capability and sunlight to be installed outside of buildings with Infra-Red place to the clear place to the capability of playback, save,	Shells (Birdshot, Buckshot or Slug) with 6 pcs each unit Probing Device (Mirror), at least 4" W x 8" L in size of semi-convex mirror with handle linuit binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability units Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. All unit days patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DDE camera lens installed at Multi-purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			Shotgun with bullets - 2 for DOF Main and 1 for LFO 12 gauge	
mirror with handle unit binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and batons, whistles and handcuffs Ready for use during rally, etc. Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. and 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	mirror with handle at USG/parking lots sincoular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability and can clearly pick up objects at least 20 monters away, another nine (9) units outside of buildings with Infra-Red (IR) capability to playback, save, back-up one gates, parking areas to be able to pick clear pictures of wellides and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	3	units		
mirror with handle unit binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and batons, whistles and handcuffs Ready for use during rally, etc. Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. and 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	mirror with handle at USG/parking lots sincoular, 20x50 (168ft at 1,000 yds), coated optics, preferably with hight vision capability and can clearly pick up objects at least 20 monters away, another nine (9) units outside of buildings with Infra-Red (IR) capability to playback, save, back-up one gates, parking areas to be able to pick clear pictures of wellides and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			Dubling Dubling Date (Affirm A at least 4 Mt. Oll I the for a formal and	Encoderate de la contraction d
1 unit binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability 2 units Spot Lights with rechargeable batteries 3 set Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image 6 sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. 6 unit days patrol with Helmet Red (Red Color System, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 textenal drive (save photos thru flash drive) for printing of selected scenes, and plate numbers, etc. and another ten (10) units dome	Binocular, 20x50 (168ft at 1,000 yds), coated optics, preferably with night vision capability units Spot Lights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs at white Spot Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be looked, save, back-up to extendid rive (save photos thru flash drive) for printing of selected scenes, etc. In the province of the camera sike driveway lobbies, entrance gates, morth of the camera lens and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	1	unit		· ·
night vision capability units Spot Lights with rechargeable batteries set Submission of Security Management Plan within the 1st two (2) months of engagement cellphones with camera and recorder, at least 8 megapixels clear image cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. which is a set with rechargeable batteries colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	night vision capability units Spot Lights with rechargeable batteries Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image and Cellphones with camera and recorder, at least 8 megapixels clear image Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x coming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	,			
2 units Spot Lights with rechargeable batteries 1 set Submission of Security Management Plan within the 1st two (2) months of engagement 5 units Cellphones with camera and recorder, at least 8 megapixels clear image For use by DC, SO and SGs at lobbies 12 sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. 1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DDE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image Sets Anti-riot shields, helmets and batons, whistles and handcuffs All viiit Sets Anti-riot shields, helmets and batons, whistles and handcuffs Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20 zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	1	unit	night vision capability	· ·
Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Atti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by roving guard Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20 zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Submission of Security Management Plan within the 1st two (2) months of engagement Cellphones with camera and recorder, at least 8 megapixels clear image Sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DDE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50° in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are builtet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 days of events before being overwrite, capability to playback, save, back-up to external drive (save photos thru flash drive) for printing of selected scenes, etc. In the control of the co	2	units	Spot Lights with rechargeable batteries	perimeter fence and during roving
months of engagement areas of security deployment Cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Mati-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Ready for use during rally, etc. Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	cellphones with camera and recorder, at least 8 megapixels clear image sets Anti-riot shields, helmets and batons, whistles and handcuffs asets Anti-riot shields, helmets and batons, whistles and handcuffs asets Anti-riot shields, helmets and batons, whistles and handcuffs asets Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by roving guard Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 days of events before being overwrite, capability to playback, save, back-up to external drive (save photos thru flate) flate outside of buildings with Infra-Red (IR) capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				For validation of strong and weak
image Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by roving guard To be use by roving at least 20 to be use by roving guard To be use by roving at least 20 to by roving at least 20 to expending the least 20 to expend to expend the least 20 to expen	sets Anti-riot shields, helmets and batons, whistles and handcuffs nuit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	1	set	, ,	_
image Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. To be use by roving guard To be use by roving at least 20 to be use by roving guard To be use by roving at least 20 to by roving at least 20 to expending the least 20 to expend to expend the least 20 to expen	sets Anti-riot shields, helmets and batons, whistles and handcuffs nuit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			Collaborate with camera and recorder at least 9 magazivels clear	
Anti-riot shields, helmets and batons, whistles and handcuffs Ready for use during rally, etc. A8V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Anti-riot shields, helmets and batons, whistles and handcuffs unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	5	units	, , , , , , , , , , , , , , , , , , , ,	For use by DC. SO and SGs at lobbies
1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	1 unit 48V electric off road scooter fat tire electric scooter for security guards patrol with Helmet Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	12	sets	Anti-riot shields, helmets and batons, whistles and handcuffs	Ready for use during rally, etc.
Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			19V electric off road scooter fat time electric scooter for security	
Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Colored CCTV system, to include installation, UTP CAT-6 Cable Wire in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if no in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	1	unit	•	To be use by roving guard
in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	in standard VGA format and motion detect capability with 49 AHD (1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	installed at Multi-Purpose Building), two (2) Digital Video Recorders (DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
(DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	(DVRs) and two (2) monitors (at least 50" in size), configured for at least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			(1080P or 2MP) camera lens (exclusive of the 4 DOE camera lens	
least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	least 18 frames per monitor, camera lens are fixed with infra-red capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			1 0, 1, 5	
capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	capabilities, can be digitally zoomed, 2.8 mm camera lens to cover approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	approximately 90 degrees area, clear picture at 20 meters if not in zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			·	
zoom mode or 15 meters if on zoom mode, thirty-six (36) of the camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	lot Iot Iot Iot Iot Iot Iot Iot			· ·	
camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	lot lot camera lens are bullet type with aluminum covers to be installed outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation. days of events before being overwrite, capability to playback, save, back-up to external drive (save photos thru flash drive) for printing of selected scenes, etc.			, , , ,	Can record continuously for at least 30
outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	outside of buildings with Infra-Red (IR) capability and sunlight compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				,
compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	compensation capability and can clearly pick up objects at least 20 meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			**	,
meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motor- pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	meters away, another nine (9) units for outdoor use are Pan Tilt Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.	1	lot		
Zoom (PTZ with keyboard unit) at least 20x zooming capability to be installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	Zoom (PTZ with keyboard unit) at least 20x zooming capability to be scenes, etc. installed at open areas like driveway lobbies, entrance gates, motorpool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				1
installed at open areas like driveway lobbies, entrance gates, motor- pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	installed at open areas like driveway lobbies, entrance gates, motor-pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.			**	, , ,
pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome	pool gates, parking areas to be able to pick clear pictures of drivers of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				*
of vehicles and plate numbers, etc. and another ten (10) units dome	of vehicles and plate numbers, etc. and another ten (10) units dome type fixed cameras for indoor installation.				
	type fixed cameras for indoor installation.				
	79				
	79				
	79				
	<u> </u>	ļ			

1	unit	Computer with Printer and ink throughout the Contract Period (CP). Camera lens shall be installed in accordance with the CCTV Installation Plan (Annex "E"). Identified areas of installation may be changed due to necessity on real time situation.	To be based at Security Office Barrack
72	sets	First Aid Medical Kits (1 per SG, DC and SO)	
		a. 70% Solution Isopropyl Alcohol Green Cross (60ml) b. White Flower Analgesic Balm (20ml) c. Wound Solution Betadine (30ml) d. Hydrogen Peroxide/Agua Oxinada (60ml) e. 4 pcs. Sterilized Gauze (at least 3"x3") f. 1 roll transparent Medical Tape (12mm x 2.5m) g. 1 roll Elastic Bandage 2 inches width h. Cotton Pack 12 grams i. Medicine Holder Box containing at least 6 pcs. Paracetamol Biogesic 500mg, 6 pcs Loperamide Diatabs capsules 2mg, 6 pcs. Buscopan tablets 10 mg., 6 pcs. Paracetamol Neozep 500mg. j. Small scissor or sewing blade	For emergency use by SGs
2	units	First Aid Cabinet (1 for Main Office and 1 for LFO)	
		a. First Aid Kit (PVC Oxford Multi-pocket bag or equivalent) b. 12 pcs. Bantam Strips c. 12 pcs Menthol Strips d. 2 pcs. Torniquet Hose at least 1 ft length e. 12 pcs McBride or equivalent Gauze Pads - sterile 4"x4" f. 2 pcs. McBride or equivalent Eye Pad - sterile g. 2 pcs. McBride or equivalent Elastic Bandage 4"x5" yds. h. 6 btls 70% Solution isopropyl alcohol 120ml i. 2 btls Aromatic Spirit of Ammonia, 60 ml. j. 6 pcs. transparent Medical Plaster 12mm x 5mm k. 2 pcs Ice Bags #6 l. 6 btls Povidine Iodine 10%, 60ml m. 6 pcks Cotton 12 gms. n. 2 pcs. Medica or equivalent Digital Thermometer o. 2 pcs. Bandage Scissors p. 2 pcs. plastic Thump Forceps q. 2 pcs. Operating Scissors at least 5" in length r. 4 pcs. Medical Sterilized Hand Gloves s. 4 Medicine Holder Boxes containing at least 24 pcs. Paracetamol Biogesic 500mg, 24 pcs. Loperamide Diatabs capsules 2mg, 24 pcs. Buscopan tablets 10mg., 24pcs. Paracetamol Neozep 500mg. t. 6 pcs. Sterilized Kit for suturing of small open wound	
		Raincoats and rainboots	
72	sets		
72 72	sets	Face shields and Face Masks (through the contract period)	For used by SGs on-duty
		Face shields and Face Masks (through the contract period) Thermal Scanner (5 for Main Office and 1 for LFO)	For used by SGs on-duty For use by SGs on Lobbies and Entrance gate
72	sets		For use by SGs on Lobbies and

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents (Requirement during the Opening of Bids) and Documentary Requirements for Post-qualification

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Do	<u>ocuments</u>
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all
	pages). or
(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
(c)	and Mayor's or Business permit issued by the city or municipality where the
	principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
(d)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Technic	al Documents
(e)	Statement of the prospective bidder of all its ongoing government and
	private contracts, including contracts awarded but not yet started, if
	any, whether similar or not similar in nature and complexity to the contract to be bid (Bidding Form Annex A); and
(f)	Statement of the bidder's Single Largest Completed Contract (SLCC)
	(Bidding Form Annex B) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(g)	Original copy of Bid Security. If in the form of a Surety Bond, submit
	also a certification issued by the Insurance Commission; or original copy of Notarized Bid Securing Declaration (Bidding Form Annex C);
(h)	and Conformity with the Technical Specifications under Section VII by
(11)	signing the bidder's compliance column of the TOR/Technical Specification and submission of the following: 1. production/delivery schedule;
	 production/delivery scriedule, manpower requirements/organizational structure; and
	 Warranty/guarantee for goods and/or after sales warranty for services; and
	*** Submission of Warranty or aftersales guarantee is not applicable for this procurement
(i)	Original duly signed Omnibus Sworn Statement (OSS) (Bidding Form Annex D); and if applicable, Original Notarized Secretary's Certificate

in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

	Financia (j) (k)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(I)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II.	FINANCI (m)	AL COMPONENT ENVELOPE Original of duly signed and accomplished Financial Bid Form (Bidding)
		Form Annex E); <u>and</u> Original of duly signed and accomplished Price Schedule(s) (Bidding
	(n)	Form Annex F).
	Other do	ocumentary requirements under RA No. 9184 (as applicable)
	(o)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(p)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

III. Post-Qualification Requirements:

- 1. In case only the PhilGEPS Registration Certificate (Platinum Membership) was submitted during the bid opening, submit the certified true copies of the following:
 - (a) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
 - (b) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and

- (c) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
- 2. Latest Income/Business Tax Returns;
- 3. Certificate of PhilGEPS Registration;
- 4. Pictures of its principal place of business;
- 5. In case of Goods, submit brochures/prototype/actual sample of the products being offered or in case of Services, concept paper/write-up or description of the services being offered; which must be submitted on the date indicated in the post-qualification letter, addressed to the end-user and certifies that it is the bidder's official and final offer. Non-submission of this requirement may be a ground for disqualification.
- 6. In case of procurement for manpower services, proof of contribution/remittance for SSS, Philhealth and Pag-ibig for the last six (6) months from the opening of bid; and
- 7. Other appropriate licenses and permits required by law as stated in the bidding documents/post-qualification letter.

Bidding Forms

Mandatory Submission of Bidding Forms

Annex A

STATEMENT OF ONGOING, COMPLETED AND/OR AWARDED CONTRACTS

The Bids and Awards Committee Department of Energy Energy Center, Rizal Drive, Bonifacio Global City Taguig, Metro Manila

Ongoing,	, completed or awarded but not yet started projects for the pe	riod
	(last two years), where applicable.	

Procuring Entity / Date of Contract	Kinds of Goods Sold and/or Services Offered	Amount of Contract and Value of Outstanding Contracts	Date of Delivery	End-user's Acceptance if Completed (date)	Specify whether a Prospective Bidder is a Manufacturer, Supplier, Distributor or Service Provider	Indicate whether "Similar "or "Not Similar"

Submitted By:	
(Signature over Printed Name)	

Note:

- 1.
- May be reproduced, if necessary Please attach end-user's certificate of acceptance 2.

Annex B

STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT

The Bids and Awards Committee
Department of Energy
Energy Center, Rizal Drive, Bonifacio Global City
Taguig, Metro Manila

Single Largest Completed Contract (SLCC) for the period

(last two years), where applicable.

Procuring Entity / Date of Contract	Kinds of Goods Sold and/or Services Offered	Amount of Contract and Value of Outstanding Contracts	Date of Delivery	End-user's Acceptance if Completed (date)	Specify whether a Prospective Bidder is a Manufacturer, Supplier, Distributor or Service Provider	Indicate whether "Similar "or "Not Similar"	

Submitted By:	
(Signature over Printed Name)	

Note:

- 1. May be reproduced, if necessary
- 2. Please attach end-user's certificate of acceptance

Annex C

Bid Securing Declaration Form [shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

Annex D

Omnibus Sworn Statement [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINE	S)
CITY/MUNICIPALITY OF) S.S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- [Select one, delete the other:]
 [If a sole proprietorship:] I am the sole proprietor or authorized representative of
 [Name of Bidder] with office address at [address of Bidder];
 [If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized
 and designated representative of [Name of Bidder] with office address at [address
 of Bidder];
- 2. [Select one, delete the other:]
 - [If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney
 - [If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:] [If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I ha	ave hereunto set my	/ hand this	day of	, 20	at
, Philippines.					

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

Annex E

Bid Form for the Procurement of Goods [shall be submitted with the Bid]

	BID FORM		
		Date :	

Project Identification No. :

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below: Name and address Amount and Purpose of Agent Currency/Commission or gratuity

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

DEPARTMENT OF ENERGY

CY 2023 SECURITY CONTRACT

BID DETAILS

I. Salaries, Benefits, Premiums, Bonuses, etc., (in accordance with the latest PADPAO Monthly Rate based on the Issuance of Wage Order No. NCR-23, RB 1-21, RB IVA-19, PADPAO Memo on Agency Fee and provisions under Republic Act (R.A) No. 9184 and its Revised Implementing Rules and Regulations (IRR)

a. DOE Main Office Premises, Rented Offices at PNOC Buildings and common ground areas at Energy Center, Luzon Field Office (LFO) and at Warehouse in Antipolo City

and at Warehouse in Antipolo City PARTICULARS	DOE N	DOE MAIN OFFICE, BGC TAGUIG CITY					ANTIPOLO WAREHOUSE, ANTIPOLO CITY	
Days worked per week No. of days/year	8 hrs 7.00 394.40	8 hrs (with Night Diffl) 7.00	12 hrs 7.00 394.40	12 hrs (w/ Night Diff'l.) 7.00	8 hrs 7.00 394.40	8 hrs (w/ Night Diff'l) 7.00	12 hrs 7.00 394.40	12 hrs (w/ Night Diff'l.) 7.00
A Amount to Guard New Daily Wage (DW) Ave. Pay/Month (DWx393.5/12) Night differential (Ave.								
pay/mo. X10%) 13th month pay (DWx365/12/12) 5 Days Incentive Pay (DW+COLA x5/12) Uniform Allowance (RA 5487)								
Overtime Computation (4 hrs) Total amount directly to Guards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
B Amount to Govt., in favor of Guard Retirement Benefit (RA 7641) (DW*22.5/12) SSS premium SSS Mandatory Provident Fund Philhealth contribution (5%/2) State Insurance fund Pag-lbig fund Total amount due to government	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
C. TOTAL AMOUNT TO GUARD & GOVT. (A+B)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

	AGENCY FEE 20% (Administrative								
	Overhead and Margin, including cost								
	of equipment) VAT 12 % of								
	Agency Fee								
	MINIMUM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
	CONTRACT RATE								
	Required no. of Security	47	10	2	2	6	2	1	2
	Guards (SGs)								
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
	Total Monthly Rate								
	Multiply by 12 mos.	12	12	12	12	12	12	12	12
ì	mos.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	ŭ
	*** Insurances/security premiums, bor	ds and the lik	es						
	*** Insurances/security premiums, bor b. Colored CCTV System (see Specifi Annex E		es						
	b. Colored CCTV System (see Specifi	cations on							
	b. Colored CCTV System (see Specifi Annex E % Admin Cost on CCT	cations on V system and	d		tal/Annual ly Contract	Php			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to	cations on V system and	d	/ Month	tal/Annual ly Contract rice	Php Php			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by :	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by :	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by : Position :	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by : Position :	cations on V system and	d	/ Month	ly Contract	-			
	b. Colored CCTV System (see Specific Annex E % Admin Cost on CCT installation * Only Admin Cost applies to Submitted by : Position : Company Name :	cations on V system and	d	/ Month	ly Contract	-			

For the purpose of bidding the basis of computation for the mandatory government contribution for SSS, PhilHealth, ECC and PaglBIG is the latest issuance of the concern agencies. Any increase in the contribution after the award will be implemented based on existing rules and regulations:

- a. For Social Security contribution and Employee's Compensation (EC): SSS Circular No. 2022-033 14% for CY2023 and as per schedule of fees for EC
- b. For PhilHealth Contribution:
 PhilHealth Circular No. 2020-0005 for the Applicable Year 4.5% for 2023
- c. For PagIBIG Contribution:
 Based on CY 2022 Contribution Table

Annex F

Price Schedule for Goods Offered from Abroad [shall be submitted with the Bid if bidder is offering goods from Abroad]

	For Goods Offered from Abroad												
Name	of Bidder			Pr	oject ID	Page of							
1	2	3	4	5	6	7	8	9					
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)					
Legal Signa	Capacity: ture			or and behalf									

Annex F

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

	For Goods Offered from Within the Philippines												
Nam	e of Bidde	er			_ Project ID No			Pageof					
1	2	3	4	5	6	7	8	9	10				
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)				
Lega Signa	Name: Legal Capacity: Signature: Duly authorized to sign the Bid for and behalf												

Annex G

Performance Securing Declaration

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)	
CITY OF)	S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

Contract Agreement Form for the Procurement of Goods (Revised)

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20___ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures in specified currency]* (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted:

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information <u>prescribed</u> by the GPPB that are subsequently required for submission after the

contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

[Insert Name and Signature]

for: Department of Energy

for: [Insert Name of Supplier]

Witness for DOE [Position Title]

Witness for Supplier [Position Title]

DOE Chief Accountant Witness

Acknowledgment