



**BIDS AND AWARDS COMMITTEE**  
**Bid Bulletin No. 1 for 8<sup>th</sup> Public Bidding for CY2025**

**1. SERVICES FOR THE DEVELOPMENT OF DOE ELECTRIFICATION SERVICE MONITORING SYSTEM (DESMS) UNDER DOE ELECTRIC POWER DATABASE MANAGEMENT SYSTEM (DEPDMS) FOR CY2025**

**Section VII. Technical Specifications**

**- Revisions of Specifications**

**4. FUNCTIONAL REQUIREMENTS**

- 4.4.2. An option to report by concerned End-users unenergized households/areas must be available through i) Report Unenergized Household, ii) Report Unenergized Area, iii) Report Underserved Area button, which includes the ability to utilize maps (with street view services **both static and dynamic street view experience in Google Maps and Place Details Photos (New) for modern, scalable, and well-integrated applications**) in accomplishing the form.

**10. BIDDER'S MINIMUM TECHNICAL QUALIFICATIONS**

- The SP shall have completed or ongoing projects of at least (5) web-based application system development/enhancement and/or Data Analytics services on energy-related government or private systems/projects. ~~in the last 3 years~~ **The completed or on-going project should cover the period from the year 2022.**

**- Clarification**

No .	Specifications in the Bidding Documents	Queries / Request for Clarification	Response
1.	In Item 4: Functional Requirements, No. 4.2.1 states: There shall be a Role-Based Access Control (RBAC) to allow administrators to assign specific roles to users based on their responsibilities ensuring that they only have access to the resources necessary for their role and/or data security clearance.	May we please request for clarification if the tool RBAC of the DESMS should be similar to that used in the DEPDMS (built in the system)?	<b>The RBAC shall be built in the system of DESMS.</b>

2.	<p>In Item 4: Functional Requirements, No. 4.15 states:</p> <p>A multi-factor authentication (MFA) method shall be implemented to enhance security by requiring users to provide multiple forms of verification for system access. The Service Provider (SP) shall implement a minimum of one (1) MFA method, including One-Time PIN via email or mobile number.</p>	<p>May we please request for clarification if the tool SSO of the DESMS should be similar to that used in the DEPDMS (built in the system)?</p>	<p>It is to the discretion of the winning bidder to determine concern for as long as it will be fully functional and will not cost constraint</p>
3.	<p>In Item 7: Terms and Conditions, No. 7.12: Proof of Concept states:</p> <p>To realize the DESMS platform requirements specified in this document of its feasibility, a Proof of Concept (POC) shall be demonstrated by the SP during the post-qualification evaluation. It should cover a demonstration in principle to verify that the concept of the offered product or solution can potentially address the DESMS platform requirements.</p>	<p>May we please request for clarification with regard to what you specifically would like to see in the Proof of Concept (POC)? Do you require a certain part of the project to be presented/demonstrated in the POC?</p> <p>May we also know if you require the POC to be developed using the technology stack specified in the TOR?</p>	<p>The SP shall be required to demonstrate the POC complying with the requirements of the DESMS platform.</p> <p>The SP may have an option to present the POC using the technology stacks.</p>
4.	<p>In Item 10: Bidder's Minimum Technical Qualifications, No.2 re Project Manager Role/Qualification states:</p> <p>2. The SP's proposed staff must be consisting of the following roles:</p> <p>Project Manager Certification: Certified Project Management Professional or equivalent</p>	<p>May we please know if you have a minimum required number of training hours for PMP and should the certification for PMP from a prominent certifying body be submitted with the bid submission?</p>	<p>Project Manager should be a certified Project Management Professional from an accredited institution/organization.</p> <p>Provide CV with attached certification</p>

5.	<p>In Item 10: Bidder's Minimum Technical Qualifications, No.2 re Data Privacy Specialist Role/Qualification states: 2. The SP's proposed staff must be consisting of the following roles: Data Privacy Specialist Certification: Certified Data Privacy Professional or equivalent</p>	<p>In consideration of access to industry best practices, may we please know if you also require that the Data Privacy Specialist be an active member of NADPOP or any similar organization?</p> <p>May we also know if the required certifications should be submitted with the bid submission?</p>	<p><b>A Data Specialist should be a certified Data Privacy Professional from an accredited institution/organization.</b></p> <p><b>Provide CV with attached certification</b></p>
6.	<p>Training or workshops on the following topics shall be provided by the SP:</p> <ul style="list-style-type: none"> <li>• End-user Training (DOE , concerned Agencies, MGSP and DUs).</li> <li>• Administrators' (System and Database) Training.</li> <li>• Technical Training for concerned DOE personnel (EPIMB and ITMS) focused on how the DESMS platform was created, installed, configured and integrated.</li> </ul>	<p>No. of Trainings and participants</p>	<p><b>The SP shall provide at least three (3) batches of face to face End-user training on the DESMS platform with at least 30 participants per batch, venue and meals is to the account of the SP. Venue is within Metro Manila.</b></p>

This Bid Bulletin forms part of the Terms of Reference. All other terms and conditions in the Bid Documents and other Bid Bulletin issued by the DOE-BAC not inconsistent with this Supplemental/Bid Bulletin shall remain valid and effective.

Approved for Issuance:

(sgd)  
**GIOVANNI CARLO J. BACORDO**  
*Undersecretary and Chairperson, BAC*

DEBM/jjad/jcl