

LIST OF CERTIFIED REFRIGERATORS

AS OF JUNE 2021

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
A. Locally Manufactured Models¹						
1	SKYWORTH	SBS-450WP	Frost Free/Inverter Type	429	1.39	396
2	ELECTROLUX	ETB3700H-A	No Frost	350	0.84	475
3	SKYWORTH	SRM-415CB	Frost Free/Inverter Type	348	1.16	356
4	ELECTROLUX	ETB3500MG	No Frost-Inverter Type	347	1.02	387
5	HAIER	HRF-IV478H	No Frost	344	0.84	477
6	ELECTROLUX	EBB3500MG	No Frost-Inverter Type	343	0.93	435
7	ELECTROLUX	EME3500MG	No Frost-Inverter Type	334	1.24	313
8	HAIER	HRF-IV478H	No Frost	333	0.77	500
9	BEKO	RDNT251I50VS	Frost Free	230	0.81	341
10	SAMSUNG	RT41LSPN	Frost Free	327	1.47	263
11	HAIER	HRF-IVB378VN	No Frost	324	0.81	501
12	SAMSUNG	RT32FAJCDSP	Frost Free - Inverter Type	322	1.06	367
13	SAMSUNG	RT32FARCDSP	Frost Free - Inverter Type	322	1.11	336
14	CONDURA	CNF-360i	Frost Free	321	0.80	476
15	CONDURA	CNF-361i	Frost Free	321	0.80	476
16	SAMSUNG	RT32K5032SL	Frost Free Inverter	321	0.89	415
17	ELECTROLUX	ETB3200MG	No Frost - Inverter Type	319	0.90	415
18	ELECTROLUX	EBB3400H-H	No Frost	317	0.83	454
19	SHARP	SJ-FTS12AVS-SL	Two Door/Direct Cooling	315	1.11	329
20	SKYWORTH	SRD-420WT	Two Door/Frost Free	313	1.12	335
21	HAIER	HRF-IV330T	No Frost	312	0.88	418
22	HAIER	HRF-IV330T(BGPH)	No Frost	312	0.88	418
23	HAIER	HRF-D450H	Two Door/Direct Cooling	311	1.04	363
24	HAIER	HRF-IVD450H	Two Door/Direct Cooling	311	0.61	625
25	SAMSUNG	RT37STPN	Frost Free	304	1.44	259
26	SAMSUNG	RT29FAJBDSP	Two Door/Automatic Defrost	302	0.95	372
27	SAMSUNG	RT29FARBDSP	Frost Free Inverter	302	0.95	372
28	SAMSUNG	RB29K5032UT	Frost Free	300	0.86	404
29	SAMSUNG	RT29K5032SL	Frost Free	300	0.86	404
30	SAMSUNG	RT29K5132SL	Frost Free Inverter	300	0.86	404
31	HAIER	HRF-IVB338VN	No Frost	292	0.75	474
32	HAIER	HRF-IVB300T	No Frost	291	0.83	414
33	SAMSUNG	RB29FERNDSS	Frost Free - Inverter	290	1.05	356
34	SAMSUNG	RB30N4050SB	Frost Free	290	0.92	368
35	PANASONIC	NR-B10714B	Frost Free	288	1.36	250
36	PANASONIC	NR-B10715B	Two Door/DC	288	1.38	250
37	SHARP	SJ-38T-SL	Frost Free	288	1.72	198
38	SHARP	SJ-FTS11AVS-SL	Two Door/Frost Free	287	1.04	326
39	PANASONIC	NR-BP280VD	Frost Free	283	0.75	435
40	PANASONIC	NR-BP280VS	Frost Free	283	0.75	425
41	CONDURA	CTD310MN	Two Door/Direct Cooling	278	1.26	267
42	CONDURA	CTD310MN-G1	Two Door/Direct Cooling	278	1.59	220
43	CONDURA	CTD310MN-G1a	Two Door/Direct Cooling	278	1.32	258
44	CONDURA	CTD310MN-G2	Two Door/Direct Cooling	278	1.32	258
45	CONDURA	CTD310MNI	Two Door/Direct Cooling	278	1.10	326

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	46	CONDURA	CTD310MNI-CG	Two Door/Direct Cooling	278	0.79	436
	47	CONDURA	CTD311MNI	Two Door/Direct Cooling	278	0.95	348
	48	CONDURA	CTD311MNI-CG	Two Door/Direct Cooling	278	0.95	349
	49	KELVINATOR	KTD310MN	Two Door/Direct Cooling	278	1.59	220
	50	KELVINATOR	KTD310MN-1a	Two Door/Direct Cooling	278	1.32	258
	51	KELVINATOR	KTD310MN-G1	Two Door/Direct Cooling	278	1.59	220
	52	GE	GMV100BDYR	Two Door/Manual Defrost	272	2.00	163
*	53	CONDURA	CTD300MN	Direct Cooling/Two Door	271	1.36	231
	54	CONDURA	CTD300MN-C	Direct Cool/Two Door	271	1.36	231
*	55	KELVINATOR	KTD300MN	Two Door/Manual Cooling	271	1.48	220
*	56	KELVINATOR	KTD300MN-DSB	Direct Cool/Two Door	271	1.36	231
	57	KELVINATOR	KTD300MN-DSW	Direct Cool/Two Door	271	1.36	231
	58	SAMSUNG	RT34SUIS	Frost Free	271	1.39	232
	59	HAIER	HRF-IV260VN	No Frost	270	0.70	436
	60	HAIER	HRF-IV260VNF	No Frost	270	0.77	444
	61	PANASONIC	NR-BP9417Q	Two Door/Direct Cooling	264	0.90	340
	62	PANASONIC	NR-BQ261VB	Two Door/Direct Cooling	264	0.64	470
	63	HAIER	HRF-319FACA	Frost Free	263	1.42	218
	64	PANASONIC	NR-B9313E	Two Door/Direct Cooling	261	1.06	300
	65	PANASONIC	NR-B9313ES	Two Door/Manual Cooling	261	1.06	300
	66	HAIER	HRF-IVB298VN	No Frost	260	0.81	458
	67	SAMSUNG	RB27N4050S8	Frost Free	257	1.00	311
	68	GE	GMV090BAGR SG	Two Door/Direct Cooling	256	0.82	377
	69	SAMSUNG	RT25FAJBDSA	Frost Free - Inverter Type	255	0.94	316
	70	SAMSUNG	RT25FARBDSA	No Frost	255	0.82	354
	71	SAMSUNG	RT25FARBDSP	Frost Free Inverter	255	0.82	354
	72	SAMSUNG	RT25FARBDUT	Frost Free-Inverter	255	0.82	354
	73	SAMSUNG	RT25M4033DX	Frost Free	255	0.82	354
	74	SAMSUNG	RT25M4033UT	No Frost - Inverter Type	255	0.81	360
	75	PANASONIC	NR-BP260VD	Frost Free	254	0.71	419
	76	PANASONIC	NR-BP260VS	Frost Free	254	0.71	408
	77	ELECTROLUX	EBB2802H-A	No Frost	253	0.79	381
	78	SAMSUNG	RT30SUIS	Frost Free	253	1.40	218
	79	SHARP	SJ-FTS09AVS-SL	Two Door/Frost-Inverter Type	253	0.88	331
	80	AMERICAN HOME	ARTM-HMINV19090SX	Two Door/Direct Cooling	252	0.55	464
	81	HAIER	HRF-D340H	Two Door/Direct Cooling	252	1.07	282
	82	HAIER	HRF-IVD340H	Two Door/Direct Cooling	252	0.57	517
	83	SHARP	SJ-UL90AS-SL	Two Door/Direct Cooling	252	1.07	278
	84	XTREME COOL	XCOOL-DD256NF	Two Door/No Frost	252	0.80	364
	85	CONDURA	CNF-275	Two Door/No Frost	251	1.04	274
	86	ELECTROLUX	EBB2600MG	No Frost-Inverter Type	251	0.91	326
	87	ELECTROLUX	EME2600MG	No Frost - Inverter Type	251	1.04	281
	88	HAIER	HRF-IV378H	No Frost	251	0.72	397
	89	CONDURA	CNF-271i	Frost Free	250	0.86	350
	90	CONDURA	CTD270MN	Two Door/Direct Cooling	248	1.34	228
	91	CONDURA	CTD270MN-G1	Two Door/Direct Cooling	248	1.44	228
	92	CONDURA	CTD270MN-G1a	Two Door/Direct Cooling	248	1.28	238

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	93	CONDURA	CTD270MN-G2	Two Door/Direct Cooling	248	1.28	238
	94	CONDURA	CTD271MNI	Two Door/Direct Cooling	248	0.93	310
	95	CONDURA	CPS-8SD	Manual	244	1.55	183
	96	CONDURA	CR080SDM	Cycle Defrost	244	1.55	183
	97	CONDURA	CR080SDS	Semi-Automatic	244	1.55	183
	98	CONDURA	CS083MN	Direct Cool/Single Door	244	1.06	255
	99	KELVINATOR	KPS-8SD	Manual	244	1.55	183
	100	KELVINATOR	KR080SDM	Cycle Defrost	244	1.55	183
	101	KELVINATOR	KR080SDS	Semi-Automatic	244	1.55	183
	102	CONDURA	CNF270i	Frost Free	243	0.76	382
	103	PANASONIC	NR-BP8515N	Two Door/Direct Cooling	243	0.76	375
	104	PANASONIC	NR-BP8717DX	Two Door/Direct Cooling	242	0.78	375
	105	PANASONIC	NR-BP8717Q	Two Door/Direct Cooling	242	0.84	330
	106	PANASONIC	NR-BQ241NS	Two Door/Direct Cooling	242	0.97	300
	107	PANASONIC	NR-BQ241VS	Two Door/Direct Cooling	242	0.52	550
	108	PANASONIC	NR-B8510E	Two Door/Direct Cooling	240	0.95	300
	109	PANASONIC	NR-B8512P	Two Door/Direct Cooling	240	0.95	300
	110	PANASONIC	NR-B8513E	Two Door/Direct Cooling	240	0.95	300
	111	PANASONIC	NR-B8513ES	Two Door/Direct Cooling	240	0.95	300
	112	PANASONIC	NR-B858DR	Two Door	240	0.86	335
	113	PANASONIC	NR-B858ER	Two Door	240	0.98	298
	114	PANASONIC	NR-B859D	Two Door	240	0.86	335
	115	PANASONIC	NR-B859E	Two Door	240	0.98	298
	116	PANASONIC	NR-BP8515N	Two Door/Direct Cooling	240	0.77	334
*	117	CONDURA	CTD260MN	Direct Cooling/Two Door	238	1.29	219
	118	CONDURA	CTD260MN-C	Two Door/Direct Cooling	238	1.29	219
	119	CONDURA	CTD270MN	Two Door/Manual Defrost	238	1.44	221
	120	CONDURA	CTD270MN-G1	Two Door/Direct Cooling	238	1.44	221
*	121	KELVINATOR	KTD260MN-DCW	Two Door/Manual Cooling	238	1.36	216
*	122	KELVINATOR	KTD260MN-DSB	Direct Cooling/Two Door	238	1.29	219
	123	KELVINATOR	KTD270MN	Two Door/Direct Cooling	238	1.36	216
	124	PANASONIC	NR-B858D	Two Door	238	1.02	280
	125	PANASONIC	NR-B858E	Two Door	238	1.07	263
	126	NATIONAL	NR-B2405PM	Two Door	237	1.93	143
	127	NATIONAL	NR-B2405PQ	Two Door	237	1.93	143
	128	MIDEA	FP-20RDR236LEIV-T2	Two Door/Frost Free	236	0.87	321
	129	PANASONIC	NR-B805A	Two Door	236	1.54	175
	130	PANASONIC	NR-B805AC	Two Door	236	1.54	175
	131	PANASONIC	NR-B805EC	Two Door	236	1.25	225
	132	HAIER	HRF-IV230VN	No Frost	235	0.68	408
	133	HAIER	HRF-IV230VNF	No Frost	235	0.64	431
	134	PANASONIC	NR-A805DC	One Door	235	0.98	249
	135	PANASONIC	NR-B8510A	Two Door/Frost Free	235	1.40	195
	136	PANASONIC	NR-B8512AP	Frost Free	235	1.40	195
	137	PANASONIC	NR-B8513AP	Frost Free	235	1.40	195
	138	PANASONIC	NR-B8513APCS	Frost Free	235	1.40	195
	139	PANASONIC	NR-B858A	Two Door	235	1.40	195
	140	PANASONIC	NR-B859AR	Two Door	235	1.40	195

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	141	PANASONIC	NR-A918ER	One Door	234	0.83	271
	142	SAMSUNG	RT22FAJBDSP	No Free - Inverter	234	0.74	372
	143	SAMSUNG	RT22FAJBDSP	No Free - Inverter	234	0.74	372
	144	SAMSUNG	RT22FARBDSP	No Frost	234	0.74	372
	145	PANASONIC	NR-B805D	Two Door	233	1.27	218
	146	PANASONIC	NR-B805DC	Two Door	233	1.27	218
	147	PANASONIC	NR-B805E	Two Door	233	1.27	218
	148	PANASONIC	NR-BL267	No Frost	231	0.87	327
	149	PANASONIC	NR-BL268	No Frost - Inverter	231	0.82	344
	150	CONDURA	CNF-251i	Frost Free	230	0.75	364
	151	BEKO	RDNT251I50VS	Frost Free	230	0.81	341
	152	BEKO	RDNT251I50VZP	Frost Free	230	0.81	327
	153	BEKO	RDNT252I50VZK	Frost Free	230	0.82	334
	154	BEKO	RDNT252I50VS	Frost Free	230	0.83	331
	155	PANASONIC	NR-A805D	One Door	229	0.95	249
	156	CONDURA	CBF-253i	Frost Free	228	0.53	538
	157	CONDURA	CBF-254i	Frost Free	228	0.53	538
	158	CONDURA	CNF250i	Frost Free	228	0.75	361
	159	GE	GMV080BAGR SG	Two Door/Direct Cooling	228	0.82	342
	160	PANASONIC	NR-B804E	Two Door	228	1.39	197
	161	CONDURA	CNF-252i	Frost Free	227	0.76	344
	162	PANASONIC	NR-AP8717DX	Single Door	227	0.56	400
	163	SHARP	SJ-30S	Two Door/No Frost	227	1.89	149
*	164	SHARP	SJ-30S-SL	Two Door/Automatic Defrost	227	1.89	145
	165	SHARP	SJ-30T-SL	Frost Free	227	1.52	180
	166	CONDURA	CTD800MNI	Two Door/Direct Cooling	226	0.59	463
	167	PANASONIC	NR-BP230VD	Frost Free	226	0.64	402
	168	PANASONIC	NR-BP230VS	Frost Free	226	0.68	388
	169	ELECTROLUX	ETB2300MG	No Frost - Inverter Type	225	1.05	262
	170	ELECTROLUX	ETB2300PE	Frost Free	225	1.52	178
	171	ELECTROLUX	ETB2302MG	No Frost-Inverter Type	225	1.41	194
	172	ELECTROLUX	ETB2502J-H	No Frost	225	0.85	322
	173	SHARP	SJ-FTS08AVS-SL	Frost Free - Inverter	224	0.70	376
*	174	CONDURA	CTD240MN	Two Door/Direct Cooling	223	1.16	234
	175	CONDURA	CTD250MN	Two Door/Direct Cooling	223	1.16	234
	176	CONDURA	CTD250MN-E	Two Door/Direct Cooling	223	1.16	234
	177	CONDURA	CTD250MN-E1a	Two Door/Direct Cooling	223	0.92	289
	178	CONDURA	CTD250MN-G1	Two Door/Direct Cooling	223	1.16	234
	179	CONDURA	CTD250MN-G1a	Two Door/Direct Cooling	223	0.92	289
	180	CONDURA	CTD250MN-G2	Two Door/Direct Cooling	223	0.92	289
	181	CONDURA	CTD250MNI	Two Door/Direct Cooling	223	0.99	280
	182	CONDURA	CTD250MNI-CG	Two Door/Direct Cooling	223	0.90	317
	183	CONDURA	CTD251MNI	Two Door/Direct Cooling	223	0.76	363
	184	CONDURA	CTD251MNI-CG	Two Door/Direct Cooling	223	0.76	363
	185	CONDURA	CTD251MNI-RD	Two Door/Direct Cooling	223	0.76	363
	186	KELVINATOR	KTD250MN	Two Door/Direct Cooling	223	1.16	234
	187	KELVINATOR	KTD250MN1a	Two Door/Direct Cooling	223	0.92	289

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
188		SHARP	SJ-DL80AS-SS	Single Door	220	0.78	293
189		NATIONAL	NR-B803D	Two Door	220	1.33	196
190		NATIONAL	NR-B803E	Two Door	220	1.33	196
191		SINGER	REF 276	Two Door	220	1.33	196
192		CONDURA	CTD240MN	Two Door/Manual Defrost	219	1.03	250
193		NATIONAL	NR-B2155PM	Two Door	219	1.63	158
194		NATIONAL	NR-B2155PQ	Two Door	219	1.63	158
195		NATIONAL	NR-B801D	Two Door	219	1.48	173
196		NATIONAL	NR-B801E	Two Door	219	1.48	173
197		PANASONIC	NR-A705D	One Door	219	0.86	265
198		PANASONIC	NR-A8510D	Single Door/Direct Cooling	219	0.84	270
199		PANASONIC	NR-A8510E	Single Door/Direct Cooling	219	0.84	270
200		PANASONIC	NR-A8513D	Single Door/Manual Defrost	219	0.89	254
201		PANASONIC	NR-A8513DS	Single Door/Direct Cooling	219	0.80	287
202		PANASONIC	NR-A8513E	Single Door/Manual Defrost	219	0.91	247
203		PANASONIC	NR-A8513ES	Single Door/Direct Cooling	219	0.80	287
204		PANASONIC	NR-A858DR	One Door	219	0.84	294
205		PANASONIC	NR-A858ER	One Door	219	0.89	256
206		PANASONIC	NR-A858SER	One Door	219	0.73	315
207		PANASONIC	NR-A859D	One Door	219	0.84	292
208		PANASONIC	NR-A859E	One Door	219	0.89	256
209		PANASONIC	NR-AQ241NS	Single Door	219	0.57	400
210		SINGER	REF 274	Two Door	219	1.63	158
211		SINGER	REF 275	Two Door	219	1.48	173
212		PANASONIC	NR-A705DC	One Door	218	0.82	280
213		SAMSUNG	RJ2BSHIS	Two Door/Automatic Defrost	217	1.27	203
214		SAMSUNG	RT25SAAS	Two Door/No Frost	217	1.43	154
215		SAMSUNG	RT25SCAS	Two Door/No Frost	217	1.43	154
216		SAMSUNG	RT2ASHIS	Two Door/Automatic Defrost	217	1.27	203
217		SAMSUNG	RT-2BSASS	Two Door/No Frost	217	1.26	203
218		SAMSUNG	RT-2BSATS	Two Door/No Frost	217	1.26	203
219		SAMSUNG	RT-2BSATSC	Two Door/No Frost	217	1.23	208
220		SAMSUNG	RT-2BSDSS	Two Door/No Frost	217	1.23	208
221		SAMSUNG	RT-2BSDTS	Two Door/No Frost	217	1.23	208
222		SAMSUNG	RT-2BSHIS	Two Door/No Frost	217	1.27	203
223		SAMSUNG	RT-2BSHMG1	Two Door/Direct Cooling	217	1.27	203
224		SAMSUNG	RT-2BSHTS	Two Door/No Frost	217	1.27	203
225		SAMSUNG	RT-2BSRMG1	Two Door/Direct Cooling	217	1.27	203
226		SAMSUNG	RT-2BSRTS	Two Door/No Frost	217	1.27	203
227		CONDURA	CPS-7TD	Manual	216	1.81	147
228		CONDURA	CR070TDM	Cycle Defrost	216	1.81	147
229		CONDURA	CR070TDS	Semi-Automatic	216	1.81	147
230		CONDURA	CT075SA	Direct Cool/Two Door	216	1.36	192
231		KELVINATOR	KPS-7TD	Manual	216	1.81	147
232		KELVINATOR	KR070TDM	Cycle Defrost	216	1.81	147
233		KELVINATOR	KR070TDS	Semi-Automatic	216	1.81	147
*	234	KELVINATOR	KTD240MN	Direct Cool/Two Door	216	1.03	250
*	235	KELVINATOR	KTD240MN-DCW	Direct Cool/Two Door	216	1.03	250

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
*	236	KELVINATOR	KTD240MN-DSB	Direct Cool/Two Door	216	1.03	250
	237	PANASONIC	NR-A705EC	One Door	216	0.87	259
	238	PANASONIC	NR-A707SE	One Door	215	0.80	281
	239	SHARP	SJ-23TGL	Single Door/Direct Cooling	215	1.05	211
	240	SHARP	SJ-DN85AS-SL	Single Door/Direct Cooling	215	0.92	244
	241	SHARP	SJ-P231-SL	Single Door	215	0.92	214
	242	SHARP	SJ-P231T	Single Door	215	0.92	244
	243	SHARP	SJ-S230T-SS	Single Door/Direct Cooling	215	1.29	176
	244	CONDURA	CPS-7SD	Cycle Defrost	214	1.47	167
	245	CONDURA	CR070SDM	Cycle Defrost	214	1.49	162
	246	CONDURA	CS075MN	Direct Cool/Single Door	214	0.98	240
	247	KELVINATOR	KPS-7SD	Manual	214	1.47	167
	248	KELVINATOR	KR070SDM	Cycle Defrost	214	1.49	162
	249	KELVINATOR	KSO75MN	Direct Cool/Single Door	214	0.98	240
	250	PANASONIC	NR-A705E	One Door	214	0.89	252
	251	LG	GR-V262RLC	No Frost	213	1.33	191
*	252	LG	GR-V262RSCK	Two Door/Automatic Defrost	213	1.35	191
	253	NATIONAL	NR-A803E	One Door	213	0.86	260
	254	PANASONIC	NR-B705A	Two Door	213	1.38	180
	255	PANASONIC	NR-B705AC	Two Door	213	1.38	180
	256	PANASONIC	NR-B7710A	Two Door/Frost Free	213	1.20	210
	257	PANASONIC	NR-B7712AP	Frost Free	213	1.20	210
	258	PANASONIC	NR-B7713AP	Frost Free	213	1.20	210
	259	PANASONIC	NR-B778A	Two Door	213	1.21	205
	260	PANASONIC	NR-B778AR	Two Door	213	1.21	205
	261	PANASONIC	NR-B779A	Two Door	213	1.21	205
	262	PANASONIC	NR-BP7716AN	No Frost	213	0.79	325
	263	HAIER	HRF-D280H	Two Door/Direct Cooling	212	0.89	276
	264	HAIER	HRF-IVD280H	Two Door/Direct Cooling	212	0.64	399
	265	PANASONIC	NR-A804E	One Door	212	0.92	243
	266	SAMSUNG	RB21KMFH5SE	Two Door/Direct Cooling	212	0.72	370
	267	SAMSUNG	RB21KMFN5SE	Two Door/Direct Cooling	212	0.72	370
	268	SHARP	SJ-VL80BP-SL	Two Door/Direct Cooling	212	0.67	360
	269	ELECTROLUX	ETB21002PE	Frost Free	211	1.49	173
	270	ELECTROLUX	ETB2100MG	No Frost - Inverter Type	211	0.90	287
	271	ELECTROLUX	ETB2100PE	Frost Free	211	1.49	173
	272	ELECTROLUX	ETB2302H-A	No Frost	211	0.72	352
	273	HAIER	HRF-IV220VNF	No Frost	211	0.72	347
	274	PANASONIC	NR-BP7415N	Two Door/Direct Cooling	211	0.77	327
	275	PANASONIC	NR-BP7617DX	Two Door/Direct Cooling	211	0.77	327
	276	PANASONIC	NR-BP7617Q	Two Door/Direct Cooling	211	0.83	300
	277	PANASONIC	NR-BQ211NS	Two Door/Direct Cooling	211	0.89	297
	278	PANASONIC	NR-BQ211VS	Two Door/Direct Cooling	211	0.53	500
	279	BEKO	RDNT231I50VS	Frost Free	210	0.84	309
	280	BEKO	RDNT232I50VS	Frost Free	210	0.86	294
	281	ELECTROLUX	ETB2102MG	No Frost - Inverter Type	210	1.32	196
	282	LG	GR-B222SLCL	Frost Free - Inverter	209	0.56	425

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	283	LG	GR-B222RLCL	Two Door/Direct Cooling	209	0.70	338
	284	LG	GR-C222SLCN	No Frost - Inverter	209	0.73	323
	285	LG	GR-C222SLCU	No Frost-Inverter	209	0.72	329
	286	LG	GR-C222SQC	No Frost	209	0.73	313
	287	LG	GR-G222SLCB	Frost Free	209	0.83	284
	288	LG	GR-G222SWCB	Frost Free	209	0.83	284
	289	LG	GR-N222SQCB	Frost Free	209	0.83	284
	290	LG	GR-N222SQC	No Frost	209	0.73	323
	291	PANASONIC	NR-B7410E	Two Door/Direct Cooling	208	0.96	268
	292	PANASONIC	NR-B7412P	Two Door/Direct Cooling	208	0.96	268
	293	PANASONIC	NR-B7413E	Two Door/Direct Cooling	208	0.96	268
	294	PANASONIC	NR-B7413ES	Two Door/Direct Cooling	208	0.96	268
	295	PANASONIC	NR-B748DR	Two Door	208	1.02	266
	296	PANASONIC	NR-B748ER	Two Door	208	0.96	266
	297	PANASONIC	NR--B749D	Two Door	208	1.02	266
	298	PANASONIC	NR-B749E	Two Door	208	0.96	266
	299	AMERICAN HOME	ARTM-7505S	Two Door/Direct Cooling	207	0.91	270
	300	CONDURA	CNF-232i	Frost Free	207	0.70	344
	301	TCL	TRF-207PH	Two Door/Direct Cooling	207	0.80	341
	302	XTREME COOL	XCOOL-DD210M	Two Door/Direct Cooling	207	0.82	294
	303	PANASONIC	NR-B705D	Two Door	206	1.54	155
	304	PANASONIC	NR-B705DC	Two Door	206	1.20	208
	305	PANASONIC	NR-B705E	Two Door	206	1.54	155
	306	PANASONIC	NR-B748D	Two Door	206	1.05	238
	307	PANASONIC	NR-B748E	Two Door	206	0.99	256
	308	PANASONIC	NR-B705EC	Two Door	205	1.15	222
	309	KELVINATOR	KTD207MN	Two Door/Direct Cooling	205	0.89	272
*	310	SHARP	SJ-26S-SL	Two Door/Automatic Defrost	205	1.58	157
	311	SHARP	SJ-26S-VL	Two Door/Direct Cooling	205	1.54	157
	312	SAMSUNG	RT20FARVDSA/TC	Frost Free	203	0.80	301
	313	SAMSUNG	RT20FARVDSA	Frost Free	203	0.77	321
	314	SAMSUNG	RT20HAR1DSA	No Frost - Inverter	203	0.70	348
	315	SAMSUNG	RT20K300ASE	Frost Free	203	0.70	348
	316	PANASONIC	NR-B704D	Two Door	202	1.42	164
	317	PANASONIC	NR-B704E	Two Door	202	1.42	164
	318	CHI Q	CTM07N11	Two Door/No Frost	201	0.62	431
	319	CONDURA	CSD220SA	Single Door/Direct Cooling	201	0.87	244
	320	CONDURA	CSD225MN	Single Door/Direct Cooling	201	0.78	269
*	321	CONDURA	CSD225SA	Direct Cooling/Single Door	201	0.78	269
	322	CONDURA	CSD225SA-C	Direct Cooling/Single Door	201	0.78	269
	323	CONDURA	CSD230SA	Single Door/Direct Cooling	201	0.88	248
	324	CONDURA	CSD230SA-G1	Single Door/Direct Cooling	201	0.80	268
	325	CONDURA	CSD230SA-G2	Single Door/Direct Cooling	201	0.80	268
	326	CONDURA	CSD230SAi-CG	Single Door	201	0.61	344
	327	CONDURA	CSD231SAi	Single Door	201	0.41	506
	328	CONDURA	CSD231SAi-CG	Single Door	201	0.41	506
	329	EVEREST	ET2RN219IV/C	Frost Free	201	0.67	353
*	330	KELVINATOR	KSD225SA	Direct Cool/Single Door	201	0.78	269

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
*	331	KELVINATOR	KSD225SA-DCW	Single Door/Direct Cooling	201	0.78	269
*	332	KELVINATOR	KSD225SA-DSB	Direct Cool/Single Door	201	0.78	269
	333	KELVINATOR	KSD230SA	Single Door	201	0.80	268
	334	KELVINATOR	KSG225SA-DCW	Direct Cool/Single Door	201	0.78	269
	335	CONDURA	CTD700MNI	Single Door	200	0.58	393
	336	CONDURA	CTD700MNIa	Two Door/Direct Cooling	200	0.65	330
	337	CONDURA	CTD710MNI	Two Door/Direct Cooling	200	0.58	393
	338	KELVINATOR	KTD230MN-R	Two Door/Direct Cooling	200	0.87	272
	339	NATIONAL	NR-A701D	One Door	200	0.86	246
	340	SHARP	SJ-DC219UGL-SL	Two Door/Manual Defrost	200	1.30	178
	341	SHARP	SJ-ML80AS-SL	Two Door/Direct Cooling	200	1.00	239
	342	SHARP	SJ-ML81AS-SL	Two Door/Direct Cooling	200	1.00	239
	343	CONDURA	CTD204MN-R	Two Door/Direct Cooling	198	0.73	338
	344	CONDURA	CTD204MN-Ra	Two Door/Direct Cooling	198	0.76	317
	345	EVEREST	ET2RN216IV/H	Frost Free	198	0.82	291
	346	NATIONAL	NR-B1905PM	Two Door	198	1.67	140
	347	NATIONAL	NR-B1905PQ	Two Door	198	1.67	140
	348	NATIONAL	NR-B701D	Two Door	198	1.35	169
	349	NATIONAL	NR-B701E	Two Door	198	1.35	169
	350	NATIONAL	NR-B703D	Two Door	198	1.30	175
	351	NATIONAL	NR-B703E	Two Door	198	1.30	175
	352	PANASONIC	NR-AP7617DX	Single Door	198	0.49	400
	353	PANASONIC	NR-AQ211VS	Single Door	198	0.41	500
	354	PANASONIC	NR-B703D	Two Door	198	1.30	175
	355	PANASONIC	NR-B703E	Two Door	198	1.30	175
	356	SUNACE	SAR-198M	Manual	198	0.98	214
	357	White Westinghouse	HTM2108DA-PH	Two Door/Direct Cooling	198	0.87	285
	358	BOSTON BAY	RBH6.9-0619	Frost Free	197	0.86	269
	359	NATIONAL	BR-A2007PE	One Door	197	0.84	246
	360	SAMSUNG	RA21PTHB	One Door/Direct Cooling	197	0.89	233
	361	SAMSUNG	RA-21PTIH1	One Door/Direct Cooling	197	0.89	233
	362	SAMSUNG	RA21PTOR	One Door/Direct Cooling	197	0.89	233
	363	SAMSUNG	RA21PTSW	One Door/Direct Cooling	197	0.89	233
	364	SAMSUNG	RA21PTTS	One Door/Direct Cooling	197	0.89	233
	365	SAMSUNG	RA-21VAAS	Single Door/Direct Cooling	197	0.84	247
	366	SAMSUNG	RA-21VASS	Single Door/Direct Cooling	197	0.84	247
	367	SAMSUNG	RA21VATS	Single Door/Direct Cooling	197	0.87	234
	368	SAMSUNG	RT22SAAS	Two Door/No Frost	197	1.43	161
	369	SAMSUNG	RT22SCAS	Two Door/No Frost	197	1.43	161
	370	SAMSUNG	RT-2ASASS	Two Door/No Frost	197	1.30	183
	371	SAMSUNG	RT-2ASATS	Two Door/No Frost	197	1.30	183
	372	SAMSUNG	RT-2ASATSC	Two Door/No Frost	197	1.19	196
	373	SAMSUNG	RT-2ASDSS	Two Door/No Frost	197	1.19	196
	374	SAMSUNG	RT-2ASDTS	Two Door/No Frost	197	1.19	196
	375	SAMSUNG	RT2ASHIS	Two Door/No Frost	197	1.20	196
	376	SAMSUNG	RT-2ASHMG1	Two Door/Direct Cooling	197	1.20	196
	377	SAMSUNG	RT2ASHTS	Two Door/No Frost	197	1.20	196
	378	SAMSUNG	RT-2ASRMG1	Two Door/Direct Cooling	197	1.20	196

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
379		SAMSUNG	RT-2ASRTS	Two Door/No Frost	197	1.20	196
380		SINGER	REF 178	One Door	197	0.82	257
381		CONDURA	CSD700SAi	Single Door	196	0.42	489
382		NATIONAL	NR-A702D	One Door	196	0.94	226
383		NATIONAL	NR-A702E	One Door	196	0.84	246
384		NATIONAL	NR-A703D	One Door	196	0.94	226
385		NATIONAL	NR-A703E	One Door	196	0.84	246
386		PANASONIC	NR-A704D	One Door	196	0.91	227
387		PANASONIC	NR-A704E	One Door	196	0.95	215
388		SINGER	REF 178A	One Door	196	0.84	246
389		SINGER	REF 179	One Door	196	0.84	246
390		LG	GN-B331SLZ	Single Door/Direct Cooling	195	0.89	231
391		LG	GR-C331SLZB	Single Door/Direct Cooling	195	0.47	444
392		LG	GR-Y331SLZB	Single Door/Direct Cooling	195	0.47	444
393		TOSHIBA	GR-A25PS	Two Door/Frost Free	194	0.93	256
394		SKYWORTH	SRD-195DT	Two Door/Direct Cooling	192	0.80	319
395		PANASONIC	NR-A7410D	Single Door/Direct Cooling	191	0.72	275
396		PANASONIC	NR-A7410E	Single Door/Direct Cooling	191	0.72	275
397		PANASONIC	NR-A7413D	Single Door/Manual Defrost	191	0.78	251
398		PANASONIC	NR-A7413DS	Single Door	191	0.70	287
399		PANASONIC	NR-A7413ES	Single Door	191	0.70	287
400		PANASONIC	NR-A748D	One Door	191	0.73	275
401		PANASONIC	NR-A748DR	One Door	191	0.73	275
402		PANASONIC	NR-A748E	One Door	191	0.73	275
403		PANASONIC	NR-A748ER	One Door	191	0.73	275
404		PANASONIC	NR-A748SE	One Door	191	0.73	275
405		PANASONIC	NR-A748SER	One Door	191	0.69	291
406		PANASONIC	NR-A749D	One Door	191	0.73	275
407		PANASONIC	NR-A749E	One Door	191	0.73	275
408		PANASONIC	NR-AQ211NS	Single Door	191	0.51	380
409		BEKO	RDNT200I20VS	Frost Free	188	0.75	280
410		BEKO	RDNT202I20VS	Frost Free	188	0.68	323
411		CONDURA	CNF-200i	Frost Free	188	0.74	303
412		CONDURA	CNF-201i	Frost Free	188	0.74	303
413		LG	GR-V232RL	No Frost	188	1.14	155
414		LG	GR-V232RLK	Two Door/Automatic Defrost	188	1.38	164
415		PANASONIC	NR-A605DC	One Door	188	0.81	242
416		PANASONIC	NR-A605EC	One Door	188	0.80	245
417		PANASONIC	NR-A607SE	One Door	188	0.75	264
418		SHARP	SJ-21UGL	Two Door/Direct Cooling	188	1.93	115
419		SHARP	SJ-21UGL-SL	One Door/Direct Cooling	188	1.93	115
420		SHARP	SJ-DC-21UG-MS	Two Door/Manual Defrost	188	1.93	115
421		SHARP	SJ-UN70AS-SL	Two Door/Direct Cooling	188	1.93	115
422		CONDURA	CPS-6SD	Manual	187	1.03	191
423		CONDURA	CPS-6SD DLX	One Door	187	1.14	173
424		CONDURA	CR060SDM	Manual	187	1.03	191
425		CONDURA	CR060SDS	Semi-Automatic	187	1.03	191

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	426	CONDURA	CS065SA	Direct Cool/Single Door	187	1.03	191
	427	KELVINATOR	KPS-6SD	Manual	187	1.03	191
	428	KELVINATOR	KR060SDM	Manual	187	1.03	191
	429	KELVINATOR	KR060SDS	Semi-Automatic	187	1.03	191
	430	KELVINATOR	KS065SA	Direct Cooling/Single Door	187	1.03	191
	431	LG	GR-B202RLCL	Frost Free	187	0.67	320
	432	LG	GR-B202SLCL	Frost Free - Inverter	187	0.75	286
	433	LG	GR-B202SQBB	No Frost - Inverter	187	0.78	269
	434	PANASONIC	NR-A605D	One Door	187	0.81	242
	435	WWH	WR-1999CD	Single Door/Direct Cooling	186	1.06	182
	436	SHARP	SJ-21TGL	Single Door/Direct Cooling	183	1.01	192
	437	SHARP	SJ-DC19S-SL	Single Door/Direct Cooling	183	0.78	252
	438	SHARP	SJ-DT70AS-SL	Single Door/Direct Cooling	183	0.84	193
	439	SHARP	SJ-DTH70BS-SL	Single Door/Direct Cooling	183	0.75	255
*	440	SHARP	SJ-P211T-SL	Single Door	183	0.97	198
	441	SHARP	SJ-P212T-MS	Single Door/Manual Defrost	183	0.97	203
	442	SHARP	SJ-S210T-SS	Single Door	183	0.97	198
	443	BOSTON BAY	RBH6.4-0619	Two Door/Direct Cooling	182	1.39	161
	444	HAIER	HRF-D230H	Two Door/Direct Cooling	182	1.11	205
	445	HAIER	HRF-IVD230H	Two Door/Direct Cooling	182	0.59	380
	446	SAMSUNG	RR19H164BUT	Single Door/Direct Cooling	182	0.83	232
	447	SHARP	SJ-FTS07AVS-SL	No Frost - Inverter	182	0.62	341
	448	SHARP	SJ-UL70AS-SL	Two Door/Direct Cooling	182	0.98	221
	449	SHARP	SJ-VL70BP-SL	Two Door/Direct Cooling	182	0.58	368
	450	MIDEA	FP-20RDR235LMNV-T1	Single Door/Direct Cooling	181	0.73	262
	451	EVEREST	ETR235L	Single Door/Direct Cooling	181	0.98	286
	452	LG	GN-V231RL	Single Door/Direct Cooling	180	0.88	218
	453	LG	GN-V231RLZ	Single Door/Direct Cooling	180	0.82	238
	454	PANASONIC	NR-A605E	One Door	180	0.86	220
	455	SHARP	SJ-DL65AS-SS	Single Door	180	0.51	378
*	456	SHARP	SJ-191T-SL	Single Door	180	0.98	198
	457	SHARP	SJ-19TGL	Single Door	180	0.98	198
	458	SHARP	SJ-DN70AS-SL	Single Door/Direct Cooling	180	0.98	198
	459	SHARP	SJ-P192T-MS	Single Door/Direct Cooling	180	0.98	198
	460	SHARP	SJ-S190T	Single Door/Direct Cooling	180	1.06	179
	461	SHARP	SJ-S190T-SS	Single Door	180	0.96	198
	462	HAIER	HR-IV208SBP	Single Door/Direct Cooling	179	0.56	334
	463	HAIER	HR-S208SBP	Single Door/Direct Cooling	179	0.78	240
	464	HAIER	HR-S208SBP-H	Single Door	179	0.78	240
	465	MIDEA	FP-20RDR179LEIV-T2	Two Door/Direct Cooling	179	0.77	285
	466	CONDURA	CSD600MN	Single Door	178	0.55	339
	467	CONDURA	CSD600SAi	Single Door	178	0.40	473
	468	SAMSUNG	RA-19PTIH1	One Door/Direct Cooling	178	1.06	237
	469	SAMSUNG	RA-19PTMU	One Door/Direct Cooling	178	0.80	237
	470	SAMSUNG	RA-19PTPG	One Door/Direct Cooling	178	0.80	237
	471	SAMSUNG	RA-19PTSW	One Door/Direct Cooling	178	0.80	237
	472	SAMSUNG	RA-19PTTS	One Door/Direct Cooling	178	0.80	237

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
473		ELECTROLUX	ETM2000PA	Two Door/Direct Cooling	177	1.97	111
474		ELECTROLUX	ETM2000PA-RPH	Two Door/Manual Defrost	177	1.97	111
475		GE	GMV070BAYR	Two Door/Direct Cooling	177	2.01	105
476		GE	GMV070BDYR	Two Door/Direct Cooling	177	1.99	104
477		SAMSUNG	RA-19FASS	Single Door/Direct Cooling	177	0.79	237
478		SAMSUNG	RA19FASW	Single Door/Direct Cooling	177	0.90	202
479		SANYO	SR-D295MS	Two Door/Manual Frost	177	1.95	107
480		SHARP	SJ-22T-SL	No Frost	177	1.32	162
481		AMERICAN HOME	ARSD-H1965SL	Single Door/Direct Cooling	176	0.66	271
482		AMERICAN HOME	ARSD-HINV6520S	Single Door/Direct Cooling	176	0.62	297
483		CONDURA	CSD211SA	Single Door	176	0.66	285
484		CONDURA	CSD211SA-R	Single Door	176	0.59	325
485		KELVINATOR	KSD185SA	Single Door	176	0.71	247
486		LG	GR-V212RLK	Two Door/Automatic Defrost	176	1.03	203
487		LG	GR-V212SLB	Frost Free - Inverter	176	0.71	296
488		ELECTROLUX	ERM1900PA	Single Door	175	1.97	215
489		ELECTROLUX	ERM-1900PA-RPH	Single Door/Direct Cooling	175	0.84	215
490		GE	GAV070BAYR	Single Door/Direct Cooling	175	0.78	251
491		HAIER	HR-S2190	Single Door	175	1.02	179
492		HAIER	HR-S701BW	Single Door	175	0.64	289
493		HAIER	HR-S701W	Single Door	175	0.64	289
494		KELVINATOR	KSD212SA-R	Single Door	175	0.86	215
495		SHARP	SJ-ND70BS-SS	Single Door	175	0.95	192
496		White Westinghouse	HRM1708DA-PH	Single Door/Direct Cooling	175	0.53	363
497		NATIONAL	NR-A601D	One Door	174	0.73	252
498		CONDURA	CSD200MN	Single Door/Direct Cooling	173	0.75	241
* 499		CONDURA	CSD200SA	Direct Cooling/Single Door	173	0.75	224
500		CONDURA	CSD210MN-E	Single Door/Manual Cooling	173	0.83	201
501		CONDURA	CSD210MN-E1a	Single Door/Direct Cooling	173	0.90	201
502		CONDURA	CSD210SA	Single Door/Manual Defrost	173	0.81	224
503		CONDURA	CSD210SA-G1	Single Door	173	0.81	224
504		CONDURA	CSD210SA-G1a	Single Door/Direct Cooling	173	0.81	224
505		CONDURA	CSD210SA-G1c	Single Door	173	0.81	224
506		CONDURA	CSD210SA-G2	Single Door	173	0.76	245
* 507		KELVINATOR	KSD200SA	Direct Cool/Single Door	173	0.75	241
* 508		KELVINATOR	KSD200SA-DCW	Direct Cool/Single Door	173	0.75	241
509		KELVINATOR	KSD200SA-DSB	Direct Cool/Single Door	173	0.75	241
510		KELVINATOR	KSD210SA	Single Door	173	0.76	245
511		NATIONAL	NR-A1707PE	One Door	172	0.72	255
512		SINGER	REF 165	One Door	172	0.65	281
513		CAMEL	CRF-BDC601-SS	Two Door/Direct Cooling	170	0.95	209
514		NATIONAL	NR-A602D	One Door	170	0.74	242
515		NATIONAL	NR-A602E	One Door	170	0.74	242
516		NATIONAL	NR-A603D	One Door	170	0.74	242
517		NATIONAL	NR-A603E	One Door	170	0.74	242
518		PANASONIC	NR-A604D	One Door	170	0.80	227
519		PANASONIC	NR-A604E	One Door	170	0.87	203

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	520	SINGER	REF 165A	One Door	170	0.74	242
	521	SINGER	REF 166	One Door	170	0.74	242
	522	SUNACE	SAR-170M	Manual	170	0.79	226
	523	EVEREST	ET2R178L/C	Two Door/Direct Cooling	168	0.85	236
	524	CONDURA	CSD610MN	Single Door	165	0.51	316
	525	CONDURA	CSD610MNI	Single Door	165	0.40	440
	526	KELVINATOR	KSD610MN	Single Door	165	0.46	386
	527	LG	GN-201	Direct Cooling	165	0.76	230
	528	SHARP	SJ-ML70AS-SL	Two Door/Direct Cooling	165	0.93	222
	529	White Westinghouse	HTM1608DA-PH	Two Door/Direct Cooling	165	0.76	274
	530	LG	GN-B201SLZ	Single Door/Direct Cooling	164	0.79	220
	531	LG	GR-Y201SLZB	Single Door	164	0.45	381
	532	SHARP	SJ-ND60BS-SS	Single Door	157	0.68	243
	533	HAIER	HRF-IVD200H	Two Door/Direct Cooling	155	0.59	325
	534	LG	GN-V191L	Direct Cooling	155	0.87	191
	535	LG	GN-V191RLZ	Single Door/Direct Cooling	155	0.81	208
	536	HAIER	HR-IV188SBP	Single Door	154	0.60	270
	537	HAIER	HR-S188SBP	Single Door/Direct Cooling	154	0.88	184
	538	ELECTROLUX	ERM1700PA	Single Door	151	0.63	251
	539	ELECTROLUX	ERM1700-PA-RPH	Single Door/Direct Cooling	151	0.63	251
	540	HAIER	HR-C68B	Single Door	151	0.50	321
	541	HAIER	HR-S63BW	Single Door	151	0.55	292
	542	HAIER	HR-S63W	Single Door	151	0.55	292
	543	XTREME COOL	XCOOL-SD151M	Two Door/Direct Cooling	151	0.63	255
	544	AMERICAN HOME	ARSD-HINV5520S	Single Door/Direct Cooling	150	0.61	256
	545	AMERICAN HOME	ARSD-H1955SL	Single Door/Direct Cooling	150	0.64	243
	546	CONDURA	CSD171SA	Single Door	150	0.52	300
	547	CONDURA	CSD171SA-R	Single Door	150	0.41	391
	548	CONDURA	CSD500MN	Single Door	150	0.52	303
	549	CONDURA	CSD500SAi	Single Door	150	0.34	467
	550	HAIER	HR-S1890	Single Door	150	0.95	166
	551	KELVINATOR	KSD157SA	Single Door/Direct Cooling	150	0.60	250
	552	KELVINATOR	KSD171SA	Single Door/Direct Cooling	150	0.67	238
	553	KELVINATOR	KSD172SA-R	Single Door	150	0.61	262
	554	SHARP	SJ-DL55AS-SL	Single Door	147	0.54	290
	555	SHARP	SJ-DL55AS-SS	Single Door	147	0.54	290
	556	CONDURA	CPS-5SD	Manual	145	0.92	167
	557	CONDURA	CPS-5SD DLX	One Door	145	1.12	137
	558	CONDURA	CR050SDM	Manual	145	0.92	167
	559	CONDURA	CR050SDS	Semi-Automatic	145	1.00	154
	560	CONDURA	CS050SA	Direct Cool/Single Door	145	0.95	154
	561	CONDURA	CSD165MN	Single Door/Direct Cooling	145	0.73	209
	562	CONDURA	CSD165MN-E	Single Door/Manual Defrost	145	0.73	209
*	563	CONDURA	CSD165SA	Direct Cooling/Single Door	145	0.73	209
*	564	CONDURA	CSD165SA-E	Direct Cooling/Single Door	145	0.73	209
	565	CONDURA	CSD165SA-EW	Single Door/Manual Defrost	145	0.73	209
	566	CONDURA	CSD170MN-E	Single Door	145	0.59	262

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	567	CONDURA	CSD170MN-E1a	Single Door/Direct Cooling	145	0.81	213
	568	CONDURA	CSD170MN-E2	Single Door	145	0.59	262
*	569	CONDURA	CSD170SA	Single Door/Direct Cooling	145	0.77	201
	570	CONDURA	CSD170SA-G1	Single Door	145	0.67	230
	571	CONDURA	CSD170SA-G2	Single Door	145	0.67	230
	572	KELVINATOR	KPS-5SD	Manual	145	0.92	167
	573	KELVINATOR	KR050SDM	Manual	145	0.92	167
	574	KELVINATOR	KR050SDS	Semi-Automatic	145	1.00	154
*	575	KELVINATOR	KS050SA	Direct Cooling/Single Door	145	0.95	154
*	576	KELVINATOR	KSD165SA-DCW	Direct Cool/Single Door	145	0.69	224
*	577	KELVINATOR	KSD165SA-DSB	Direct Cool/Single Door	145	0.73	209
	578	KELVINATOR	KSD165SA-DSW	Direct Cool/Single Door	145	0.73	209
	579	KELVINATOR	KSD170SA	Single Door	145	0.67	230
	580	GE	GAV060BAYR	Single Door/Direct Cooling	144	0.77	201
	581	SHARP	SJ-DT55AS-SL	Single Door/Direct Cooling	144	0.95	160
	582	SHARP	SJ-DTH55BS-SL	Single Door/Direct Cooling	144	0.73	215
	583	SUNACE	SAR-142M	Manual	142	0.75	200
	584	SHARP	SJ-DN55AS-SL	Single Door/Direct Cooling	141	1.10	131
	585	SHARP	SJ-S170T-SS	Single Door/Direct Cooling	141	1.10	131
	586	CONDURA	CSD510MN	Single Door	137	0.44	331
	587	CONDURA	CSD510MNI	Single Door	137	0.36	403
	588	KELVINATOR	KSD510MN	Single Door	137	0.40	363
	589	HAIER	HR-S179D	Single Door	135	0.90	157
	590	SANYO	SR-S179AQP	Single Door/Direct Cooling	135	0.90	157
	591	NATIONAL	NR-A501D	One Door	130	0.64	217
	592	NATIONAL	NR-A1407PE	One Door	128	0.71	192
	593	SINGER	REF 155	One Door	128	0.60	232
	594	HAIER	HR-S157SBP	Single Door/Direct Cooling	126	0.78	170
	595	HAIER	HR-S157SBP-H	Single Door	126	0.78	170
	596	NATIONAL	NR-A502D	One Door	125	0.72	186
	597	NATIONAL	NR-A502E	One Door	125	0.64	208
	598	NATIONAL	NR-A503D	One Door	125	0.72	186
	599	NATIONAL	NR-A503E	One Door	125	0.64	208

¹ 599 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
		B. Imported Models²					
1		SAMSUNG	RS554NRUA1J	Frost Free	538	1.83	370
2		SAMSUNG	RS554NRUASL	Frost Free	538	2.06	337
3		AMERICAN HOME	AHR-SBS20INV	Frost Free	536	1.61	434
4		PANASONIC	NR-BY602	Frost Free	513	1.87	315
5		PANASONIC	NR-BY552	Frost Free	463	1.34	400
6		SAMSUNG	RT38FAUDDGL	Frost Free	385	1.10	414
7		SAMSUNG	RT38K5042UT	No Frost	384	0.94	477
8		PANASONIC	NR-BW465	Frost Free	372	1.29	334
9		SAMSUNG	RT35K5532SL	No Frost	362	1.27	336
10		HAIER	HRF-369FACA	Frost Free	335	1.47	235
11		PANASONIC	NR-BW415	Frost Free	331	1.13	338
12		HAIER	HRF-490A	Two Door/Direct Cooling	322	2.15	180
13		SAMSUNG	RT32FAJCDSP	Two Door/No Frost	322	1.06	367
14		CONDURA	CNF-350	No Frost	321	1.05	348
15		SHARP	SJ-UL11AS-SL	Two Door/Direct Cooling	311	1.10	345
16		SHARP	SJ-420F-HSS	Two Door/Direct Cooling	310	1.75	210
17		SHARP	SJ-420-HPS	Two Door/Direct Cooling	310	1.75	210
18		SHARP	SJ-421F-HPK	Two Door/Direct Cooling	310	1.75	210
19		SAMSUNG	RT29FAJBDSP	Two Door/No Frost	302	1.02	355
20		SAMSUNG	RT29FARBDSA	Frost Free - Inverter Type	302	1.02	355
21		SHARP	SJ-DC338UGL-SL	Two Door/Direct Cooling	300	1.27	279
22		SHARP	SJ-ML12AS-SL	Two Door/Direct Cooling	300	1.27	279
23		HAIER	HRF-369FACA-LS	Two Door/Frost Free	298	1.47	235
24		SAMSUNG	RB29FSRNBSA	Two Door/Automatic Defrost	290	1.05	356
25		SHARP	SJ-38T-SL	Two Door/Direct Cooling	288	1.72	198
26		SAMSUNG	RT34MASS	Two Door/No Frost	275	2.72	123
27		TOSHIBA	GR-R32PD	Frost Free	275	1.58	212
28		HAIER	HRF-390A	Two Door/Direct Cooling	272	1.96	167
29		MABE	MMV100BAER	Two Door/Direct Cooling	272	1.96	166
30		HITACHI	R-26AP5	No Frost	264	2.18	118
31		HAIER	HRF-319FACA-LS	Two Door/Frost Free	263	1.42	218
32		SAMSUNG	RT30MASS	Two Door/No Frost	259	1.93	166
33		GE	GMV090BAGR	Two Door/Direct Cooling	256	0.84	377
34		AMERICAN HOME	AHR-BF91SX	Two Door/Direct Cooling	255	1.34	251
35		SAMSUNG	RT25FAJBDSA	Two Door/No Frost	255	0.94	316
36		SAMSUNG	RT25FARADSA	Single Door/Direct Cooling	255	0.94	316
37		MABE	MMV090BAFR	Two Door/Direct Cooling	254	1.07	299
38		White Westinghouse	HTM2600AA	Two Door/Direct Cooling	253	1.02	253
39		CONDURA	CNF-275	No Frost	251	1.04	274
40		HISENSE	BCD-251W	Frost Free	251	1.42	202
41		HISENSE	RD-32WR2S	Frost Free	251	1.01	270
42		MABE	ITV085ICERSG	Frost Free	241	0.94	308
43		MABE	MTV085ICERSG	No Frost	241	1.58	187
44		MABE	MTV085ICERSG	No Frost	241	1.58	187

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
45		SAMSUNG	RT22FAJBDSA	Two Door/No Frost	234	0.89	306
46		SAMSUNG	RT22FARBDS9	Two Door/No Frost	234	0.84	324
47		SAMSUNG	RT22FARBDSA	Two Door/No Frost	234	0.74	372
48		SAMSUNG	RT22FARBDUT	Two Door/No Frost	234	0.74	372
49		SAMSUNG	RT22M4033UT	Two Door/No Frost	234	0.83	326
50		BEKO	RDNT251I50VS	Frost Free	230	0.81	341
51		BEKO	RDNT251I50VZP	Frost Free	230	0.81	327
52		HAIER	HRF-BD290H	Two Door/Direct Cooling	229	1.49	210
53		GE	GMV080BAGR	Two Door/Direct Cooling	228	0.85	342
54		AMERICAN HOME	ARSD-151	Single Door	227	1.32	198
55		CONDURA	CNF-250	Frost Free	227	0.98	272
56		EUROTEK	ER-851S	Single Door/Direct Cooling	227	0.59	418
57		HANABISHI	HADDREF-80DCINV	Two Door/Direct Cooling	227	0.66	405
58		HISENSE	BCD-227W	No Frost	227	1.32	198
59		HISENSE	RD-30WR2S	Frost Free	227	0.97	252
60		LG	GC-269VL	Two Door/Direct Cooling	227	1.23	257
61		SHARP	SJ-30N	Two Door/No Frost	227	1.53	177
62		SHARP	SJ-30S	Two Door/Direct Cooling	227	1.89	145
63		ELECTROLUX	ETB2300PE	Frost Free	225	1.52	178
64		ELECTROLUX	ETB2302PE	Frost Free	225	1.52	178
65		ELECTROLUX	ETB2502H-A	No Frost	225	0.73	365
66		ELECTROLUX	ETB2502H-H	No Frost	225	0.73	365
67		ELECTROLUX	ETB2502J-A	No Frost	225	0.85	322
68		SHARP	SJ-D25L	Two Door/No Frost	225	1.61	164
69		SHARP	SJ-D25P	Two Door/No Frost	225	1.61	164
70		UNION	URF-70	Single Door/Direct Cooling	225	1.07	215
71		AMERICAN HOME	ARTM-INV817S	Frost Free	224	0.81	315
72		ELECTROLUX	ETD2300MG-XPH	Frost Free	224	1.05	262
73		ELECTROLUX	ETD2302MG-XPH	Frost Free	224	1.41	194
74		SHARP	SJ-FTS08AVS-SL	No Frost	224	0.70	376
75		DOWELL	TDR-220BF	Two Door/Manual Defrost	220	1.82	150
76		SHARP	SJ-DL80AS-SS	Single Door	220	0.78	293
77		KOLIN	KRF-220B	Two Door	218	1.76	155
78		LG	GR-262	No Frost	217	1.68	153
79		LG	GR-U262	No Frost	217	1.68	153
80		MARKES	MR2BF22J	Two Door/Direct Cooling	217	0.87	268
81		HAIER	HRF-248	Frost Free	216	1.57	162
82		CHUNLAN	BCD-215	Two Door/Direct Cooling	215	0.96	242
83		GE	GTV085KCYR	Two Door/Direct Cooling	215	1.69	150
84		SHARP	SJ-23TDL	Single Door	215	0.92	244
85		SHARP	SJ-D23T	Single Door	215	0.92	244
86		SHARP	SJ-P231T-SL	One Door/Direct Cooling	215	0.92	244
87		SHARP	SJ-S230T	Single Door/Direct Cooling	215	0.92	244
88		SHARP	SJ-S230T-SS	Single Door/Direct Cooling	215	0.92	244
89		MARKES	MR2BF-222J	Two Door/Direct Cooling	214	0.83	296

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
90		LG	GR-V262SLCK	Two Door/Manual Defrost	213	1.30	199
91		MARKES	MRT-213GJ/WJ	Two Door/Direct Cooling	213	1.02	240
92		MARKES	MRT-213J	Two Door/Direct Cooling	213	0.91	266
93		MATRIX	MX-XRD186	Frost Free	213	1.43	168
94		WHIRLPOOL	WSV10	Frost Free	213	1.43	168
95		AMERICAN HOME	ARTM-750SX	Two Door/Direct Cooling	212	1.24	205
96		HAIER	HRF-D280H	Two Door/Direct Cooling	212	0.89	276
97		HANABISHI	HADDREF-75	Two Door/Direct Cooling	212	1.45	177
98		SAMSUNG	RL-23FCIH	Frost Free	212	1.43	198
99		SAMSUNG	RL23FCMS	Two Door/Direct Cooling	212	1.06	253
100		SAMSUNG	RL23FCTS	Two Door/Direct Cooling	212	1.06	253
101		SHARP	SJ-UL80AS-SL	Two Door/Direct Cooling	212	1.10	221
102		GE	GTV085KCBR	Two Door/Frost Free	211	1.40	178
103		GE	GTV085KCBRLS	Two Door/No Frost	211	1.40	178
104		GE	GTV085KCBRSH	Two Door/Automatic Defrost	211	1.40	178
105		HAIER	HRF-259FACA	Frost Free	211	1.41	180
106		HANABISHI	HADDREF-75NOF	No Frost	211	1.54	160
107		SHARP	SJ-22T	Single Door	211	1.10	205
108		BEKO	RDNT231150VS	Frost Free	210	0.84	309
109		ELECTROLUX	ETB2100MG-XPH	Frost Free	210	0.90	287
110		ELECTROLUX	ETB2102MG-RPH	Frost Free	210	1.32	196
111		EUROTEK	ER-762M	Two Door/Direct Cooling	210	1.20	209
112		POLYTRON	PPRG22LLX	No Frost	210	1.75	137
113		LG	GR-B222RLCL	Single Door	209	0.70	338
114		LG	GR-B222SLCL	No Frost - Inverter	209	0.59	401
115		LG	GR-B222SLCR	Frost Free	209	0.78	302
116		LG	GR-B222SQBB	No Frost-Inverter	209	0.80	289
117		HAIER	BCD-216	Two Door	208	1.37	202
118		UNION	UGFR-200	Two Door/Direct Cooling	208	1.24	185
119		AMERICAN HOME	ARTM-750SS	Two Door/Direct Cooling	207	1.05	223
120		DOWELL	TDR-215BF	Two Door / Direct Cooling	207	1.21	214
121		HISENSE	RD-27WR2S	Frost Free	207	0.94	303
122		SAMSUNG	RT24MESS	Two Door/No Frost	207	2.24	109
123		SAMSUNG	RT24VESS	Two Door/No Frost	207	2.24	109
124		ELECTROLUX	ETB2100PC-RPH	Frost Free	206	1.53	175
125		AMERICAN HOME	ARTM-755SX	Two Door/Direct Cooling	205	1.02	263
126		EZY	EZ-210	Two Door/Direct Cooling	205	1.16	216
127		EZY	EZ-210A	Two Door/Direct Cooling	205	0.96	279
128		LG	GC-269VL	One Door/Direct Cooling	205	1.23	218
129		LG	GC-269VL3	Two Door/Direct Cooling	205	1.31	199
130		SHARP	SJ-26N	Two Door/No Frost	205	1.48	160
131		SHARP	SJ-26S	Two Door/Direct Cooling	205	1.56	157
132		CAMEL	CRF-ADC751-SS	Single Door	204	0.65	318
133		BEKO	D54230N	No Frost	203	0.77	325
134		BEKO	RDNT230I20VP	Frost Free	203	0.80	307

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
135		HAIER	HRF-IV260	No Frost - Inverter	203	1.36	178
136		KOLIN	KRD-210B	Two Door	203	1.35	191
137		MIDEA	FP-20RDR273LMNV-T1	Two Door/Direct Cooling	203	0.90	272
138		SAMSUNG	RT20FARVDSA	Frost Free	203	0.77	321
139		SAMSUNG	RT20HAR1DSA	Frost Free	203	0.77	321
140		SAMSUNG	RT20K300ASB	No Frost	203	0.75	326
141		SAMSUNG	RT20K300ASE	No Frost	203	0.70	348
142		WWH	WR2150D	Two Door/Frost Free	202	1.89	130
143		CONDURA	CTD200MN-R	Two Door/Direct Cooling	201	1.23	198
144		CAMEL	CRF-BDC752-MB	Two Door/Direct Cooling	200	0.99	250
145		CAMEL	CRF-BDC752-SS	Two Door/Direct Cooling	200	0.99	250
146		CAMEL	CRF-BDC752V-BS	Two Door/Direct Cooling	200	0.80	292
147		EVEREST	ET2R-213L	Two Door / Direct Cooling	200	0.99	261
148		HITACHI	R-20A3P	Two Door/No Frost	200	1.57	154
149		HITACHI	R-20P3	Direct Cooling	200	1.00	210
150		HITACHI	R-20PW3	Direct Cooling	200	1.00	210
151		KELVINATOR	KTD230MN	Two Door/Direct Cooling	200	0.92	254
152		KELVINATOR	KTD230MN-R	Two Door/Direct Cooling	200	0.87	272
153	*	LG	GR-242 MVF	No Frost	200	2.20	114
154		MARKES	MRS-195GJ/WJ	Single Door/Direct Cooling	200	0.89	243
155		MARKES	MRS-195J	Single Door	200	0.83	231
156		MARKES OF CANADA	MRS-206DCC	Single Door/Direct Cooling	200	1.09	190
157		SHARP	SJ-DC219UGL-SL	Two Door/Direct Cooling	200	1.00	239
158		SHARP	SJ-DC220UGL	Two Door/Direct Cooling	200	1.00	239
159		SHARP	SJ-ML80AS-SL	Two Door/Direct Cooling	200	1.00	239
160		SHARP	SJ-ML81AS-SL	Two Door/Direct Cooling	200	1.00	239
161		UNION	UGFR-200	Two Door/Manual Defrost	200	1.26	183
162		White Westinghouse	WR-1999C	Single Door/Direct Cooling	199	1.06	181
163		CONDURA	CTD204MN-R	Two Door/Direct Cooling	198	0.78	304
164		EVEREST	ET2RN216IV/H	Frost Free	198	0.82	291
165		HANABISHI	HADDREF-70DCINV	Two Door/Direct Cooling	198	0.58	392
166		White Westinghouse	HTM2100AA	Two Door/Direct Cooling	198	0.87	285
167		White Westinghouse	HTM-2108DA-PH	Two Door/Direct Cooling	198	0.87	285
168		EVEREST	ET2R-197L	Two Door/Direct Cooling	197	1.16	218
169		FUJIDENZO	INR-825		197	0.65	355
170		GE	GTV080KCBR	Two Door/Direct Cooling	197	1.46	162
171		GE	GTV080KCBRLS	Two Door/No Frost	197	1.46	162
172		HAIER	HRF-229FACA	Frost Free	197	1.48	159
173		HAIER	HRF-IV278H	No Frost - Inverter	197	0.63	368
174		CHUNLAN	BCD-195	Two Door/Direct Cooling	195	0.95	233
175		HANABISHI	HADDREF-78SSINV	Frost Free	195	0.62	371
176		LG	GN-B331SLZ	One Door/Direct Cooling	195	0.89	231
177		TOSHIBA	GR-A25PS(DS)	Frost Free	194	0.76	313
178		MABE	MMV070BAFR	Two Door/Direct Cooling	193	0.91	276

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
179		MABE	MMV070BAFRSG	Two Door/Direct Cooling	193	0.91	303
180		AMERICAN HOME	ARTM-INV717S	Frost Free	192	0.74	302
181		ADMIRAL	BCD-193W	Two Door/No Frost	190	1.65	144
182		LG	GN-241	Direct Cooling	190	0.77	259
183		SHARP	SJ-D21P	Two Door/No Frost	190	1.68	138
184		SHARP	SJ-D21L	Two Door/No Frost	190	1.68	138
185		MIDEA	BC-203WH	Two Door	189	1.73	133
186		BEKO	RDNT200120VS	Frost Free	188	0.75	280
187		LG	GN-241D	Direct Cooling	188	0.85	235
188		LG	GR-232D	No Frost	188	1.90	118
189		LG	GR-U232	No Frost	188	1.27	176
190		LG	GR-V232RL2	Two Door/Frost Free	188	1.39	164
191		SHARP	SJ-212UG-MS	Two Door/Direct Cooling	188	1.93	115
192		SHARP	SJ-UN70AS-SL	Two Door/Direct Cooling	188	1.93	115
193		KOLIN	KRSK-65A	Direct Cooling/Single Door	187	1.03	191
194		LG	GR-B202SLCR	Frost Free	187	0.75	286
195		SAMSUNG	RT21MESS	Two Door/No Frost	187	2.38	93
196		SAMSUNG	RT21MGBB	Two Door/No Frost	187	2.38	93
197		SAMSUNG	RT21MHSS	Two Door/No Frost	187	2.38	93
198		SAMSUNG	RT21VESS	Two Door/No Frost	187	2.38	93
199		GE	GAV7BAMR	Single Door	186	1.15	166
200		LG	GR-232 w/dispenser	No Frost	186	1.90	118
201		TOSHIBA	GR-P200	Semi-Automatic	186	0.95	204
202		TOSHIBA	GR-P200D	Semi-Automatic	186	0.95	204
203		TOSHIBA	GR-P201	Semi-Automatic	186	0.84	234
204		Whirlpool	WSV8	Frost Free	186	1.63	140
205		White Westinghouse	WR-1905C	Single Door/Direct Cooling	186	1.06	186
206		White Westinghouse	WR-1905CD	Single Door/Direct Cooling	186	1.06	186
207		White Westinghouse	WR-1908C	Single Door/Direct Cooling	186	1.06	186
208		White Westinghouse	WR-1908CD	Single Door/Direct Cooling	186	1.06	181
209		EUROTEK	ER-701S	Single Door/Direct Cooling	185	0.48	411
210		GE	GAV7BDNR	Single Door	185	1.15	165
211		LG	GR-231	Direct Cooling	185	0.89	218
* 212		LG	LR-231 GVF	Direct Cooling	185	0.90	218
213		LG	LR-231GL	Direct Cooling	185	0.95	218
214		Polytron	PPRG21LLW	Frost Free	183	1.62	124
215		SHARP	SJ-21TDL	Single Door	183	0.97	198
216		SHARP	SJ-D20T	Single Door	183	0.97	198
217		SHARP	SJ-DC19S	Single Door/Direct Cooling	183	0.71	245
218		SHARP	SJ-DC19S-VL	Single Door/Direct Cooling	183	0.78	252
219		SHARP	SJ-P212T-MS	Single Door/Direct Cooling	183	0.97	198
220		HANABISHI	HADDREF-75	Two Door/Direct Cooling	182	1.11	188
221		SAMSUNG	RR1914USBSA	Single Door/Manual Defrost	182	0.83	232
222		SAMSUNG	RR19H1048SA	Single Door/Direct Cooling	182	0.83	232
223		SAMSUNG	RR19H1648UT	Single Door/Direct Cooling	182	0.83	232

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
224		AMERICAN HOME	ARSD-181	Single Door/Direct Cooling	181	0.83	233
225		EZY	EZ-178A	Two Door/Direct Cooling	181	0.81	284
226		HANABISHI	HASREF-70S	One Door/Direct Cooling	181	0.80	239
227		MABE	MAV070IAER	Single Door	181	0.77	248
228		MABE	MAY0701AER-SL	Single Door/Direct Cooling	181	0.90	194
229		WHIRLPOOL	WRD72	One Door/Direct Cooling	181	0.98	195
230		WHIRLPOOL	WRD72PS	Single Door/Manual Defrost	181	1.04	186
231		DOWELL	TDR-180BF	Two Door/Direct Cooling	180	1.85	121
232		EUROTEK	HER-707SA	Single Door/Direct Cooling	180	0.92	207
233		FROST	BCD-18DN	Two Door/Direct Cooling	180	0.85	289
234		FUJIDENZO	RSD75PSL	Two Door/Manual Defrost	180	1.02	223
235		GE	GAV7BATR	Single Door	180	1.16	160
236		GE	GAV7BDTR	Single Door	180	1.16	160
237		HAIER	HRF-BD250H	Two Door/Direct Cooling	180	1.60	154
238		HITACHI	R-18P3	Direct Cooling	180	0.90	213
239		HITACHI	R-18PW3	Direct Cooling	180	0.90	211
240		HITACHI	R-19P5	Direct Cooling	180	0.90	211
241		HITACHI	R-19P5W	Direct Cooling	180	0.90	211
242		SAMSUNG	RA20VHSS	Single Door/Direct Cooling	180	0.79	240
243		SHARP	SJ-19T	Single Door	180	0.98	198
244		SHARP	SJ-19TDL	Single Door	180	0.98	198
245		SHARP	SJ-DL65AS-SS	Single Door	180	0.51	378
246		SHARP	SJ-P192T-MS	Single Door/Direct Cooling	180	0.98	198
247		SHARP	SJ-S190T-SS	One Door/Direct Cooling	180	0.98	198
248		ELECTROLUX	ERM1800PB-RPH	Single Door/Direct Cooling	179	0.81	226
249		HAIER	HR-218P	Single Door/Direct Cooling	179	0.84	223
250		HAIER	HRF-228	Frost Free	179	1.34	164
251		ELECTROLUX	ETB1800PC-RPH	Frost Free	177	1.48	145
252		ELECTROLUX	WRM-2000A-R	Two Door/Manual Defrost	177	1.97	111
253		GE	GMV070BANR	Two Door	177	1.93	113
254		GE	GMV070BAYR	Two Door/Direct Cooling	177	2.01	105
255		GE	GMV070BAYR AG	Two Door/Direct Cooling	177	2.01	105
256		GE	GMV070BDNR	Two Door/Direct Cooling	177	1.93	113
257		GE	GMV070BDYR	Two Door/Direct Cooling	177	2.02	104
258		HAIER	HRF-290A	Two Door/Direct Cooling	177	1.95	107
259		MABE	MMV070BAER	Two Door/Direct Cooling	177	2.00	105
260		POLYTRON	PR-209MVB	Single Door/Direct Cooling	177	1.04	185
261	*	SHARP	SJ-225-SL	Frost Free	177	1.32	162
262		SHARP	SJ-22N	Two Door/No Frost	177	1.48	145
263		SHARP	SJ-22S	Two Door/Direct Cooling	177	1.42	151
264		SHARP	SJ-22S-SL	Two Door/No Frost	177	1.64	131
265		AMERICAN HOME	ARSD-H1965SL	Single Door/Direct Cooling	176	0.68	271
266		AMERICAN HOME	ARSD-H176B	Single Door	176	0.76	242
267		CONDURA	CSD211SA	Single Door/Direct Cooling	176	0.66	285
268		CONDURA	CSD211SA-R	Single Door	176	0.55	336
269		HISENSE	BC-176	Single Door	176	0.72	253

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	270	HISENSE	RS-23DR2S	Single Door/Direct Cooling	176	0.66	337
	271	LG	GR-212	No Frost	176	1.90	114
	272	LG	GR-212DL	No Frost	176	1.89	114
	273	LG	GR-U212	No Frost	176	1.17	179
	274	LG	GR-V212RL	Two Door/Frost Free	176	108	192
	275	LG	GR-V212SLB	Frost Free - Inverter	176	0.71	296
	276	CAMEL	CRF-701-SS	Single Door/Direct Cooling	175	0.81	236
	277	CAMEL	CRF-ADC701-SS	Single Door/Direct Cooling	175	0.75	233
	278	ELECTROLUX	ERM-1900PA	Single Door/Direct Cooling	175	0.84	215
	279	ELECTROLUX	WR1905C	Single Door/Automatic Defrost	175	1.06	186
	280	GE	GAV070BAPR	Single Door	175	0.85	218
	281	GE	GAV070BAYR	Single Door/Direct Cooling	175	0.73	251
	282	HAIER	HR-B78B	Single Door/Direct Cooling	175	0.51	363
	283	HAIER	HR-C78B	Single Door	175	0.51	343
	284	HAIER	HR-IVC78	Single Door	175	0.34	541
	285	HAIER	HR-IVC78B	Single Door	175	0.34	541
	286	KELVINATOR	KSD212SA	Single Door/Direct Cooling	175	0.81	232
	287	SAMSUNG	RA18FHSS	Single Door/Direct Cooling	175	0.79	231
	288	SHARP	SJ-ND70BS-SS	Single Door	175	0.95	192
	289	UNION	UGFR-170	Two Door/Direct Cooling	175	1.29	168
	290	UNION	UGR-190	Single Door/Direct Cooling	175	0.76	263
	291	WHIRLPOOL	WRD-70K	Single Door/Direct Cooling	175	0.85	229
	292	WHIRLPOOL	WRD-70N	Single Door/Direct Cooling	175	0.81	281
	293	White Westinghouse	HRM1700AA	Single Door	175	0.53	363
	294	White Westinghouse	HRM-1708DA-PH	Single Door/Direct Cooling	175	0.53	363
	295	White Westinghouse	WR-1899C	Single Door/Direct Cooling	175	0.90	185
	296	White Westinghouse	WR-1899CD	Single Door/Direct Cooling	175	0.90	186
	297	LG	GR-212w/dispenser	No Frost	174	1.90	114
	298	MIDEA	BC-193WH	Two Door	174	1.67	129
*	299	LG	GN-221	Direct Cooling	173	0.78	236
	300	LG	GR-P193A	Direct Cooling/Single Door	173	0.84	193
	301	TOSHIBA	GR-P193B	Single Door/Manual Defrost	173	0.81	226
	302	FUJIDENZO	RDD-07A	Two Door/Manual Defrost	172	1.18	159
	303	MARKES	MRDF2-23H	Two Door	172	1.66	126
	304	LG	GN-221w/dispenser	Direct Cooling	171	0.78	234
	305	SAMSUNG	RA20FGSS	Single Door/Direct Cooling	170	0.98	180
	306	SAMSUNG	RA20VGSS	Single Door/Direct Cooling	170	0.98	180
	307	SAMSUNG	SR-A19NFB	Single Door/Direct Cooling	170	0.98	180
	308	SAMSUNG	SR-A19NFE	Single Door/Direct Cooling	170	0.98	180
	309	SAMSUNG	SR-A19WFE	Single Door/Direct Cooling	170	0.98	180
	310	EVEREST	ET2R178L/C	Two Door/Direct Cooling	168	0.84	238
	311	KOLIN	KRD-170A	Single Door	168	0.70	218
	312	MIDEA	BC-183WH	Two Door	168	1.92	106
	313	UNION	URF-629	Single Door/Direct Cooling	167	0.70	230
	314	AKIRA	RD-202P	Two Door	166	1.25	143
	315	DOWELL	TDR-170D	Two Door/Direct Cooling	166	1.17	174

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
316		LG	GN-U201	Direct Cooling	165	0.73	237
317		SHARP	SJ-DC179UGL	Two Door/Manual Defrost	165	1.06	188
318		SHARP	SJ-DC179UGL-SL	Two Door/Direct Cooling	165	0.94	213
319		SHARP	SJ-ML70AS-SL	Two Door/Direct Cooling	165	0.94	213
320		UNION	UGFR-170	Two Door/Manual Defrost	165	1.01	199
321	White Westinghouse		HTM1600AA	Two Door/Direct Cooling	165	0.76	274
322	White Westinghouse		HTM1608DA-PH	Two Door/Direct Cooling	165	0.76	274
323		AKIRA	RS-201P	One Door	164	0.70	232
324		LG	GN-B201SLZ	Single Door/Direct Cooling	164	0.79	220
325		SHARP	SJ-181P-SL	Two Door/No Frost	164	1.51	125
326		SHARP	SJ-18S	Frost Free	164	1.51	125
327		SHARP	SJ-18S-SL	Two Door/No Frost	164	1.51	125
328		TOSHIBA	GR-P173A	Direct Cool/Single Door	164	0.94	177
329		TOSHIBA	GR-P173B	Single Door/Direct Cooling	164	0.70	249
330	WHIRLPOOL		WSV7	Frost Free	164	1.66	124
331		CHUNLAN	BCD-178	Two Door/Cycle Defrost	163	0.94	186
332		EUROTEK	HER-607SA	Single Door/Direct Cooling	161	0.93	186
333		FUJIDENZO	RSD-68PSL	Single Door/Direct Cooling	161	0.78	222
334		KOLIN	KRD-168KA	Single Door/Direct Cooling	161	0.70	214
335		POLYTRON	PR-189MSP	Single Door/Direct Cooling	161	1.03	169
336		TOSHIBA	GR-P171	Single Door/Direct Cooling	161	0.94	177
337		TOSHIBA	GR-P173	Direct Cool/Single Door	161	0.94	177
338		TOSHIBA	GR-P256	Single Door/Direct Cooling	161	0.94	177
339	WHIRLPOOL		WRD65	One Door/Direct Cooling	160	1.02	167
340	WHIRLPOOL		WRD65PS	Single Door/Manual Defrost	160	1.08	159
341		GE	GAV65BAMR	Single Door	159	0.88	180
342		GE	SDR185HT	Single Door	159	0.88	180
343		TOSHIBA	GR-P180	Semi-Automatic	159	0.85	196
344		TOSHIBA	GR-P180D	Semi-Automatic	159	0.85	196
345	White Westinghouse		WR-1808C	Single Door/Direct Cooling	159	0.90	186
346	White Westinghouse		WR-1808CD	Single Door/Direct Cooling	159	0.90	186
347		TOSHIBA	GR-P191	Single Door/Direct Cooling	158	0.84	193
348		TOSHIBA	GR-P193	Direct Cool/Single Door	158	0.84	193
349		TOSHIBA	GR-P181	Semi-Automatic	157	0.79	212
350		EZY	EZ-156	Two Door/Direct Cooling	156	1.12	181
351		EUROTEK	EHR-175M	Single Door/Direct Cooling	155	0.69	242
352		GE	GAV6BATR	Single Door	155	0.85	188
353		HAIER	HRF-D200H	Two Door/Direct Cooling	155	0.95	201
354		HANABISHI	HASREF-60HMBLK	Single Door	155	0.60	278
355		HANABISHI	HASREF-60HMSS	Single Door	155	0.60	278
356		LG	GN-V191RL7	Single Door/Manual Defrost	155	0.81	208
357		LG	GR-191	Direct Cooling	155	0.88	187
358		LG	LR-191GL	Direct Cooling	155	0.80	205
* 359		LG	LR-191GVF	Direct Cooling	155	0.80	205
360		SAMSUNG	RA18FGSS	Single Door/Direct Cooling	155	0.98	190
361		SAMSUNG	RA18VGSS	Single Door/Direct Cooling	155	0.98	158
362		SAMSUNG	SR-A17NFB	Single Door/Direct Cooling	155	0.86	190

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	363	SAMSUNG	SR-A17NFE	Single Door/Direct Cooling	155	0.98	190
	364	SAMSUNG	SR-A17WFB	Single Door/Direct Cooling	155	0.98	158
	365	SAMSUNG	SR-A17WFE	Single Door/Direct Cooling	155	0.98	158
	366	WHIRLPOOL	WRD63K	Single Door/Direct Cooling	155	0.91	178
	367	White Westinghouse	WR-1799C	Single Door/Direct Cooling	155	0.88	168
	368	ELECTROLUX	ERM1500 PB-RPH	Single Door	154	0.70	249
	369	ELECTROLUX	ERM1500PCB-RPH	Single Door	154	0.70	249
	370	ELECTROLUX	ERM1500PCC-RPH	Single Door	154	0.70	249
	371	ELECTROLUX	ERM1500PCL-RPH	Single Door	154	0.70	249
	372	ELECTROLUX	ERM1500PCM-RPH	Single Door/Direct Cooling	154	0.70	249
	373	HAIER	HR-198P	Single Door/Direct Cooling	154	0.82	197
	374	FROST	BCD-153	Two Door/Direct Cooling	153	0.99	179
	375	MIDEA	FP-20RDR156LMNV-T1	Two Door/Direct Cooling	153	0.59	310
*	376	SANYO	SR-S63HW	One Door	153	0.89	182
	377	AMERICAN HOME	ARSD-151	Single Door/Direct Cooling	151	0.69	235
	378	ELECTROLUX	ERM-1700	Single Door/Direct Cooling	151	0.63	251
	379	EUREKA	ESDR-K60	Single Door/Direct Cooling	151	0.94	172
	380	EVEREST	ETR196L	Single Door/Direct Cooling	151	0.98	245
	381	GE	GAV065BAYR	Single Door/Direct Cooling	151	0.56	288
	382	GE	GAV065BAYR AG	Single Door/Direct Cooling	151	0.56	288
	383	GE	GAV06BAYR	One Door/Direct Cooling	151	0.56	288
	384	HAIER	HR-182C	Single Door/Direct Cooling	151	0.54	295
	385	HAIER	HR-818C	Single Door	151	1.00	162
	386	HAIER	HR-B68B	Single Door/Direct Cooling	151	0.50	321
	387	HAIER	HR-C68B	Single Door	151	0.50	321
	388	HAIER	HR-IVC68	Single Door	151	0.34	482
	389	HAIER	HR-IVC68B	Single Door	151	0.34	482
	390	MABE	MAV060IAER	Single Door	151	0.67	241
	391	MABE	MAV060IAER-SL	Single Door/Direct Cooling	151	0.75	204
	392	MIDEA	FP-20RSR196LMNV-T1	Single Door	151	0.59	274
	393	WHIRLPOOL	WRD-63N	Single Door/Direct Cooling	151	0.98	251
	394	AMERICAN HOME	ARSD-H1955SL	Single Door/Direct Cooling	150	0.64	243
	395	AMERICAN HOME	ARSD-H150B	Single Door	150	0.64	242
	396	CAMEL	CRF-ADC601-SS	Single Door	150	0.67	244
	397	CAMEL	CRF-ADC601-WH	Single Door/Direct Cooling	150	0.67	229
	398	CONDURA	CSD171SA	Single Door/Manual Defrost	150	0.59	265
	399	CONDURA	CSD171SA-R	Single Door/Direct Cooling	150	0.47	337
	400	EVEREST	ETR-150L	Single Door/Direct Cooling	150	0.90	177
	401	EVEREST	ETR-158L/H	Single Door/Direct Cooling	150	0.63	251
	402	FUJIDENZO	SSD55HGS	Single Door/Manual Defrost	150	0.78	201
	403	HANABISHI	HASREF-60COL	Single Door/Direct Cooling	150	0.67	239
	404	HISENSE	BC-150	Single Door/Direct Cooling	150	0.65	220
	405	HISENSE	RS-20DR2S	Single Door/Direct Cooling	150	0.59	336
	406	HISENSE	RS-20DRS	Single Door/Direct Cooling	150	0.59	336
	407	KELVINATOR	KSD172SA	Single Door/Direct Cooling	150	0.64	248
*	408	LG	GN-171	Direct Cooling	150	0.56	285

² 445 models were certified

* inactive/phased out models

LIST OF CERTIFIED REFRIGERATORS AS OF JUNE 2021

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
409	LG	GN-U171	Direct Cooling	150	0.68	231
410	White Westinghouse	HRM1500AA	Single Door	150	0.59	278
411	White Westinghouse	HRM1508DA-PH	Single Door/Direct Cooling	150	0.59	278
412	Eurotek	ER-551S	Single Door/Direct Cooling	149	0.43	367
413	POLYTRON	PPRG18LLX	Single Door/Direct Cooling	148	0.61	267
414	SHARP	SJ-DL55AS-SL	Single Door	147	0.54	290
415	SHARP	SJ-DL55AS-SS	Single Door	147	0.54	290
416	HANABISHI	HASREF-70S	Single Door	146	0.94	162
417	HAIER	HR-170U	Single Door	145	0.90	162
418	HAIER	HR-175UD	Single Door	145	0.92	157
419	ELECTROLUX	ERM-1600	Single Door/Direct Cooling	144	0.62	240
420	GE	GAV060BAPR	Single Door	144	0.97	157
421	GE	GAV060BAYR	One Door/Direct Cooling	144	0.58	266
422	HANABISHI	HASREF-60S	Single Door/Direct Cooling	144	0.88	171
423	SHARP	SJ-DC15S	Single Door/Direct Cooling	144	0.68	201
424	SHARP	SJ-DC15S-SL	One Door/Direct Cooling	144	0.75	209
425	SHARP	SJ-DC15S-VL	One Door/Direct Cooling	144	0.75	209
426	FUJIDENZO	RSD-60PSL	Single Door/Manual Defrost	142	0.97	200
427	GE	GAV6BAMR	Single Door	141	0.90	164
428	SHARP	SJ-177TGL	Single Door	141	1.10	131
429	SHARP	SJ-S170T	Single Door/Direct Cooling	141	1.03	142
430	SHARP	SJ-S170T-SS	One Door/Direct Cooling	141	1.10	131
431	TOSHIBA	GR-P165	Semi-Automatic	141	0.93	160
432	TOSHIBA	GR-P165D	Semi-Automatic	141	0.93	160
433	White Westinghouse	WR-1705C	Single Door/Direct Cooling	141	0.88	168
434	White Westinghouse	WR-1708C	Single Door/Direct Cooling	141	0.88	168
435	CAMEL	CRF-BDC501-SS	Two Door/Direct Cooling	138	0.80	208
436	DOWELL	TDR-145D	Two Door/Direct Cooling	138	0.95	180
437	TOSHIBA	GR-P153A	Direct Cooling/Single Door	131	0.72	159
438	TOSHIBA	GR-P153B	Single Door/Manual Defrost	131	0.70	194
439	SANYO	S155SBP	Direct Cooling	128	0.78	170
440	GE	GAV055BAYR	Single Door/Direct Cooling	127	0.54	241
441	HAIER	HR152C	Single Door/Direct Cooling	127	0.51	261
442	FUJIDENZO	RDD-60S	Single Door/Direct Cooling	125	0.94	194
443	POLYTRON	PPRG16LLW	Single Door/Direct Cooling	125	0.60	221
444	TOSHIBA	GR-P151	Single Door/Direct Cooling	110	0.72	159
445	TOSHIBA	GR-P153	Direct Cool/Single Door	110	0.72	159

² 445 models were certified

* inactive/phased out models

Summary of Models Certified:

Locally Manufactured: 599 models

Imported: 445 models

1,044 Models = Total Numbers of Models Certified for 2nd Quarter of 2021.

Prepared by:


C. Q. Ruiz

SRS I

07.01.21

Checked by:

 Digitally signed by
Jomar S. Landicho
Date: 2021.07.02
10:02:19 +08'00'

J. S. Landicho

Section Chief

Noted by:

 Digitally signed by
Isagani C. Soriano
Date: 2021.07.02
13:48:53 +08'00'

I. C. Soriano

Division Chief, LATL