

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
		I. RAC's WITH COOLING CAPACITY BELOW 12,000 kJ/h Locally Manufactured and Imported Models				
1		GREE	KW-35C	11,900	1,080	11.0
2		UNI-AIR	UF-100AC	11,605	1,127	10.3
3		HITACHI	RA-10RB	11,600	1,008	11.5
4		HITACHI	RA-10RC	11,600	1,000	11.6
5		HITACHI	RA-10MA	11,600	990	11.7
6		HITACHI	RA-12MB	11,600	1,008	11.5
7		HITACHI	RA-12MJ	11,600	1,000	11.6
8	*	HITACHI	RA-116MAS	11,600	1,074	10.8
9		HITACHI	RA-12RB	11,600	1,008	11.5
10		HITACHI	RA-12RJ	11,600	1,000	11.6
11	*	HITACHI	RA-116WAS	11,600	1,074	11.5
12		MIDEA	KC-32/EIY	11,520	1,210	9.5
13		MIDEA	KC-32E1	11,520	1,210	9.5
14		ELEPHANT	KC32/F1	11,520	1,210	9.5
15		CARRIER	WCARMO11EA	11,260	1,004	11.2
16		CARRIER	WCARMO11ED	11,250	1,004	11.2
17		CARRIER	WCARMO11EE	11,250	1,004	11.2
18		KOLIN	KAG-120RS	11,200	960	11.7
19		CARRIER	MCA115BP	11,100	956	11.6
20		CARRIER	MCA115PP	11,100	956	11.6
21		CARRIER	MCA115RP	11,100	956	11.6
22		CONDURA	MCC115BP	11,100	956	11.6
23		CONDURA	MCC115PP	11,100	956	11.6
24		CONDURA	MCC115RP	11,100	956	11.6
25		CONDURA	WCONTO11EA	11,100	991	11.2
26		CONDURA	WCONTO11ED	11,100	991	11.2
27		CONDURA	WCONTO11EE	11,100	991	11.2
28		KELVINATOR	MCK115BP	11,100	956	11.6
29		KELVINATOR	MCK115PP	11,100	956	11.6
30		KELVINATOR	MCK115RP	11,100	956	11.6
31		KELVINATOR	WKELK011EA	11,100	991	11.2
32		CONDURA	WCONX011EA	11,000	970	11.3
33		EVEREST	ET12WD	11,000	1,080	10.2
34		PANASONIC	CW-C101VPH	11,000	940	11.7
35	*	PANASONIC	CW-C102VPH	11,000	940	11.7
36		PANASONIC	CW-C103VPH	11,000	940	11.7
37		PANASONIC	CW-C103VPH-M	11,000	940	11.7
38		PANASONIC	CW-C104VPH	11,000	940	11.7
39		PANASONIC	CW-SC101VPH	11,000	940	11.7
40	*	PANASONIC	CW-SC102VPH	11,000	940	11.7
41		PANASONIC	CW-SC103VPH	11,000	940	11.7
42		PANASONIC	CW-SC104VPH	11,000	940	11.7
43		PANASONIC	CW-XC101VPH	11,000	940	10.3
44	*	PANASONIC	CW-XC102VPH	11,000	940	11.7
45		PANASONIC	CW-XC103VPH	11,000	940	11.7
46		PANASONIC	CW-XC104VPH	11,000	940	11.7
47	*	KOLIN	KAG-120RS	11,200	980	11.4
48		LG	LWC1031DAG	10,609	1,030	10.3
49		LG	LWC1031QAG	10,609	1,030	10.3
50	*	LG	LWC1031QAS	10,609	1,030	10.3
51		CARRIER	WCARG011EA1	10,600	980	10.8
52		LG	LWQ1030QAL	10,550	1,000	10.5
53		UNI-AIR	UF-100AS	10,550	1,030	10.2

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
54		UNI-AIR	UH-100MS	10,550	1,055	10.0
55		UNI-AIR	UH-100MC	10,550	1,055	10.0
56		UNI-AIR	U-1000MCF	10,550	1,011	10.0
57		AMERICAN HOME	AHAC-100MNT	10,550	1,050	10.0
58	*	KOMITSU	KAK-11M	10,550	1,050	10.0
59	*	KOLIN	KA-11BMW	10,500	1,050	10.0
60	*	KOLIN	KA-11CMW	10,500	1,050	10.0
61		CARRIER	WCARG011EEB	10,300	981	10.5
62		CARRIER	WCARG011EES	10,300	981	10.5
63		CARRIER	WCARG011EEW	10,300	981	10.5
64		FROST	RA-10RC	10,200	1,010	10.1
65		YORK	YC-9DR	10,140	938	10.8
66		GE	GAC9000	10,120	920	12.5
67		GE	AED09KP	10,100	810	12.5
68		GREE	KX-25P	10,000	910	11.0
69		KOLIN	KAG-100DME	10,000	909	11.0
70		KOLIN	KAG-100DRE	10,000	909	11.0
71		MIDEA	MWH-09CR	10,000	910	11.0
72		GREE	KW-26P	9,900	900	11.0
73		GREE	KW-23AP	9,850	950	10.4
74		GREE	KW-23P	9,850	950	10.4
75		GE	AEE09KP	9,860	900	11.0
76		GE	AEV09KP	9,860	900	11.0
77		GE	AED09KL	9,800	870	11.3
78		GE	AJE09KA	9,800	930	10.5
79		SANSUI	SUWA-1XZ	9,790	930	10.5
80		SINGER	SWA-1XZ	9,790	930	10.5
81		CARRIER	WCARF010EA	9,750	928	10.5
82		CARRIER	WCARF010EC	9,750	928	10.5
83		CARRIER	WCARF010EE	9,750	928	10.5
84		KOLIN	KAG-11ME	9,750	950	10.3
85		KOLIN	KAG-100DRE	9,750	950	10.3
86		KOLIN	KAG-11RE	9,750	950	10.3
87		LG	LA100RG1	9,726	946	10.2
88		CONDURA	WCONX010EA	9,700	955	10.2
89		CONDURA	WCONX010EC1	9,700	955	10.2
90		HAIER	HW-09LM13	9,700	860	11.3
91		KOPPEL	KWR-09R1	9,700	890	10.9
92		MIDEA	FP-51ARA010HMNV-N1	9,700	930	10.4
93		KOPPEL	KWR-09M4A	9,600	880	10.9
94		KOPPEL	KWR-09R4A	9,600	880	10.9
95		KOPPEL	KWR-12R4A	9,600	880	10.9
96		LG	LA100MG	9,600	930	10.3
97		YORK	YWU-09	9,603	967	9.9
98		YORK	YC-9D	9,540	960	9.9
99		MARKES OF CANADA	MWA2-09CMMI	9,500	910	10.4
100		CARRIER	FCA095BP	9,500	904	10.5
101		CARRIER	FCA095PP	9,500	904	10.5
102		CARRIER	FCA095RP	9,500	904	10.5
103		CONDURA	FCC095BP	9,500	904	10.5
104		CONDURA	FCC095PP	9,500	904	10.5
105		CONDURA	FCC095RP	9,500	904	10.5

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
106	CONDURA	WCONS010EA	9,500	904	10.5
107	CONDURA	WCONS010EC	9,500	904	10.5
106	CONDURA	WCONS010EE	9,500	904	10.5
107	DAIKIN	W25MVBL	9,500	900	10.6
108	GE	AEE09KB	9,500	930	10.2
109	GE	AEV09KB	9,500	930	10.2
110	HITACHI	RA-10MB	9,500	894	10.6
111	HITACHI	RA-10RB	9,500	894	10.6
112	IMARFLEX	IAC-100W	9,500	900	10.6
113	IMARFLEX	IAC-100W-J	9,500	900	10.6
114	IMARFLEX	IAC-100WR	9,500	900	10.6
115	IMARFLEX	IAC-100WR-J	9,500	900	10.6
116	KELVINATOR	FCK095BP	9,500	904	10.5
117	KELVINATOR	FCK095PP	9,500	904	10.5
118	KELVINATOR	FCK095RP	9,500	904	10.5
119	KELVINATOR	WKELJ010EA	9,500	904	10.5
120	MARKES	MWA-90	9,500	920	10.3
121	MARKES OF CANADA	MWA-09CMMI	9,500	950	10.0
122	MARKES OF CANADA	MWA2-09CMMI	9,500	960	9.9
123	MARKES	MWA-09CRMI	9,500	950	10.0
124	MARKES OF CANADA	MWA-90	9,500	920	10.3
125	MARKES OF CANADA	MWA-90RG	9,500	920	10.3
126	PANASONIC	CW-C92JPH	9,500	900	10.6
127	PANASONIC	CW-SC91JPH	9,500	900	10.6
128 *	PANASONIC	CW-SC92JPH	9,500	900	10.6
129	PANASONIC	CW-SC93JPH	9,500	900	10.6
130	PANASONIC	CW-SC94JPH	9,500	900	10.6
131	PANASONIC	CW-XC93JPH	9,500	900	10.6
132	PANASONIC	CW-XC92JPH	9,500	900	10.6
133	PANASONIC	CW-XC94JPH	9,500	900	10.6
134	SAMSUNG	AW-09F2TBA	9,500	980	9.7
135	SAMSUNG	AW-09F2TBC	9,500	940	10.1
136	SAMSUNG	AW-09PHB	9,500	860	11.0
137	SAMSUNG	AW09LHB	9,500	860	11.0
138	SAMSUNG	AW-09PHBXTC	9,500	860	11.0
139	SAMSUNG	AW-09P1B	9,500	860	11.0
140	SAMSUNG	AW-09L1B	9,500	860	11.0
141	SAMSUNG	AW-09P1BXTC	9,500	860	11.0
142	SAMSUNG	AW-09P2B	9,500	860	11.0
143	SAMSUNG	AW-09L2B	9,500	860	11.0
144	SAMSUNG	AW-09P2BXTC	9,500	860	11.0
145	LG	LWGO0930ACG	9,496	1,000	9.5
146	HANABISHI	HWTAC-10S	9,497	984	9.6
147	HANABISHI	HWTAC-10U	9,497	964	9.6
148	FUJIDENZO	WAR90C	9,496	930	10.2
149	AMERICAN HOME	AHAC-91MNT	9,495	910	10.4
150	AMERICAN HOME	AHAC-91RT	9,495	950	10.0
151	AMERICAN HOME	AHAC-92MNT	9,495	910	10.4
152	BOSTON BAY	MWF-09CM-NB8	9,495	910	10.4
153	ELECTROLUX	EWN09CRA	9,495	910	10.4
154	FEDDERS	1FY2009I7L	9,495	918	10.3

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
155	FEDDERS	2FY2009I7L	9,495	918	10.3
156	FEDDERS	2FY2009I7L-PH	9,495	918	10.3
157	FUJIAIR	JSW-28CS	9,495	1,010	9.4
158	HYUNDAI	HAC-W10M	9,495	910	10.4
159	HYUNDAI	HAC-W10R	9,495	910	10.4
160	IMARLFEX	IAC-100W-JA	9,495	910	10.4
161	IDEC	KC-25/aE	9,495	950	10.0
162	KOMITSU	KAM-10M	9,495	950	10.0
163	KOPPEL	KWR-09M1	9,495	910	10.4
164	KOPPEL	KWR-09M4	9,495	910	10.4
165	KOPPEL	KWR-09MB4	9,495	910	10.4
166	KOPPEL	KWR-09RB4	9,495	910	10.4
167	KOPPEL	KWR-09R4	9,495	910	10.4
168	KOPPEL	1KY2009I7M-PH	9,495	918	10.3
169	KOPPEL	1KY2009I7M	9,495	897	10.1
170	KOPPEL	2KY2009I7M	9,495	918	10.3
171	MARKES OF CANADA	MWF-09CR-NB8	9,495	910	10.4
172	MIDEA	MWF-09CM-NB8	9,495	910	10.4
173	MIDEA	MWH-09CM	9,495	950	10.0
174	SANSIO	AW-900	9,495	960	9.9
175	TOYO	TA-09CW	9,495	960	9.9
176	UNION	UG-AIR 9000	9,495	910	10.4
177	WHIRLPOOL	AMB09WK4	9,495	1,040	9.1
178	YORK	Y9USC09-6A	9,495	910	10.4
179	YORK	Y9USC09-6R	9,495	910	10.4
180	GE	ASV09KA	9,400	1,000	9.4
181	GREE	KW-25P	9,480	915	10.4
182	SHARP	AF-G1012CM	9,360	940	10.0
183	SHARP	AF-G1012CR	9,360	940	10.0
184	UNI-TECH	UT-KC-25/C20-D	9,360	943	9.9
185	TECO	LA0951B	9,350	903	10.4
186	CARRIER	WCARGO10EA	9,300	968	9.6
187	CARRIER	WCARGO10EC	9,300	968	9.6
188	CARRIER	WCARG010EE	9,300	968	9.6
189	CARRIER	WCARG010EEB	9,300	968	9.6
190	CARRIER	WCARG010EES	9,300	968	9.6
191	CARRIER	WCARG010EEW	9,300	968	9.6
192	CONDURA	WCONA010EA	9,300	968	9.6
193	CONDURA	WCONA010EC	9,300	968	9.6
194	CONDURA	WCONA010EE	9,300	968	9.6
195	CONDURA	WCONX010EA	9,300	968	9.6
196	KELVINATOR	WKELEO10EC	9,300	968	9.6
197	MIDEA	MWF-09CME	9,300	910	10.2
198	SANYO	SA-96P	9,300	900	10.3
199	SANYO	SA-97P	9,300	930	10.0
200	CARRIER	WCARL010EC	9,250	880	10.5
201	AKIRA	AC-W10CGP	9,200	950	9.7
202	ASTON	AM-09GN07E	9,200	920	10.0
203	ASTON	AM-09GN07M	9,200	920	10.0
204	FUJITSU	AKU9GNG-W	9,200	955	9.6
205	GREE	KW-25AP	9,159	908	10.1
206	CONDURA	WCONCO10EC	9,150	875	10.5
207	HITACHI	RA-10MB	9,150	897	10.2

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		BRAND NAME	MODEL NO.	CAPACITY, kJ/h	CONSUMPTION, Watt	E E R kJ/w-h
208		KELVINATOR	WKELW010EC	9,150	875	10.5
209		LG	LA100MA	9,100	810	11.2
210		LG	LA100RA	9,100	810	11.2
211		LG	LA100MG7	9,100	810	11.2
212		LG	LA100RG7	9,100	810	11.2
213		SAMSUNG	AW09P1A	9,100	830	11.0
214		SAMSUNG	AW09PHA	9,100	830	11.0
215		SAMSUNG	AW09P1HBB	9,100	840	10.8
216		SAMSUNG	AW09P2A	9,100	830	11.0
217		EVEREST	ETA10WD/M	9,100	910	10.0
218		EVEREST	ETM10WD/M	9,100	910	10.0
219		EVEREST	ETM10WD/M-HF	9,100	910	10.0
220		EVEREST	ETA10WD	9,100	907	10.0
221		WHITE WESTINGHOUSE	WWN09CMA	9,086	910	10.0
222		EVEREST	ETS10ST	9,050	920	9.8
223		CARRIER	WCARY10EC	9,000	855	10.5
224		CHIGO	CW-25C2-N07E	9,000	900	10.0
225		ELEPHANT	KC25/F1	9,000	970	9.3
226		EVEREST	ET10WD	9,000	930	9.7
227		HAIER	HW-09LM13	9,000	870	10.3
228		HAIER	HW-09L13	9,000	870	10.3
229		HAIER	HW-09LN13	9,000	870	10.3
230		IMARFLEX	IAC-100	9,000	920	9.8
231		MIDEA	KC-25CI	9,000	980	9.2
232		MIDEA	KC-25E1	9,000	970	9.3
233		SAMSUNG	AW-09LFABA	9,000	960	9.4
234		SANYO	SA-T93P	9,000	910	9.9
235		SAMSUNG	AW09P1HBA	9,000	880	10.1
236		SAMSUNG	AW09PHHBA	9,000	890	10.1
237		SHINCO	KC-25A	9,000	970	9.3
238		TECO	KC-25/C2A	9,000	910	9.9
239		CHANGHONG	KC 25/S	8,968	960	9.3
240	*	SHARP	AF-A1000CM	8,957	914	9.8
241	*	SHARP	AF-A1000CR	8,957	914	9.8
242		LG	LA100R	8,900	795	11.2
243		LG	LA100RB	8,900	795	11.2
244		LG	LA100T	8,900	795	11.2
245		LG	LA100TC	8,600	785	11.0
246		LG	LA100TB	8,900	795	11.2
247		MIDEA	MWH-07CR	8,690	790	11.0
248		MIDEA	MWH-07CM	8,690	790	11.0
249		HITACHI	RA-08MB	8,600	750	11.5
250		HITACHI	RA-08RB	8,600	750	11.5
251		HITACHI	RA-08RC	8,600	748	11.5
252		HITACHI	RA-08MA	8,600	748	11.5
253	*	HITACHI	RA-86MAS	8,600	827	10.4
254	*	HITACHI	RA-86WAS	8,600	827	10.4
255		LG	LA100RC	8,600	785	11.0
256		AKIRA	AC-W9CMP	8,500	780	10.9
257		YORK	YWU-07	8,441	771	10.9
258		CHIGO	CYW-23C2-G09AA	8,440	816	10.3
259		UNI-AIR	U-820MS	8,440	881	9.6
260		WIMPEX	KC-25/A	8,440	881	9.6

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
261	IMARFLEX	IAC-085WR-J	8,350	730	11.4
262	YORK	YC-7DR	8,339	731	11.4
263	SHINCO	KC-20A	8,280	790	10.5
264	SHARP	AF-A701S	8,208	720	11.4
265	SHARP	AF-A701ST	8,208	720	11.4
266	SHARP	AF-A750P	8,208	720	11.4
267	SHARP	AF-A750PR	8,206	746	11.0
268	HYUNDAI	HAC-W07M	8,200	713	11.5
269	LG	LWG0821DAG	8,140	740	11.0
270	HAIER	HW-07LM13	8,050	730	11.0
271	* KOMITSU	KAK-08M	8,018	815	9.8
272	CARRIER	WCARG008EA2	8,000	780	10.3
273	CARRIER	WCARG008EES	8,000	780	10.3
274	CARRIER	WCARY09EC	8,000	667	12.0
275	CONDURA	WCONS008EA	8,000	683	11.7
276	CONDURA	WCONX008EC1	8,000	790	10.1
277	KOLIN	KAG-80DME	8,000	727	11.0
278	KOLIN	KAG-80DRE	8,000	755	10.6
279	KOLIN	KAG-08ME	8,000	755	10.6
280	KOLIN	KAG-08RE	8,000	755	10.6
281	YORK	Y9USC07-6A	7,912	790	10.0
282	YORK	Y9USC07-6R	7,912	790	10.0
283	TCL	TAC-07CWM/I	7,900	701	11.3
284	TCL	TAC-07CWR/I	7,900	701	11.3
285	GE	AED07KP	7,880	630	12.5
286	GREE	KW-20AP	7,880	730	10.7
287	SANYO	SA-76P	7,880	630	12.5
288	GE	ASV07KA	7,875	750	10.5
289	AKIRA	AC-W10CP	7,848	753	10.4
290	CHANGHONG	KC 22/S	7,800	753	10.4
291	EVEREST	ETA07WD/T-HF	7,800	700	11.1
292	EVEREST	ETM07WD/T-HF	7,800	700	11.1
293	GE	AED07KL	7,800	690	11.3
294	GREE	KC-19AP	7,800	730	10.7
295	GREE	KC-19P	7,800	730	10.7
296	GREE	KW-20P	7,880	740	10.6
297	CARRIER	WCARL008EC	7,770	720	10.8
298	SAMSUNG	AW07PHHBA	7,700	710	10.8
299	SAMSUNG	AW07P1HBA	7,700	710	10.8
300	AKIRA	AC-W7CGP	7,600	730	10.4
301	GE	AEV07KP	7,600	690	11.0
302	GE	AEEV07KP	7,600	690	11.0
303	LG	LA-080RB	7,600	660	11.5
304	LG	LA080RC	7,600	660	11.5
305	LG	LA080R	7,600	660	11.5
306	LG	LA080T	7,600	660	11.5
307	LG	LA080TC	7,600	660	11.5
308	LG	LA080TB	7,600	660	11.5
309	MIDEA	FP-51ARA008HMNV-N1	7,600	700	10.9
310	UNI-AIR	UH-072MS	7,596	775	9.8

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
311		UNI-AIR	UH-072MC	7,596	775	9.8
312		YORK	YC-7D	7,560	750	10.1
313		MIDEA	KC-21/C1	7,560	800	9.5
314		CARRIER	WCARA008EY	7,500	721	10.4
315		EVER AIRE	EKC-20/A60	7,500	790	9.5
316		HAIER	HW-07LMB13	7,500	750	10.0
317		HAIER	HW-07LM13	7,500	750	10.0
318		LG	LA080MG	7,500	680	11.0
319		LG	LA080MG1	7,500	680	11.0
320		MARKES	MWA-75	7,500	720	10.4
321		MARKES OF CANADA	MWA-75	7,500	720	10.4
322		MARKES OF CANADA	MWA-75RG	7,500	720	10.4
323		MARKES OF CANADA	MWA-07CMMI	7,500	720	10.4
324		MARKES	MWA-07CRM1	7,500	720	10.4
325		MARKES OF CANADA	MWA2-07CMMI	7,500	720	10.4
326		MIDEA	MWF-07CM	7,500	720	10.4
327		SANYO	SA-T73P	7,500	750	10.0
328		TECO	LA0751B	7,500	738	10.2
329		DAIKIN	W20MVB1	7,420	645	11.5
330		PANASONIC	CW-SC71JPH	7,420	645	11.5
331	*	PANASONIC	CW-SC72JPH	7,420	645	11.5
332		PANASONIC	CW-C71JPH	7,420	645	11.5
333	*	PANASONIC	CW-C72JPH	7,420	645	11.5
334		PANASONIC	CW-C83JPH	7,420	645	11.5
335		PANASONIC	CW-C83JPH-M	7,420	645	11.5
336		PANASONIC	CW-C84JPH	7,420	645	11.5
337		PANASONIC	CW-SC84JPH	7,420	645	11.5
338		PANASONIC	CW-SC83JPH	7,420	645	11.5
339		PANASONIC	CW-XC71JPH	7,420	645	11.5
340	*	PANASONIC	CW-XC72JPH	7,420	645	11.5
341		PANASONIC	CW-XC83JPH	7,420	645	11.5
342		PANASONIC	CW-XC84JPH	7,420	645	11.5
343	**	JEC	JWD03-0.75C	7,409	778	9.5
344		CARRIER	FCA075BP	7,400	643	11.5
345		CARRIER	FCA075PP	7,400	643	11.5
346		CARRIER	FCA075RP	7,400	643	11.5
347		CARRIER	WCARF008EA	7,400	718	10.3
348		CARRIER	WCARF008EC	7,400	718	10.3
349		CARRIER	WCARF008EE	7,400	718	10.3
350		CONDURA	FCC075BP	7,400	643	11.5
351		CONDURA	FCC075PP	7,400	643	11.5
352		CONDURA	FCC075RP	7,400	643	11.5
353		CONDURA	WCOND008EA	7,400	718	10.3
354		CONDURA	WCOND008EC	7,400	714	10.3
355		CONDURA	WCOND008EE	7,400	718	10.3
356		GE	AEEV07KB	7,400	720	10.3
357		GE	AEV07KB	7,400	720	10.3
358		KELVINATOR	FCK075BP	7,400	643	11.5
359		KELVINATOR	FCK075PP	7,400	643	11.5
360		KELVINATOR	FCK075RP	7,400	643	11.5

Legend:

** measured value for JEC

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
361	*	KOLIN	KA-08BMW	7,400	718	10.3
362		SAMSUNG	AW07F2NBD	7,400	730	10.1
363		SAMSUNG	AW-07F2NBB	7,400	750	9.9
364		SANYO	SA-76P	7,400	720	10.3
365		FUJIDENZO	WAR70C	7,387	715	10.3
366		HANABISHI	HWTAC-08U	7,387	766	9.6
367		AKIRA	AC-W7CP	7,385	710	10.4
368		BOSTON BAY	MWF-07CM-NB8	7,385	730	10.1
369		CARRIER	WCARGO08EA	7,385	770	9.6
370		CARRIER	WCARGO08EC	7,385	770	9.6
371		CARRIER	WCARGO08EE	7,385	770	9.6
372		CONDURA	WCONA008EE	7,385	770	9.6
373		CONDURA	WCONX008EA	7,385	770	9.6
374		CHIGO	CYW-20CR-G09A	7,385	766	9.6
375		ELECTROLUX	EWN-07CMA	7,385	730	10.1
376		FEDDERS	1FY2007I7L	7,385	715	10.3
377		FEDDERS	2FY2007I7L	7,385	715	10.3
378		KOPPEL	1KY2007I7M-PH	7,385	715	10.3
379		KOPPEL	2KY2007I7M	7,385	715	10.3
380		KOPPEL	1KY2007I7M	7,385	715	10.3
381		FEDDERS	2FY2007I7L-PH	7,385	715	10.3
382		IMARLFX	IAC-075W-JA	7,385	700	10.6
383		KOPPEL	KWR-07M4	7,385	730	10.1
384		KOPPEL	KWR-07R1	7,385	730	10.1
385		KELVINATOR	WKELE008EC	7,385	770	9.6
386		KOPPEL	KWR-07R4	7,385	730	10.1
387		KOPPEL	KWR-07MB4	7,385	690	10.7
388		KOPPEL	KWR-07RB4	7,385	690	10.7
389		MARKES OF CANADA	MWF-07CR-NB8	7,385	766	9.6
390		MATRIX	MX-KC1800	7,385	730	10.1
391		MIDEA	MWF-07CR-NB8	7,385	730	10.1
392		SANSIO	AW-700	7,385	770	9.6
393		YORK	Y9USC07-6R	7,385	790	9.3
394		UNION	UG-AIR7000	7,385	740	10.0
395		KELVINATOR	WKELH008EA	7,350	720	10.2
396		GREE	KX-15P	7,300	623	11.7
397		LG	LA080MA	7,300	710	10.3
398		LG	LA080MG7	7,300	710	10.3
399		SAMSUNG	AW07PHA	7,300	635	11.5
400		SAMSUNG	AW07P1A	7,300	635	11.5
401		SAMSUNG	AW07P1B	7,300	630	11.6
402		SAMSUNG	AW07L1B	7,300	630	11.6
403		SAMSUNG	AW-07L1	7,300	630	11.6
404		SAMSUNG	AW07LHB	7,300	630	11.6
405		SAMSUNG	AW-07PHBXTTC	7,300	630	11.6
406		SAMSUNG	AW-07P1BXTTC	7,300	630	11.6
407		SAMSUNG	AW07PHB	7,300	630	11.6
408		SAMSUNG	AW07P2B	7,300	630	11.6
409		SAMSUNG	AW07P2BXTTC	7,300	630	11.6

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
410		SAMSUNG	AW07L2B	7,300	630	11.6
411		SAMSUNG	AW07P1HBB	7,300	645	11.3
412		SAMSUNG	AW07P2P2A	7,300	635	11.5
413		GE	AEV07KP	7,280	660	11.0
414		GE	AEE07KP	7,280	660	11.0
415	*	KOLIN	KA-08CMW	7,200	690	10.4
416		SHARP	AF-G813CM	7,200	700	10.3
417		SHARP	AF-G813CR	7,200	700	10.3
418		SAMSUNG	AW-07LFABA	7,200	730	9.9
419		UNI-TECH	UT-KC-20/C20-D	7,200	720	10.0
420		TECO	KC-20/C24	7,200	730	9.9
421		CONDURA	WCONC007EC	7,150	650	11.0
422		KELVINATOR	WKELW007EC	7,150	650	11.0
423		CARRIER	WCARY08EC	7,000	580	12.1
424		CHIGO	CW-202C-N07E	7,000	680	10.3
425		CONDURA	WCONC08EC1	7,000	585	12.0
426		KELVINATOR	WKELW08EC1	7,000	590	11.9
427		GE	AJE07KA	7,000	720	9.7
428		WHITE WESTINGHOUSE	WWN07CMA	6,950	690	10.1
429		GREE	KC-15P	6,750	650	10.4
430		UNI-AIR	U-660MS	6,750	705	9.6
431	*	SHARP	AF-G501CM	6,413	635	10.1
432		KOLIN	KAG-06ME	6,380	638	10.0
433		KOLIN	KAG-60DME	6,750	626	10.8
434		GE	AEV05KB	6,400	640	10.0
435		LG	LA060MA	6,000	555	10.8
436		LG	LA060MG1	6,000	555	10.8
437		SANYO	SA-56P	6,000	600	10.0
438		MARKES OF CANADA	MWA-0.5CMMI	6,014	600	10.0
439		MARKES OF CANADA	MWA-0.5CRM	6,014	600	10.0
440		LG	LA060MG7	6,000	555	10.8
441		SANYO	SA-56P	6,000	600	10.0
442		HYUNDAI	HAC-W06M	5,953	580	10.3
443		HYUNDAI	HAC-W08M	5,953	580	10.3
444		LG	LWH0621ACG	5,900	615	9.6
445		SANYO	SA-56BP	5,900	540	10.9
446		UNI-TECH	UT-GJC05BQ-D1MND1A	5,900	540	10.9
447		MIDEA	FP-51ARA006HMNV-N1	5,803	550	10.6
448		YORK	YDAFZ005BBHJA-X	5,803	550	10.6
449		FEDDERS	2FYX06N7A	5,800	595	9.8
450		FEDDERS	2FYX06N7A-PH	5,800	595	9.8
451		FEDDERS	1FYX06N7A	5,800	595	9.8
452		LG	LA060MB	5,800	535	10.8
453		LG	LA060MC	5,800	535	10.8
454		LG	LA-060RB	5,800	535	10.8
455		LG	LA060M	5,800	535	10.8
456		LG	LA060R	5,800	535	10.8
457		LG	LA060RC	5,800	535	10.8

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
458		MARKES	MWA-60	5,800	590	9.8
459		KOLIN	KAG-06ME	5,760	583	9.9
460		SHARP	AF-G502CM	5,724	554	10.3
461		HITACHI	RA-05MA	5,700	528	10.8
462		HITACHI	RA-05MB	5,700	528	10.8
463		KOPPEL	KWR-05M1	5,700	495	11.5
464		SAMSUNG	AW-05MOYBA	5,700	560	10.2
465		FUJIDENZO	WAM55C	5,616	547	10.3
466		CONDURA	WCONS006EA	5,600	518	10.8
467		GE	AEV05KP	5,600	540	10.4
468		HYUNDAI	HAC-W05M	5,600	538	10.4
469		ASTON	AM-05LN07M	5,500	525	10.5
470		SANSUI	SUWA/0.5-1.5	5,520	510	10.8
471		CARRIER	FCA055BP	5,500	534	10.3
472		CARRIER	FCA055PP	5,500	534	10.3
473		CARRIER	FCA055RP	5,500	534	10.3
474		CARRIER	WCARA006EY	5,500	523	10.5
475		CHIGO	CW-15C2-J09A	5,500	510	10.8
476		CONDURA	FCC055BP	5,500	534	10.3
477		CONDURA	FCC055PP	5,500	534	10.3
478		CONDURA	FCC055RP	5,500	534	10.3
479		EVEREST	ET05WD	5,500	515	10.7
480		KELVINATOR	FCK055BP	5,500	534	10.3
481		KELVINATOR	FCK055PP	5,500	534	10.3
482		KELVINATOR	FCK055RP	5,500	534	10.3
483		LG	LA050MG	5,500	520	10.6
484		MARKES	MWA-05CRMI	5,500	530	10.4
485		MARKES	MWA-05CMMI	5,500	530	10.4
486		PANASONIC	CW-C51JPH	5,500	500	11.0
487		PANASONIC	CW-SC51JPH	5,500	535	10.3
488	*	PANASONIC	CW-C52JPH	5,500	500	11.0
489	*	PANASONIC	CW-SC52JPH	5,500	500	11.0
490		PANASONIC	CW-C63JPH	5,500	500	11.0
491		PANASONIC	CW-C63JPH-M	5,500	500	11.0
492		PANASONIC	CW-SC63JPH	5,500	500	11.0
493		PANASONIC	CW-SC64JPH	5,500	535	10.3
494		PANASONIC	CW-C64JPH	5,500	535	10.3
495		SAMSUNG	AW05N0A	5,500	510	10.8
496		SAMSUNG	AW05N0B	5,500	510	10.8
497		SAMSUNG	AW-05N0BXTC	5,500	510	10.8
498		EVEREST	ET06WD	5,480	535	10.2
499	*	SHARP	AF-A500CM	5,480	565	9.7
500		HAIER	HW-05LMA13	5,450	480	11.4
501		CARRIER	WCARF006EA	5,400	519	10.4
502		CARRIER	WCARF006EC	5,400	519	10.4
503		CARRIER	WCARF006EE	5,400	519	10.4
504		CONDURA	WCOND006EA	5,400	519	10.4
505		CONDURA	WCOND006EC	5,400	519	10.4
506		CONDURA	WCOND006EE	5,400	519	10.4
507		SAMSUNG	AW05MOYBC	5,400	540	10.0
508		MARKES OF CANADA	MWA-05CMMI	5,400	520	10.4

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
509	UNI-TECH	UT-GJC05BQ-D1MND1A	5,400	560	9.6
510	EVEREST	ET05WD	5,300	527	10.1
511	EVEREST	ET05WD-HF	5,300	527	10.1
512	GE	AJV05KA	5,300	530	10.0
513	KELVINATOR	WKELH006EA	5,300	514	10.3
514	SAMSUNG	AW-05F05BB	5,300	530	10.0
515	MIDEA	MWH-05CM	5,300	530	10.0
516	HANABISHI	HWTAC-05U	5,278	547	9.6
517	AMERICAN HOME	AHAC-50MNT	5,275	550	9.6
518	AMERICAN HOME	AHAC-55MNT	5,275	510	10.3
519	BOSTON BAY	MWF-05CM-NB7	5,275	540	9.8
520	CARRIER	MWF05CM	5,275	510	10.3
521	CARRIER	MWF05CR	5,275	510	10.3
522	CARRIER	WCARG006EA	5,275	527	10.0
523	CARRIER	WCARG006EC	5,275	527	10.0
524	CARRIER	WCARG006EE	5,275	527	10.0
525	CARRIER	CAR-05CM	5,275	610	10.3
526	CONDURA	CON-05CM	5,275	610	10.3
527	CONDURA	WCONA006EA	5,275	527	10.0
528	CONDURA	WCONA006EC	5,275	527	10.0
529	CONDURA	WCONA006EE	5,275	527	10.0
530	ELECTROLUX	WWN05CMA	5,275	510	10.3
531	IMARFLEX	IAC-065W	5,275	510	10.3
532	KELVINATOR	KEL-05CM	5,275	510	10.0
533	KELVINATOR	WKELEO06EA	5,275	510	10.0
534	KOPPEL	KWR-05M4	5,275	510	10.3
535	KOPPEL	4KYX05N7A	5,275	515	10.2
536 *	KOMITSU	KAK-06M	5,275	550	9.6
537	LG	LA250MB	5,275	527	10.0
538	MARKES OF CANADA	MWF-05CR-NB8	5,275	510	10.3
539	TCL	TAC-05CW/AZ	5,275	480	11.0
540	UNION	UG-AIR 5000	5,275	540	9.8
541	MIDEA	MWF-05CM	5,275	510	10.3
542	MIDEA	MWF-05CM-NB8	5,275	510	10.3
543	KOPPEL	KWR-05M1	5,250	510	10.3
544	KOPPEL	KWR-05M4	5,275	510	10.3
545	KOPPEL	KWR-05R4	5,275	510	10.3
546	CARRIER	WCARL006EA	5,145	500	10.3
547	CARRIER	WCARL006EC	5,145	500	10.3
548	CONDURA	WCONC006EA	5,145	500	10.3
549	CONDURA	WCONC006EC	5,145	500	10.3
550	CARRIER	WCARY06EC	5,100	498	10.2
551	WHITE WESTINGHOUSE	WWN05CMA	5,100	510	10.0
552	LG	LW-036	5,040	510	11.0
553	HAIER	HW-05LMB13	5,000	500	10.0

Legend:

* inactive/phase out models

Note:

For Window type RACs with cooling capacity below 12,000 kJ/h

Highest EER: 12.5

Lowest EER: 9.1

Below 12,000 kJ/h

Local - **215** models

Imported - **338** models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
		II. RAC's WITH COOLING CAPACITY 12,000 kJ/h AND ABOVE Locally Manufactured and Imported Models				
1		HITACHI	RA-300MAS	31,800	3,380	9.4
2		HITACHI	RA-300WAS	31,800	3,380	9.4
3		FUJIAIR	JSW-63CS	26,586	2,730	9.7
4		KOLIN	KAG-260RS	26,200	2,520	10.4
5		LG	LA250MA	26,000	2,750	9.5
6		LG	LA250MG	26,000	2,750	9.5
7		LG	LA250MG7	26,000	2,750	9.5
8	*	LG	LA250MP	26,000	2,750	9.5
9		LG	LA250RA	26,000	2,736	9.5
10		PANASONIC	CW-SC241EPH	25,500	2,660	9.6
11	*	PANASONIC	CW-SC242EPH	25,500	2,660	9.6
12		PANASONIC	CW-XC241EPH	25,500	2,660	9.6
13	*	PANASONIC	CW-XC242EPH	25,500	2,660	9.6
14		PANASONIC	CW-SC243EPH	25,500	2,660	9.6
15		PANASONIC	CW-XC243EPH	25,500	2,660	9.6
16		PANASONIC	CW-SC244EPH	25,500	2,660	9.6
17		PANASONIC	CW-XC244EPH	25,500	2,660	9.6
18	*	HITACHI	RA-224MA	25,400	2,645	9.6
19		HITACHI	RA-254MA	25,400	2,645	9.6
20		KOPPEL	KWR-24R1	25,320	2,200	11.5
21		LG	LWN2432UAG	25,320	2,820	9.0
22		TRANE	TAW024C10RAA	25,320	2,667	9.5
23		GE	AED24KL	25,200	2,480	10.2
24		KOLIN	KA-28BMW	25,000	2,747	9.1
25	*	KOLIN	KA-28CMW	25,000	2,500	10.0
26		KOLIN	KAG-250ME	24,600	2,645	9.3
27		KOLIN	KAG-250RE	24,600	2,645	9.3
28		KOLIN	KAG-250DME	24,600	2,435	10.1
29		MARKES OF CANADA	MWA-240RG	24,480	2,500	9.8
30		GE	AEV24KP	24,400	2,260	10.8
31		GE	AEE24KP	24,400	2,260	10.8
32		CARRIER	APXRE240BA	24,000	2,608	9.2
33		CARRIER	APXRM240BA	24,000	2,608	9.2
34		CARRIER	APXRT240BA	24,000	2,608	9.2
35		CARRIER	WCARP024EA	24,000	2,608	9.2
36		CARRIER	WCARP024ED	24,000	2,608	9.2
37		CARRIER	WCARP024EE	24,000	2,608	9.2
38		CONDURA	CQXRE240BA	24,000	2,608	9.2
39		CONDURA	CQXRM240BA	24,000	2,608	9.2
40		CONDURA	CQXRT240BA	24,000	2,608	9.2
41		CONDURA	WCONR024EA	24,000	2,608	9.2
42		CONDURA	WCONR024ED	24,000	2,608	9.2
43		CONDURA	WCONR024EE	24,000	2,608	9.2
44		LG	LA250M	24,000	2,750	8.7
45		LG	LA250MB	24,000	2,755	8.7
46		LG	LA250MC	24,000	2,635	9.1
47		LG	LA250R	24,000	2,750	8.7
48		GREE	KC-55P	23,738	2,310	10.3

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
49		GREE	KC-55AP	23,738	2,310	10.3
50		GE	AEE24KB	23,300	2,410	9.7
51		GE	AEV24KB	23,300	2,410	9.7
52		YORK	YWU-22	23,212	2,469	9.4
53		HAIER	HW-24LNA13	23,000	2,450	9.4
54		HAIER	HW-24LMA13	23,000	2,450	9.4
55		HAIER	HW-07LN13	23,000	2,450	9.4
56		KOPPEL	KWR-24R4A	22,500	2,080	10.8
57		MARKES OF CANADA	MWA-240	22,500	2,300	9.8
58	*	KOLIN	KAG-25RE	22,300	2,275	9.8
59		CARRIER	WCONX024EA1	22,000	2,291	9.6
60		CARRIER	WCARG024EA	22,000	2,291	9.6
61		CARRIER	WCARG024ED	22,000	2,291	9.6
62		CARRIER	WCARG024EE	22,000	2,291	9.6
63		CONDURA	WCONA024EA	22,000	2,291	9.6
64		CONDURA	WCONA024ED	22,000	2,291	9.6
65		CONDURA	WCONA024EE	22,000	2,291	9.6
66		MARKES	MWA-240	22,000	2,300	9.6
67		MARKES OF CANADA	MWA-240RG	21,800	2,100	10.4
68		YORK	YC-24D	21,600	2,350	9.2
69		YORK	YWU-18	20,718	2,127	9.7
70		DAIKIN	W50LVBL	19,900	1,890	10.5
71		KOLIN	KAG-210RS	19,900	1,715	11.6
72		PANASONIC	CW-SC124EPH	19,900	1,890	10.5
73		PANASONIC	CW-SC181EPH	19,900	1,890	10.5
74	*	PANASONIC	CW-SC182EPH	19,900	1,890	10.5
75		PANASONIC	CW-SC183EPH	19,900	1,890	10.5
76		PANASONIC	CW-XC181EPH	19,900	1,890	10.5
77	*	PANASONIC	CW-XC182EPH	19,900	1,890	10.5
78		PANASONIC	CW-XC183EPH	19,900	1,890	10.5
79		PANASONIC	CW-SC184EPH	19,100	1,801	10.6
80		PANASONIC	CW-XC184EPH	19,100	1,801	10.6
81		CARRIER	APXRE195BA	19,600	1,866	10.5
82		CARRIER	APXRE195BC	19,600	1,866	10.5
83		CARRIER	APXRM195BA	19,600	1,866	10.5
84		CARRIER	APXRT195BA	19,600	1,866	10.5
85		CONDURA	CQXRE195BA	19,600	1,866	10.5
86		CONDURA	CQXRE195BC	19,600	1,866	10.5
87		CONDURA	CQXRM195BA	19,600	1,866	10.5
88		CONDURA	CQXRT195BA	19,600	1,866	10.5
89		HITACHI	RA-180MA	19,600	2,021	9.7
90		HITACHI	RA-20MA	19,600	1,860	10.5
91		HITACHI	RA-20RC	19,600	1,860	10.5
92		KOPPEL	KWR-18M4A	19,500	1,700	11.5
93		KOPPEL	KWR-18R4A	19,500	1,740	11.2
94		GREE	KW45C	19,500	1,600	12.2
95		GREE	KW-45P	19,442	1,822	10.7
96		LG	LA200MA	19,200	1,850	10.4
97		LG	LA200RG	19,200	1,850	10.4
98		LG	LA200RA	19,200	1,850	10.4

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
99		LG	LA200MG7	19,200	1,850	10.4
100		IMARFLEX	IAC-200W	19,193	1,850	10.3
101		PANASONIC	CW-SC184EPH	19,100	1,801	10.6
102		MIDEA	FP-51ARA020HMNV-N1	19,100	1,820	10.5
103		KOLIN	KAG-210RS	19,080	1,760	10.8
104		UNI-TECH	UT-GJCN18A-4ND1QA	19,008	1,850	10.3
105		CARRIER	WCARG019EA	19,000	1,880	10.1
106		CARRIER	WCARG019ED	19,000	1,880	10.1
107		CARRIER	WCARG019EE	19,000	1,880	10.1
108		CONDURA	WCONA019EA	19,000	1,938	9.8
109		CONDURA	WCONA019ED	19,000	1,938	9.8
110		CONDURA	WCONX019ED1	19,000	1,860	10.2
111		CONDURA	WCONX019EA	19,000	1,938	9.8
112		CONDURA	WCONA019EE	19,000	1,938	9.8
113		CONDURA	WCONX019EA1	19,000	1,860	10.2
114	*	KOLIN	KA-21BMW	19,000	2,111	9.0
115		KOLIN	KA-21CMW	19,000	2,020	9.4
116		SAMSUNG	AW18PHB	19,000	1,810	10.5
117		SAMSUNG	AW18P1B	19,000	1,810	10.5
118		SAMSUNG	AW-18P1BXTC	19,000	1,810	10.5
119		EVEREST	ET20WD	18,991	1,840	10.3
120		WHITE WESTINGHOUSE	WWN18CMA	18,991	1,780	10.7
121		AMERICAN HOME	AHAC-192MNT	18,990	1,800	10.6
122		AMERICAN HOME	AHAC-192RT	18,990	1,800	10.6
123		SOLID-AIRE	SA-55C2A-L09AB	18,993	1,680	11.3
124		ASTON	AM-18HN07M	18,990	2,100	9.0
125		ASTON	AM-18HN07E	18,990	2,100	9.0
126		CHIGO	KT3C-50/a	18,990	2,100	9.0
127		FEDDERS	1FY318N7A	18,990	1,870	10.2
128		FUJIAIR	JSW-50CS	18,990	1,900	10.0
129		GE	ASV18KA	18,990	1,900	10.0
130		IDEC	KC-51/aE	18,990	1,840	10.3
131		KOPPEL	KWR-18MB4	18,990	1,810	10.5
132		KOPPEL	KWR-18M4	18,990	1,850	10.3
133		KOPPEL	KWR-18R1	18,990	1,800	10.6
134		KOPPEL	KWR-18R4	18,990	1,850	10.3
135		KOPPEL	KWR-18RB4	18,990	1,810	10.5
136		KOPPEL	1KY318N7G	18,990	1,870	10.2
137		LG	LWM1836DAG	18,990	1,850	10.3
138		LG	LWM1836QAG	18,990	1,850	10.3
139	*	LG	LWM1836QAS	18,990	1,850	10.3
140		MATRIX	MX-KF50GW	18,990	1,890	10.0
141		MIDEA	MWH-18CM	18,990	2,050	9.3
142		MIDEA	MWF-18CM-NB9	18,990	1,800	10.6
143		UNI-AIR	UH-180MC	18,990	1,940	9.7
144		UNI-AIR	UH-180MS	18,990	1,940	9.7
145		YORK	Y9USC18-6A	18,990	1,750	10.8
146		YORK	Y9USC18-6R	18,990	1,750	10.8
147		CARRIER	WCARP019EA	18,900	1,890	10.0
148		CARRIER	WCARP019ED	18,900	1,890	10.0
149		CARRIER	WCARP019EE	18,900	1,890	10.0

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
150	CONDURA	WCONR019EA	18,900	1,890	10.0
151	CONDURA	WCONR019ED	18,900	1,890	10.0
152	CONDURA	WCONR019EE	18,900	1,890	10.0
153	GREE	KW-45P	18,700	1,850	10.1
154	SAMSUNG	AW18F1C	18,700	1,835	10.2
155	SAMSUNG	AW18FHC	18,700	1,835	10.2
156	SAMSUNG	AW18FMC	18,700	1,835	10.2
157	GE	AED18KL	18,600	1,800	10.3
158	GE	AEE18KP	18,600	1,720	10.8
159	GE	AEV18KP	18,600	1,720	10.8
160	LG	LWM1834DCG	18,600	1,860	10.0
161	EVEREST	ET20WD	18,500	1,750	10.6
162	EVEREST	ET20WD-HF	18,500	1,750	10.6
163	SANYO	SA-187P	18,500	1,800	10.3
164	LG	LA200M	18,500	1,760	10.5
165	LG	LA200MC	18,500	1,760	10.5
166	LG	LA200MB	18,500	1,760	10.5
167	LG	LA200R	18,500	1,760	10.5
168	LG	LA200RB	18,500	1,760	10.5
169	LG	LA200RC	18,500	1,760	10.5
170	IMARFLEX	IAC-200S-P	18,400	1,700	10.8
171	KOLIN	KSM-200B1E	18,400	1,655	11.1
172	KOLIN	KAG-190DME	18,390	1,735	10.6
173	KOLIN	KAG-190DRE	18,390	1,735	10.6
174	W.WESTINGHOUSE	WWN16CMA	18,333	1,720	10.7
175	GE	AEE18KB	18,300	1,820	10.1
176	GE	AEV18KB	18,300	1,820	10.1
177	SHARP	AF-G2013CM	18,360	1,800	10.2
178	SHARP	AF-G2013CR	18,360	1,800	10.2
179	WESTWIND	WW-CS56QASH-150-118	18,360	1,600	11.5
180	SANYO	SA-186P	18,200	1,950	9.3
181	HAIER	HW-18LMA13	18,150	1,810	10.0
182	HAIER	HW-18LNA13	18,150	1,810	10.0
183	CHIGO	CW-50C2-P07E	18,000	1,950	9.2
184	FROST	RA-20RC	18,000	1,923	9.4
185	FUJIDENZO	WAR180C	18,000	1,890	9.5
186	HANABISHI	HWTAC-20S	18,000	2,083	8.6
187	LG	LWM1834QCG	18,000	1,860	10.0
188	MARKES OF CANADA	MWA-18CMMI	17,800	1,750	10.2
189	MARKES OF CANADA	MWA2-18CMMI	17,800	1,750	10.2
190	MARKES OF CANADA	MWA-18CRM	17,800	1,750	10.2
191	IMARFLEX	IAC-200WR	17,800	1,730	10.3
192	MARKES OF CANADA	MWA2-18CMMI	17,800	1,750	10.2
193	IMARFLEX	IAC-200WR-J	17,744	1,780	10.0
194	MIDEA	MWF-18CR	17,300	1,660	10.4
195	KOLIN	KAG-190ME	17,020	1,735	9.8
196	KOLIN	KAG-190RE	17,020	1,735	9.8
197	KOLIN	KAG-190DME	17,020	1,735	9.8
198	ELECTROLUX	EWN-16CRA	16,880	1,674	10.1
199	MIDEA	MWC-16CM	16,880	1,840	9.2
200	MIDEA	MWF-18CM-NB8	16,880	1,674	10.1
201	MIDEA	KC-46CI	16,560	1,840	9.0
202	ELEPHANT	KC-46C1	16,560	1,840	9.0

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
203	*	KOLIN	KAG-19ME	16,500	1,585	10.4
204	*	KOLIN	KAG-19RE	16,500	1,585	10.4
205		MARKES	MWA-180	16,500	1,580	10.4
206		MARKES OF CANADA	MWA-180	16,500	1,580	10.4
207		MARKES OF CANADA	MWA-180RG	16,200	1,600	10.1
208		YORK	YC-18D	16,200	1,650	9.8
209		GREE	KC-45P	16,150	1,599	10.1
210		GREE	KC-45AP	16,150	1,599	10.1
211		FEDDERS	1FY201517L	15,825	1,530	10.3
212		FEDDERS	2FY201517L	15,825	1,530	10.3
213		KOPPEL	2KY201517M	15,825	1,530	10.3
214		KOPPEL	1KY201517M	15,825	1,530	10.3
215		DURASTAR	DSAC-10Z	15,000	1,700	8.8
216		KOLIN	KAG-160RS	14,800	1,240	11.9
217		YORK	YC-12DR	14,026	1,287	10.9
218		GREE	KC-35P	14,000	1,333	10.5
219		GREE	KC-45AP	14,000	1,333	10.5
220	*	HITACHI	RA-136MAS	13,600	1,360	10.0
221	*	HITACHI	RA-136WAS	13,600	1,360	10.0
222		AKIRA	AC-W13CP	13,500	1,200	11.2
223		CARRIER	WCARM014EA	13,500	1,205	11.2
224		CARRIER	WCARM014ED	13,500	1,205	11.2
225		CARRIER	WCARM014EE	13,500	1,205	11.2
226		GE	AED12KL	13,500	1,200	11.3
227		KOLIN	KA-15CMW	13,500	1,335	10.1
228		CONDURA	WCONX014EA1	13,400	1,260	10.6
229		CONDURA	WCONX014EC1	13,400	1,260	10.6
230		SHARP	AF-A1250P	13,331	1,307	10.2
231		SHARP	AF-A1250PR	13,331	1,307	10.2
232		GREE	KC-35P	13,318	1,400	9.5
233		IMARFLEX	IAC-150WR-J	13,300	1,350	9.8
234		FUJIAIR	JSW-40CS	13,293	1,444	9.2
235		LG	LA150MG1	13,250	1,245	10.6
236		LG	LA150T	13,200	1,165	11.3
237		LG	LA150TB	13,200	1,165	11.3
238		CARRIER	MCA135BP	13,200	1,147	11.5
239		CARRIER	MCA135PP	13,200	1,147	11.5
240		CARRIER	MCA135RP	13,200	1,147	11.5
241		CONDURA	MCC135BP	13,200	1,147	11.5
242		CONDURA	MCC135PP	13,200	1,147	11.5
243		CONDURA	MCC135RP	13,200	1,147	11.5
244		CONDURA	WCONTO14EA	13,200	1,178	11.2
245		CONDURA	WCONTO14ED	13,200	1,178	11.2
246		CONDURA	WCONTO14EE	13,200	1,178	11.2
247		DURASTAR	DSAC-10Y	13,200	1,450	9.1
248		HAIER	HW-12LM13	12,000	1,250	9.6
249		HITACHI	RA-15MA	13,200	1,180	11.1
250		HITACHI	RA-15MB	13,200	1,189	11.1
251		HITACHI	RA-15RB	13,200	1,189	11.1
252		HITACHI	RA-15RC	13,200	1,180	11.1
253		KELVINATOR	MCK135BP	13,200	1,147	11.5

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
254		KELVINATOR	MCK135PP	13,200	1,147	11.5
255		KELVINATOR	MCK135RP	13,200	1,147	11.5
256		KELVINATOR	WKELKO14EA	13,200	1,178	11.2
257		LG	LA150R	13,200	1,165	11.3
258		LG	LA150RB	13,200	1,165	11.3
259		SANSUI	SUWA-1.5XZ	13,120	1,286	10.2
260		SINGER	SWA-1.5XZ	13,120	1,286	10.2
261	*	KOLIN	KAG-15ME	13,120	1,270	10.3
262	*	KOLIN	KA-15BMW	13,120	1,366	9.6
263	*	KOLIN	KAG-15RE	13,120	1,270	10.3
264		EVEREST	ET15WD	13,010	1,369	9.5
265		DAIKIN	W30MVBL	13,000	1,210	10.7
266		GE	AED12KP	13,000	1,050	12.4
267		GE	AEE12KB	13,000	1,300	10.0
268		GE	AEV12KB	13,000	1,300	10.0
269		LG	LA150MA	13,000	1,170	11.1
270		LG	LA150MG7	13,000	1,170	11.1
271		LG	LA150RA	13,000	1,170	11.1
272		LG	LA150RG1	13,000	1,170	11.1
273		MARKES	MWA-120	13,000	1,270	10.2
274		MARKES OF CANADA	MWA-120	13,000	1,270	10.2
275		PANASONIC	CW-C121VPH	13,000	1,210	10.7
276		PANASONIC	CW-SC121VPH	13,000	1,210	10.7
277		PANASONIC	CW-XC121VPH	13,000	1,210	10.7
278	*	PANASONIC	CW-C122VPH	13,000	1,210	10.7
279	*	PANASONIC	CW-SC122VPH	13,000	1,210	10.7
280	*	PANASONIC	CW-XC122VPH	13,000	1,210	10.7
281		PANASONIC	CW-C123VPH	13,000	1,210	10.7
282		PANASONIC	CW-C123VPH-M	13,000	1,210	10.7
283		PANASONIC	CW-SC123VPH	13,000	1,210	10.7
284		PANASONIC	CW-XC123VPH	13,000	1,210	10.7
285		PANASONIC	CW-C124VPH	13,000	1,210	10.7
286		PANASONIC	CW-SC124VPH	13,000	1,210	10.7
287		PANASONIC	CW-XC124VPH	13,000	1,210	10.7
288		KOLIN	KAG-150DME	12,995	1,181	11.0
289		KOLIN	KAG-150ME	12,995	1,215	10.7
290		KOLIN	KAG-150DRE	12,995	1,181	11.0
291		KOLIN	KAG-150RE	12,995	1,215	10.7
292		YORK	YWU-12	12,970	1,360	9.5
293		FROST	RA-15RC	12,960	1,299	10.0
294		EVEREST	ETM15WD	12,880	1,280	10.1
295		GE	AEV12KP	12,800	1,180	10.8
296		GE	AEE12KP	12,800	1,180	10.8
297		MIDEA	FP-51ARA015HMNV-N1	12,800	1,180	10.8
298		SAMSUNG	AW-12F2DBA	12,800	1,280	10.0
299		SAMSUNG	AW12PHB	12,800	1,160	11.0
300		SAMSUNG	AW12PHBXT	12,800	1,160	11.0
301		SAMSUNG	AW12P1B	12,800	1,160	11.0
302		SAMSUNG	AW12P1BXT	12,800	1,160	11.0
303		SAMSUNG	AW12LHB	12,800	1,160	11.0
304		SAMSUNG	AW12LH	12,800	1,160	11.0

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
305		SAMSUNG	AW12L1B	12,800	1,160	11.0
306		SAMSUNG	AW12L2B	12,800	1,160	11.0
307		SAMSUNG	AW12P2B	12,800	1,160	11.0
308		SAMSUNG	AW12P2BXTC	12,800	1,160	11.0
309		GREE	KW-35P	12,700	1,235	10.3
310		FUJIDENZO	WAR120C	12,661	1,265	10.0
311		HANABISHI	HWTAC-15S	12,661	1,265	10.0
312		HANABISHI	HWTAC-15U	12,661	1,265	10.0
313		SOLID-AIRE	SA-35C2A-H09AB	12,661	1,110	10.8
314		WESTWIND	WW-35P07A-200R	12,661	1,265	10.0
315		AMERICAN HOME	AHAC-120MNT	12,660	1,300	9.7
316		AMERICAN HOME	AHAC-162MNT	12,660	1,260	10.0
317		AMERICAN HOME	AHAC-162RT	12,660	1,300	9.7
318		CARRIER	WCARG014EA	12,660	1,250	10.1
319		CARRIER	WCARG014ED	12,660	1,250	10.1
320		CARRIER	WCARG014EE	12,660	1,250	10.1
321		CARRIER	WCARG014EEB	12,660	1,250	10.1
322		CARRIER	WCARG014EES	12,660	1,250	10.1
323		CARRIER	WCARG014EEW	12,660	1,250	10.1
324		CONDURA	WCONA014EA	12,660	1,250	10.1
325		CONDURA	WCONA014ED	12,660	1,250	10.1
326		CONDURA	WCONA014EE	12,660	1,250	10.1
327		CONDURA	WCONX014EA	12,660	1,250	10.1
328		CHIGO	CW-35C2	12,660	1,266	10.0
329		FEDDERS	1FY2012I7L	12,660	1,220	10.4
330		FEDDERS	2FY2012I7L	12,660	1,220	10.4
331		FEDDERS	2FY2012I7L-PH	12,660	1,220	10.4
332		HYUNDAI	HAC-W15R	12,660	1,260	10.0
333		IDEC	KC-32/aE	12,660	1,320	9.6
334		IMARFLEX	IAC-150WR	12,660	1,210	10.5
335		KELVINATOR	WKELE014EC	12,660	1,250	10.1
336		KELVINATOR	WKELE014ED	12,660	1,250	10.1
337		KOMITSU	KAM-15	12,660	1,210	10.5
338		KOPPEL	2KY2012I7M	12,660	1,220	10.4
339		KOPPEL	1KY2012I7M	12,660	1,220	10.4
340		KOPPEL	1KY2012I7M-PH	12,660	1,220	10.4
341		KOPPEL	KWR-12M4	12,660	1,260	10.0
342		KOPPEL	KWR-12MB4	12,660	1,260	10.0
343		KOPPEL	KWR-12R1	12,660	1,260	10.0
344		KOPPEL	KWR-12R4A	12,660	1,210	10.5
345		KOPPEL	KWR-12R4	12,660	1,260	10.0
346		KOPPEL	KWR-12RB4	12,660	1,260	10.0
347		LG	LWC1232DAG	12,660	1,200	10.5
348		LG	LWC1232QAG	12,660	1,200	10.5
349	*	LG	LWC1232QAS	12,660	1,200	10.5
350		MARKES OF CANADA	MWF-12CR-NB7	12,660	1,260	10.0
351		MIDEA	MWA-12CM-NB7	12,660	1,260	10.0
352		MIDEA	MWF-12CM	12,660	1,260	10.0
353		SHARP	AF-A1500CM	12,660	1,320	9.6

Legend:

* inactive/phase out models

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

	COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
354	SHINCO	MWH-12CM	12,660	1,210	10.5
355	STELLAR	KC-35/J160	12,660	1,320	9.6
356	TCL	TAC-12CWM/I	12,660	1,155	11.0
357	TCL	TAC-12CWR/I	12,660	1,155	11.0
358	UNI-AIR	UF-120AS	12,660	1,319	9.6
359	UNI-AIR	UH-120MC	12,660	1,347	9.4
360	UNI-AIR	UH-120MS	12,660	1,347	9.4
361	UNION	UG-AIR 12000	12,660	1,260	10.0
362	WHITE WESTINGHOUSE	WWNI2CRA	12,660	1,260	10.0
363	WHITE WESTINGHOUSE	WWNI2CMA	12,660	1,260	10.0
364	WHIRLPOOL	AMB12WK4	12,660	1,270	10.0
365	YORK	Y9USC12-6A	12,660	1,300	9.7
366	YORK	Y9USC12-6R	12,660	1,300	9.7
367	TRANE	TAW012C10RAA	12,660	1,330	9.5
368	GREE	KC-35AP	12,600	1,400	9.0
369	MARKES OF CANADA	MWA-12CMMI	12,600	1,320	9.7
370	MARKES OF CANADA	MWA2-12CMMI	12,600	1,300	9.7
371	MARKES OF CANADA	MWA-12CRM I	12,600	1,320	9.5
372	MIDEA	MWF-12CR	12,600	1,300	9.7
373	MIDEA	MWF-12CM	12,600	1,300	9.7
374	SANYO	SA-126P	12,600	1,330	9.5
375	SANYO	SA-127P	12,600	1,330	9.5
376	SHARP	AF-G1512CM	12,600	1,250	10.1
377	SHARP	AF-G1512CR	12,600	1,250	10.1
378	SHINCO	KC-35A	12,600	1,400	9.0
379	YORK	YC-12D	12,600	1,400	9.0
380	IMARFLEX	IAC-150W	12,635	1,270	9.9
381	TECO	LA1251B	12,550	1,227	10.2
382	GE	AED12KL	12,500	1,110	11.3
383	LG	LA150RC	12,500	1,140	11.0
384	LG	LA150RTC	12,500	1,140	11.0

*LIST OF CERTIFIED WINDOW-TYPE ROOM AIR CONDITIONERS
as of JUNE CY 2014*

		COMPANY/ BRAND NAME	MODEL NO.	RATED COOLING CAPACITY, kJ/h	POWER CONSUMPTION, Watt	E E R kJ/w-h
385		SAMSUNG	AW12PHA	12,500	1,135	11.0
386		SAMSUNG	AW12P1A	12,500	1,135	11.0
387		SAMSUNG	AW12P2A	12,500	1,135	11.0
388		EVEREST	ETM-15WDL	12,453	1,211	10.3
389		EVEREST	ETM15WDL-HF	12,453	1,211	10.3
390		EVEREST	ETA15WDL	12,453	1,211	10.3
391		MATRIX	MX-KC35	12,340	1,235	10.0
392		SANYO	SA-T123P	12,300	1,370	9.0
393		UNI-TECH	UT-GJCM12ABND1A1A	12,300	1,250	9.8
394		SAMSUNG	AW-12LFABA	12,200	1,260	9.7
395		SAMSUNG	AW-12P1HBA	12,200	1,220	10.0
396		SAMSUNG	AW12P1HBB	12,200	1,190	10.3
397		SAMSUNG	AW12PHHBA	12,200	1,220	10.0
398		CHANGHONG	KC 35/S	12,133	1,380	8.8
399	*	SHARP	AF-A1500CM	12,166	1,334	9.1
400	*	SHARP	AF-A1500CR	12,166	1,334	9.1
401		ASTON	AM-12GN07M	12,100	1,265	9.6
402		ASTON	AM-12GN07E	12,100	1,265	9.6
403	**	JEC	JWD03-1.5C	12,036	1,364	8.8
404		GE	AJE12KA	12,000	1,200	10.0
405		CHIGO	CW-35C2-P07E	12,000	1,230	9.8
406		HAIER	HW-12LM13	12,000	1,250	9.6

Legend:

** measured value for JEC

* inactive/phase out models

Note:

For Window type RACs with cooling capacity 12,000 kJ/h and above

12,000 kJ/h and above

Highest EER: 12.4

Local - **137** models Imported - **269** models

Lowest EER: 8.7

959 = TOTAL NO. OF MODELS CERTIFIED AS OF 2ND QUARTER OF 2014

Prepared by:

Checked by:

Noted by:

C. Q. Ruiz

H. S. Orendia

M. R. Campaño

09.17.14