

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	A. Locally Manufactured Models						
	1	SAMSUNG	RT32FAJCDSP	Frost Free - Inverter Type	322	1.06	367
	2	SANYO	SR-D49T	Two Door/Direct Cooling	322	2.15	180
	3	SAMSUNG	RT29FAJBDSP	Frost Free - Inverter Type	302	1.02	355
	4	SAMSUNG	RT37STPN	Frost Free	304	1.44	259
	5	SAMSUNG	RT41LSPN	Frost Free	327	1.47	263
	6	SHARP	SJ-38T-SL	Frost Free - Inverter Type	288	1.72	198
	7	CONDURA	CSD210MN-E	Single Door/Manual Cooling	271	0.90	209
	8	GE	GMV100BDYR	Two Door/Manual Defrost	272	2.00	163
	9	SANYO	SR-D39TMS	Two Door/Direct Defrost	272	1.96	167
**	10	CONDURA	CTD300MN	Direct Cooling/Two Door	271	1.36	231
	11	CONDURA	CTD300MN-C	Direct Cool/Two Door	271	1.36	231
	12	CONDURA	CTD310MN	Two Door/Manual Cooling	271	1.48	220
	13	KELVINATOR	KTD300MN-DSW	Direct Cool/Two Door	271	1.36	231
**	14	KELVINATOR	KTD300MN	Two Door/Manual Cooling	271	1.48	220
**	15	KELVINATOR	KTD300MN-DSB	Direct Cool/Two Door	271	1.36	231
	16	KELVINATOR	KTD310MN	Two Door/Direct Cooling	271	1.48	220
	17	PANASONIC	NR-B9313ES	Two Door/Manual Cooling	261	1.06	300
	18	PANASONIC	NR-B9313E	Two Door/Direct Cooling	261	1.06	300
	19	SAMSUNG	RT25FAJBDSA	Frost Free - Inverter Type	255	0.94	316
	20	SAMSUNG	RT30SUIS	Frost Free	253	1.40	218
	21	SAMSUNG	RT34SUIS	Frost Free	271	1.39	232
	22	CONDURA	CS083MN	Direct Cool/Single Door	244	1.06	255
	23	CONDURA	CPS-8SD	Manual	244	1.55	183
	24	CONDURA	CR080SDM	Cycle Defrost	244	1.55	183
	25	CONDURA	CR080SDS	Semi-Automatic	244	1.55	183
	26	KELVINATOR	KPS-8SD	Manual	244	1.55	183
	27	KELVINATOR	KR080SDM	Cycle Defrost	244	1.55	183
	28	KELVINATOR	KR080SDS	Semi-Automatic	244	1.55	183
	29	PANASONIC	NR-B8510E	Two Door/Direct Cooling	240	0.95	300
	30	PANASONIC	NR-B8513ES	Two Door/Direct Cooling	240	0.95	300
	31	PANASONIC	NR-B8513E	Two Door/Direct Cooling	240	0.95	300
	32	PANASONIC	NR-B858DR	Two Door	240	0.86	335
	33	PANASONIC	NR-B858ER	Two Door	240	0.98	298
	34	PANASONIC	NR-B859D	Two Door	240	0.86	335
	35	PANASONIC	NR-B859E	Two Door	240	0.98	298
	36	PANASONIC	NR-B8512P	Two Door/Direct Cooling	240	0.95	300
**	37	CONDURA	CTD260MN	Direct Cooling/Two Door	238	1.29	219
	38	CONDURA	CTD260MN-C	Direct Cooling/Two Door	238	1.29	219
	39	CONDURA	CTD270MN	Two Door/Manual Defrost	238	1.36	216
**	40	KELVINATOR	KTD260MN-DCW	Two Door/Manual Cooling	238	1.36	216
**	41	KELVINATOR	KTD260MN-DSB	Direct Cooling/Two Door	238	1.29	219
	42	KELVINATOR	KTD270MN	Two Door/Direct Cooling	238	1.36	216
	43	PANASONIC	NR-B858D	Two Door	238	1.02	280
	44	PANASONIC	NR-B858E	Two Door	238	1.07	263
	45	NATIONAL	NR-B2405PM	Two Door	237	1.93	143
	46	NATIONAL	NR-B2405PQ	Two Door	237	1.93	143
	47	PANASONIC	NR-B805A	Two Door	236	1.54	175
	48	PANASONIC	NR-B805AC	Two Door	236	1.54	175
	49	PANASONIC	NR-B805EC	Two Door	236	1.25	225
	50	PANASONIC	NR-A805DC	One Door	235	0.98	249
	51	PANASONIC	NR-B8510A	Two Door/Frost Free	235	1.40	195

* tested but no labels yet

** inactive/phase out models

	52	PANASONIC	NR-B8512AP	Frost Free	235	1.40	195
	53	PANASONIC	NR-B858A	Two Door	235	1.40	195

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	54	PANASONIC	NR-B859AR	Two Door	235	1.40	195
	55	PANASONIC	NR-B8513AP	Frost Free	235	1.40	195
	56	PANASONIC	NR-B8513APCS	Frost Free	235	1.40	195
	57	PANASONIC	NR-A918ER	One Door	234	0.83	271
	58	SAMSUNG	RT22FARBDSA	Frost Free - Inverter Type	234	0.74	372
	59	PANASONIC	NR-B805D	Two Door	233	1.27	218
	60	SAMSUNG	RT22FAJBDSA	Frost Free - Inverter Type	234	0.89	306
	61	PANASONIC	NR-B805E	Two Door	233	1.27	218
	62	PANASONIC	NR-B805DC	Two Door	233	1.27	218
	63	PANASONIC	NR-A805D	One Door	229	0.95	249
	64	PANASONIC	NR-B804E	Two Door	228	1.39	197
**	65	SHARP	SJ-30S-SL	Two Door/Automatic Defrost	227	1.89	145
	66	SHARP	SJ-30S	Two Door/No Frost	227	1.89	145
	67	SANYO	SR-907NTD	Semi-Automatic	226	0.98	243
	68	NATIONAL	NR-B803D	Two Door	220	1.33	196
	69	NATIONAL	NR-B803E	Two Door	220	1.33	196
	70	SINGER	REF 276	Two Door	220	1.33	196
	71	CONDURA	CTD240MN	Two Door/Manual Defrost	219	1.03	250
	72	NATIONAL	NR-B801D	Two Door	219	1.48	173
	73	NATIONAL	NR-B801E	Two Door	219	1.48	173
	74	PANASONIC	NR-A8513D	Single Door/Manual Defrost	219	0.89	254
	75	PANASONIC	NR-A8513DS	One Door/Direct Cooling	219	0.80	287
	76	PANASONIC	NR-A705D	One Door	219	0.86	265
	77	PANASONIC	NR-A8510D	Single Door/Direct Cooling	219	0.84	270
	78	PANASONIC	NR-A8510E	Single Door/Direct Cooling	219	0.84	270
	79	PANASONIC	NR-A858DR	One Door	219	0.84	294
	80	PANASONIC	NR-A858ER	One Door	219	0.89	256
	81	PANASONIC	NR-A858SER	One Door	219	0.73	315
	82	PANASONIC	NR-A859D	One Door	219	0.84	292
	83	PANASONIC	NR-A859E	One Door	219	0.89	256
	84	PANASONIC	NR-A8513E	Single Door/Manual Defrost	219	0.91	247
	85	PANASONIC	NR-A8513ES	One Door/Direct Cooling	219	0.80	287
	86	SINGER	REF 275	Two Door	219	1.48	173
	87	NATIONAL	NR-B2155PM	Two Door	219	1.63	158
	88	NATIONAL	NR-B2155PQ	Two Door	219	1.63	158
	89	SINGER	REF 274	Two Door	219	1.63	158
	90	PANASONIC	NR-A705DC	One Door	218	0.82	280
	91	SAMSUNG	RT-2BSASS	Two Door/No Frost	217	1.26	203
	92	SAMSUNG	RT-2BSATS	Two Door/No Frost	217	1.26	203
	93	SAMSUNG	RT-2BSATSC	Two Door/No Frost	217	1.23	208
	94	SAMSUNG	RT-2BSDSS	Two Door/No Frost	217	1.23	208
	95	SAMSUNG	RT25SAAS	Two Door/No Frost	217	1.43	154
	96	SAMSUNG	RT-2BSHIS	Two Door/No Frost	217	1.27	203
	97	SAMSUNG	RT-2BSHTS	Two Door/No Frost	217	1.27	203
	98	SAMSUNG	RT-2BSRTS	Two Door/No Frost	217	1.27	203
	99	SAMSUNG	RT25SCAS	Two Door/No Frost	217	1.43	154
	100	SAMSUNG	RT-2BSDTS	Two Door/No Frost	217	1.23	208
	101	SAMSUNG	RT-2BSHMG1	Two Door/Direct Cooling	217	1.27	203
	102	SAMSUNG	RT-2BSRMG1	Two Door/Direct Cooling	217	1.27	203
	103	SAMSUNG	RJ2BSHIS	Two Door/Automatic Defrost	217	1.27	203
	104	SAMSUNG	RT2ASHIS	Two Door/Automatic Defrost	217	1.27	203

* tested but no labels yet

** inactive/phase out models

	105	CONDURA	CPS-7TD	Manual	216	1.81	147
	106	CONDURA	CR070TDM	Cycle Defrost	216	1.81	147
	107	CONDURA	CR070TDS	Semi-Automatic	216	1.81	147
**	108	CONDURA	CTD240MN	Two Door/Direct Cooling	216	1.03	250

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	109	CONDURA	CTD250MN	Two Door/Direct Cooling	216	1.03	250
	110	CONDURA	CTD250MN-E	Two Door/Direct Cooling	216	1.03	250
	111	CONDURA	CT075SA	Direct Cool/Two Door	216	1.36	192
	112	KELVINATOR	KR070TDM	Cycle Defrost	216	1.81	147
	113	KELVINATOR	KR070TDS	Semi-Automatic	216	1.81	147
	114	KELVINATOR	KPS-7TD	Manual	216	1.81	147
**	115	KELVINATOR	KTD240MN	Direct Cool/Two Door	216	1.03	250
**	116	KELVINATOR	KTD240MN-DCW	Direct Cool/Two Door	216	1.03	250
**	117	KELVINATOR	KTD240MN-DSB	Direct Cool/Two Door	216	1.03	250
	118	KELVINATOR	KTD250MN	Two Door/Direct Cooling	216	1.03	250
	119	PANASONIC	NR-A705EC	One Door	216	0.87	259
	120	PANASONIC	NR-A707SE	One Door	215	0.80	281
	121	SHARP	SJ-23TGL	Single Door/Direct Cooling	215	1.05	211
	122	SHARP	SJ-S230T-SS	Single Door/Direct Cooling	215	1.29	176
	123	SHARP	SJ-P231T	Single Door	215	0.92	244
	124	SHARP	SJ-P231-SL	Single Door	215	0.92	214
	125	CONDURA	CS075MN	Direct Cool/Single Door	214	0.98	240
	126	CONDURA	CPS-7SD	Cycle Defrost	214	1.47	167
	127	PANASONIC	NR-A705E	One Door	214	0.89	252
	128	KELVINATOR	KPS-7SD	Manual	214	1.47	167
	129	CONDURA	CR070SDM	Cycle Defrost	214	1.49	162
	130	KELVINATOR	KR070SDM	Cycle Defrost	214	1.49	162
	131	KELVINATOR	KSO75MN	Direct Cool/Single Door	214	0.98	240
**	132	LG	GR-V262RSCK	Two Door/Automatic Defrost	213	1.35	191
	133	LG	GR-V262RLC	No Frost	213	1.33	191
	134	NATIONAL	NR-A803E	One Door	213	0.86	260
	135	PANASONIC	NR-B705A	Two Door	213	1.38	180
	136	PANASONIC	NR-B705AC	Two Door	213	1.38	180
	137	PANASONIC	NR-B7710A	Two Door/Frost Free	213	1.20	210
	138	PANASONIC	NR-B7712AP	Frost Free	213	1.20	210
	139	PANASONIC	NR-B778A	Two Door	213	1.21	205
	140	PANASONIC	NR-B778AR	Two Door	213	1.21	205
	141	PANASONIC	NR-B779A	Two Door	213	1.21	205
	142	PANASONIC	NR-B7713AP	Frost Free	213	1.20	210
	143	PANASONIC	NR-A804E	One Door	212	0.92	243
	144	SANYO	SR-280LTD	Manual	210	1.24	213
	145	SANYO	SR-280ND	Manual	210	1.24	213
	146	SANYO	SR-280NSS	Manual	210	1.24	213
	147	SANYO	SR-280NTD	Manual	210	1.24	213
	148	SANYO	SR-280NW	Manual	210	1.24	213
	149	SANYO	SR-280NWS	Manual	210	1.24	213
	150	SANYO	SR-280SVG	Manual	210	1.24	213
	151	SANYO	SR-280NTW	Two Door	210	1.50	166
	152	PANASONIC	NR-B7410E	Two Door/Direct Cooling	208	0.96	268
	153	PANASONIC	NR-B748DR	Two Door	208	1.02	266
	154	PANASONIC	NR-B748ER	Two Door	208	0.96	266
	155	PANASONIC	NR-B749D	Two Door	208	1.02	266
	156	PANASONIC	NR-B7412P	Two Door/Direct Cooling	208	0.96	268
	157	PANASONIC	NR-B749E	Two Door	208	0.96	266

* tested but no labels yet

** inactive/phase out models

	158	PANASONIC	NR-B705D	Two Door	206	1.54	155
	159	PANASONIC	NR-B7413ES	Two Door/Direct Cooling	208	0.96	268
	160	PANASONIC	NR-B7413E	Two Door/Direct Cooling	208	0.96	268
	161	PANASONIC	NR-B705E	Two Door	206	1.54	155
	162	PANASONIC	NR-B705DC	Two Door	206	1.20	208
	163	PANASONIC	NR-B748D	Two Door	206	1.05	238

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	164	PANASONIC	NR-B748E	Two Door	206	0.99	256
	165	PANASONIC	NR-B705EC	Two Door	205	1.15	222
**	166	SHARP	SJ-26S	Two Door/No Frost	205	1.56	157
	167	SHARP	SJ-26S-SL	Two Door/Automatic Defrost	205	1.58	157
	168	PANASONIC	NR-B704D	Two Door	202	1.42	164
	169	PANASONIC	NR-B704E	Two Door	202	1.42	164
**	170	CONDURA	CSD225MN	Single Door/Direct Cooling	201	0.78	269
	171	CONDURA	CSD225SA	Direct Cooling/Single Door	201	0.78	269
	172	CONDURA	CSD225SA-C	Direct Cooling/Single Door	201	0.78	269
	173	CONDURA	CSD230SA	Single Door/Direct Cooling	201	0.87	244
**	174	KELVINATOR	KSD225SA	Direct Cool/Single Door	201	0.78	269
	175	CONDURA	CSD220SA	Single Door/Direct Cooling	201	0.87	244
**	176	KELVINATOR	KSD225SA-DSB	Direct Cool/Single Door	201	0.78	269
**	177	KELVINATOR	KSD225SA-DCW	Single Door/Direct Cooling	201	0.78	269
	178	KELVINATOR	KSG225SA-DCW	Direct Cool/Single Door	201	0.78	269
	179	KELVINATOR	KSD230SA	Single Door/Direct Cooling	201	0.87	244
	180	NATIONAL	NR-A701D	One Door	200	0.86	246
	181	NATIONAL	NR-B703D	Two Door	198	1.30	175
	182	NATIONAL	NR-B703E	Two Door	198	1.30	175
	183	NATIONAL	NR-B701D	Two Door	198	1.35	169
	184	NATIONAL	NR-B701E	Two Door	198	1.35	169
	185	NATIONAL	NR-B1905PM	Two Door	198	1.67	140
	186	NATIONAL	NR-B1905PQ	Two Door	198	1.67	140
	187	PANASONIC	NR-B703D	Two Door	198	1.30	175
	188	PANASONIC	NR-B703E	Two Door	198	1.30	175
	189	SANYO	SR-807NA	Automatic	198	0.97	215
	190	SANYO	SR-807LTD	Semi-Automatic	198	0.98	214
	191	SANYO	SR-807ND	Semi-Automatic	198	0.98	214
	192	SANYO	SR-807NM	Manual	198	0.98	214
	193	SANYO	SR-807NTD	Semi-Automatic	198	0.98	214
	194	SANYO	SR-807NTM	Semi-Automatic	198	0.98	214
	195	SUNACE	SAR-198M	Manual	198	0.98	214
	196	NATIONAL	BR-A2007PE	One Door	197	0.84	246
	197	SINGER	REF 178	One Door	197	0.82	257
	198	SAMSUNG	RA21PTHB	One Door/Direct Cooling	197	0.89	233
	199	SAMSUNG	RA-21PTIH1	One Door/Direct Cooling	197	0.89	233
	200	SAMSUNG	RA21PTOR	One Door/Direct Cooling	197	0.89	233
	201	SAMSUNG	RA21PTSW	One Door/Direct Cooling	197	0.89	233
	202	SAMSUNG	RA21PTTS	One Door/Direct Cooling	197	0.89	233
	203	SAMSUNG	RA-21VASS	Single Door/Direct Cooling	197	0.84	247
	204	SAMSUNG	RA21VATS	Single Door/Direct Cooling	197	0.87	234
	205	SAMSUNG	RA-21VAAS	Single Door/Direct Cooling	197	0.84	247
	206	SAMSUNG	RT-2ASASS	Two Door/No Frost	197	1.30	183
	207	SAMSUNG	RT-2ASDSS	Two Door/No Frost	197	1.19	196
	208	SAMSUNG	RT-2ASATS	Two Door/No Frost	197	1.30	183
	209	SAMSUNG	RT-2ASATSC	Two Door/No Frost	197	1.19	196
	210	SAMSUNG	RT-2ASDTS	Two Door/No Frost	197	1.19	196

* tested but no labels yet

** inactive/phase out models

	211	SAMSUNG	RT-2ASRTS	Two Door/No Frost	197	1.20	196
	212	SAMSUNG	RT22SAAS	Two Door/No Frost	197	1.43	161
	213	SAMSUNG	RT22SCAS	Two Door/No Frost	197	1.43	161
	214	SAMSUNG	RT2ASHIS	Two Door/No Frost	197	1.20	196
	215	SAMSUNG	RT2ASHTS	Two Door/No Frost	197	1.20	196
	216	SAMSUNG	RT-2ASRMG1	Two Door/Direct Cooling	197	1.20	196
	217	SAMSUNG	RT-2ASHMG1	Two Door/Direct Cooling	197	1.20	196
	218	NATIONAL	NR-A702E	One Door	196	0.84	246

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	219	NATIONAL	NR-A703E	One Door	196	0.84	246
	220	SINGER	REF 178A	One Door	196	0.84	246
	221	SINGER	REF 179	One Door	196	0.84	246
	222	PANASONIC	NR-A704D	One Door	196	0.91	227
	223	NATIONAL	NR-A702D	One Door	196	0.94	226
	224	NATIONAL	NR-A703D	One Door	196	0.94	226
	225	PANASONIC	NR-A704E	One Door	196	0.95	215
	226	SANYO	SR-27WX	Two Door	193	2.27	99
	227	SANYO	SR-F30E	Two Door	193	2.27	99
	228	PANASONIC	NR-A7410D	Single Door/Direct Cooling	191	0.72	275
	229	PANASONIC	NR-A7410E	Single Door/Direct Cooling	191	0.72	275
	230	PANASONIC	NR-A748D	One Door	191	0.73	275
	231	PANASONIC	NR-A748DR	One Door	191	0.73	275
	232	PANASONIC	NR-A748E	One Door	191	0.73	275
	233	PANASONIC	NR-A748ER	One Door	191	0.73	275
	234	PANASONIC	NR-A748SE	One Door	191	0.73	275
	235	PANASONIC	NR-A748SER	One Door	191	0.69	291
	236	PANASONIC	NR-A749D	One Door	191	0.73	275
	237	PANASONIC	NR-A749E	One Door	191	0.73	275
	238	PANASONIC	NR-A7413ES	Single Door/Manual Defrost	191	0.78	255
	239	PANASONIC	NR-A7413D	Single Door/Manual Defrost	191	0.78	251
	240	LG	GR-V232RL	No Frost	188	1.14	155
	241	LG	GR-V232RLK	Two Door/Automatic Defrost	188	1.38	164
	242	PANASONIC	NR-A605DC	One Door	188	0.81	242
	243	PANASONIC	NR-A605EC	One Door	188	0.80	245
	244	PANASONIC	NR-A607SE	One Door	188	0.75	264
	245	SHARP	SJ-21UGL	Two Door/Direct Cooling	188	1.93	115
	246	SHARP	SJ-DC-21UG-MS	Two Door/Manual Defrost	188	1.93	115
	247	CONDURA	CPS-6SD	Manual	187	1.03	191
	248	CONDURA	CR060SDM	Manual	187	1.03	191
	249	CONDURA	CR060SDS	Semi-Automatic	187	1.03	191
	250	CONDURA	CS065SA	Direct Cool/Single Door	187	1.03	191
	251	KELVINATOR	KPS-6SD	Manual	187	1.03	191
	252	KELVINATOR	KR060SDM	Manual	187	1.03	191
	253	KELVINATOR	KR060SDS	Semi-Automatic	187	1.03	191
	254	KELVINATOR	KS065SA	Direct Cooling/Single Door	187	1.03	191
	255	CONDURA	CPS-6SD DLX	One Door	187	1.14	173
	256	PANASONIC	NR-A605D	One Door	187	0.81	242
	257	WWH	WR-1999CD	Single Door/Direct Cooling	186	1.06	182
	258	SANYO	SR-270NTD	Manual	184	1.31	172
	259	SHARP	SJ-21TGL	Single Door/Direct Cooling	183	1.01	192
	260	SHARP	SJ-S210T-SS	Single Door	183	0.97	198
**	261	SHARP	SJ-P211T-SL	Single Door	183	0.97	198
	262	SHARP	SJ-P212T-MS	Single Door/Manual Defrost	183	0.97	203
	263	SHARP	SJ-DC19S-SL	Single Door/Direct Cooling	183	0.78	252

* tested but no labels yet

** inactive/phase out models

	264	SHARP	SJ-P192T-MS	Single Door/Direct Cooling	180	0.98	198
	265	LG	GN-V231RL	Single Door/Direct Cooling	180	0.88	218
	266	LG	GN-V231RLZ	Single Door/Direct Cooling	180	0.82	238
	267	PANASONIC	NR-A605E	One Door	180	0.86	220
	268	SHARP	SJ-S190T	Single Door/Direct Cooling	180	1.06	179
	269	SHARP	SJ-S190T-SS	Single Door	180	0.96	198
**	270	SHARP	SJ-191T-SL	Single Door	180	0.98	198
	271	SHARP	SJ-19TGL	Single Door	180	0.98	198
	272	SAMSUNG	RA-19PTMU	One Door/Direct Cooling	178	0.80	237
	273	SAMSUNG	RA19PTTS	Single Door/Manual Defrost	178	0.80	237

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	274	SAMSUNG	RA-19PTPG	One Door/Direct Cooling	178	0.80	237
	275	SAMSUNG	RA-19PTSW	One Door/Direct Cooling	178	0.80	237
	276	SAMSUNG	RA-19PTTS	One Door/Direct Cooling	178	0.80	237
	277	SAMSUNG	RA-19PTIH1	One Door/Direct Cooling	178	1.06	237
	278	GE	GMV070BDYR	Two Door/Direct Cooling	177	1.99	104
	279	GE	GMV070BAYR	Two Door/Direct Cooling	177	1.99	102
	280	GE	GAV070BAYR	Single Door/Direct Cooling	175	0.78	251
	281	SAMSUNG	RA-19FASS	Single Door/Direct Cooling	177	0.79	237
	282	SAMSUNG	RA19FASW	Single Door/Direct Cooling	177	0.90	202
	283	LG	GR-V212RLK	Two Door/Automatic Defrost	176	1.03	203
	284	SANYO	SR-S70THW	One Door	175	0.81	229
	285	NATIONAL	NR-A601D	One Door	174	0.73	252
	286	CONDURA	CSD200MN	Single Door/Direct Cooling	173	0.75	241
**	287	CONDURA	CSD200SA	Direct Cooling/Single Door	173	0.75	224
	288	CONDURA	CSD210SA	Single Door/Manual Defrost	173	0.64	282
**	289	KELVINATOR	KSD200SA	Direct Cool/Single Door	173	0.75	241
	290	KELVINATOR	KSD200SA-DSB	Direct Cool/Single Door	173	0.75	241
**	291	KELVINATOR	KSD200SA-DCW	Direct Cool/Single Door	173	0.75	241
	292	KELVINATOR	KSD210SA	Single Door/Direct Cooling	173	0.64	282
	293	NATIONAL	NR-A1707PE	One Door	172	0.72	255
	294	SINGER	REF 165	One Door	172	0.65	281
	295	NATIONAL	NR-A602D	One Door	170	0.74	242
	296	NATIONAL	NR-A602E	One Door	170	0.74	242
	297	NATIONAL	NR-A603D	One Door	170	0.74	242
	298	NATIONAL	NR-A603E	One Door	170	0.74	242
	299	SINGER	REF 165A	One Door	170	0.74	242
	300	SINGER	REF 166	One Door	170	0.74	242
	301	PANASONIC	NR-A604D	One Door	170	0.80	227
	302	SANYO	SR-707LTD	Semi-Automatic	170	0.79	226
	303	SANYO	SR-707ND	Semi-Automatic	170	0.79	226
	304	SANYO	SR-707NM	Manual	170	0.79	226
	305	SANYO	SR-707NTD	Semi-Automatic	170	0.79	226
	306	SANYO	SR-707NTM	Semi-Automatic	170	0.79	226
	307	SUNACE	SAR-170M	Manual	170	0.79	226
	308	SANYO	SR-707NA	Automatic	170	0.87	204
	309	PANASONIC	NR-A604E	One Door	170	0.87	203
	310	LG	GN-201	Direct Cooling	165	0.76	230
	311	LG	GN-V191L	Direct Cooling	155	0.87	191
	312	LG	GN-V191RLZ	Single Door/Direct Cooling	155	0.81	208
	313	SANYO	SR-S63EW	One Door	153	0.89	182
	314	SANYO	SR-S6THW-MS	Single Door/Direct Cooling	151	0.67	240
	315	CONDURA	CSD171SA	One Door/Direct Cooling	150	0.67	238
	316	KELVINATOR	KSP171SA	Single Door/Direct Cooling	150	0.67	238

* tested but no labels yet

** inactive/phase out models

	317	SANYO	SR-S63TW	Single Door/Direct Cooling	151	0.67	240
	318	CONDURA	CPS-5SD	Manual	145	0.92	167
	319	CONDURA	CPS-5SD DLX	One Door	145	1.12	137
	320	CONDURA	CR050SDM	Manual	145	0.92	167
	321	CONDURA	CR050SDS	Semi-Automatic	145	1.00	154
	322	CONDURA	CS050SA	Direct Cool/Single Door	145	0.95	154
**	323	CONDURA	CSD165SA	Direct Cooling/Single Door	145	0.73	209
	324	CONDURA	CSD165MN	Single Door/Direct Cooling	145	0.73	209
	325	CONDURA	CSD165MN-E	Single Door/Manual Defrost	145	0.73	209
**	326	CONDURA	CSD165SA-E	Direct Cooling/Single Door	145	0.73	209
	327	CONDURA	CSD165SA-EW	Single Door/Manual Defrost	145	0.73	209
	328	CONDURA	CSD170MN-E	Single Door/Direct Cooling	145	0.72	215

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
**	329	CONDURA	CSD170SA	Single Door/Direct Cooling	145	0.69	224
	330	KELVINATOR	KPS-5SD	Manual	145	0.92	167
	331	KELVINATOR	KR050SDM	Manual	145	0.92	167
	332	KELVINATOR	KR050SDS	Semi-Automatic	145	1.00	154
**	333	KELVINATOR	KS050SA	Direct Cooling/Single Door	145	0.95	154
**	334	KELVINATOR	KSD165SA-DSB	Direct Cool/Single Door	145	0.73	209
**	335	KELVINATOR	KSD165SA-DCW	Direct Cool/Single Door	145	0.69	224
	336	KELVINATOR	KSD165SA-DSW	Direct Cool/Single Door	145	0.73	209
	337	KELVINATOR	KSD170SA	Direct Cool/Single Door	145	0.69	224
	338	GE	GAV060BAYR	Single Door/Direct Cooling	144	0.63	266
	339	SANYO	SR-147NSF	Semi-Automatic	142	0.75	200
	340	SANYO	SR-507LTD	Semi-Automatic	142	0.70	214
	341	SANYO	SR-507ND	Semi-Automatic	142	0.70	214
	342	SANYO	SR-507NTD	Semi-Automatic	142	0.70	214
	343	SANYO	SR-507NTM	Semi-Automatic	142	0.70	214
	344	SANYO	SR-507NM	Manual	142	0.75	200
	345	SUNACE	SAR-142M	Manual	142	0.75	200
	346	SHARP	SJ-S170T-SS	Single Door/Direct Cooling	141	1.10	131
	347	NATIONAL	NR-A501D	One Door	130	0.64	217
	348	NATIONAL	NR-A1407PE	One Door	128	0.71	192
	349	SINGER	REF 155	One Door	128	0.60	232
	350	NATIONAL	NR-A502E	One Door	125	0.64	208
	351	NATIONAL	NR-A503E	One Door	125	0.64	208
	352	NATIONAL	NR-A502D	One Door	125	0.72	186
	353	NATIONAL	NR-A503D	One Door	125	0.72	186
	354	CONDURA	CPS-10TD		*	*	*
	355	CONDURA	CPS-9TD		*	*	*
	356	CONDURA	CR090TDM		*	*	*
	357	CONDURA	CR100SDM		*	*	*
	358	CONDURA	CS083SA		*	*	*
	359	KELVINATOR	KR090TDM		*	*	*
	360	KELVINATOR	KR100SDM		*	*	*
	361	LG	GN-262QLC		*	*	*
	362	LG	GN-232D		*	*	*
	363	LG	GN-212D		*	*	*

* tested but no labels yet

** inactive/phase out models

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	364	PANASONIC	NR-B7710D		*	*	*
	365	PANASONIC	NR-B938DR		*	*	*
	366	PANASONIC	NR-B938ER		*	*	*
	367	NATIONAL	NR-A851E		*	*	*
	368	PANASONIC	NR-A858D		*	*	*
	369	PANASONIC	NR-A858E		*	*	*
	370	PANASONIC	NR-A858SE		*	*	*
	371	PANASONIC	NR-A918E		*	*	*
	372	SAMSUNG	RT2ASDSS2/XTC		*	*	*
	373	SAMSUNG	RT2BSASS2/XTC		*	*	*
	374	SAMSUNG	RT2ASASS2/XTC		*	*	*
	375	SAMSUNG	RT34SASS1/XTC		*	*	*
	376	SAMSUNG	RT30SASS1/XTC		*	*	*
	377	SAMSUNG	RT2BSDSS2/XTC		*	*	*

* tested but no labels yet

** inactive/phase out models

Total no. of models certified: 377

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
B. Imported Models							
1		PANASONIC	NR-BY602	Frost Free	513	1.87	315
2		PANASONIC	NR-BY552	Frost Free	463	1.34	400
3		PANASONIC	NR-BW465	Frost Free	372	1.29	334
4		PANASONIC	NR-BW415	Frost Free	331	1.13	338
5		SAMSUNG	RT32FAJCDSP	Two Door/No Frost	322	1.06	367
6		SANYO	SR-D49T	Two Door/Direct Cooling	322	2.15	180
7		SANYO	SR-D49T-MS	Two Door/Manual Defrost	322	2.15	180
8		SHARP	SJ-420F-HSS	Two Door/Direct Cooling	310	1.75	210
9		SHARP	SJ-421F-HPK	Two Door/Direct Cooling	310	1.75	210
10		SHARP	SJ-420-HPS	Two Door/Direct Cooling	310	1.75	210
11		SAMSUNG	RT29FAJBDS	Two Door/No Frost	302	1.02	355
12		SAMSUNG	RT29FARBDSA	Frost Free - Inverter Type	302	1.02	355
13		HAIER	HRF-369FACA	Frost Free	298	1.97	235
14		HAIER	HRF-369FACA-LS	Two Door/Frost Free	298	1.47	235
15		SAMSUNG	RB29FSRNBSA	Two Door/Automatic Defrost	290	1.25	300
16		SHARP	SJ-38T-SL	Two Door/Automatic Defrost	288	1.72	198
17		SAMSUNG	RT34MASS	Two Door/No Frost	275	2.72	123
18		TOSHIBA	GR-R32PD	Frost Free	275	1.58	212
19		SANYO	SR-D39T	Two Door/Direct Cooling	272	1.96	167
20		SANYO	SR-D39T-MS	Two Door/Manual Defrost	272	1.96	167
21		HAIER	HRF-319FACA	Frost Free	263	1.42	218
22		HAIER	HRF-319FACA-LS	Two Door/Frost Free	263	1.42	218
23		HITACHI	R-26AP5	No Frost	264	2.18	118
24		SAMSUNG	RT30MASS	Two Door/No Frost	259	1.93	166
25		SAMSUNG	RT25FAJBDSA	Two Door/No Frost	255	0.94	316
26		SAMSUNG	RT22FAJBDSA	Two Door/No Frost	234	0.89	306
27		SAMSUNG	RT25FARADSA	Single Door/Direct Cooling	255	0.94	316
28		WHIRLPOOL	WSV10	Frost Free	213	1.43	168
29		SAMSUNG	RT22FARBDSA	Two Door/No Frost	234	0.74	372
30		LG	GC-269VL	Two Door/Direct Cooling	227	1.23	257
31		SHARP	SJ-30N	Two Door/No Frost	227	1.53	177
32		SHARP	SJ-30S	Two Door/Direct Cooling	227	1.89	145
33		SHARP	SJ-30T-SL	Frost Free	227	1.52	180
34		SHARP	SJ-D25L	Two Door/No Frost	225	1.61	164
35		SHARP	SJ-D25P	Two Door/No Frost	225	1.61	164
36		UNION	URF-70	Single Door/Direct Cooling	225	1.07	215
37		DOWELL	TDR-220BF	Two Door/Manual Defrost	220	1.82	150
38		KOLIN	KRF-220B	Two Door	218	1.76	155
39		LG	GR-262	No Frost	217	1.68	153
40		LG	GR-U262	No Frost	217	1.68	153
41		HAIER	HRF-248	Frost Free	216	1.57	162
42		SANYO	SR-F245N	No Frost	216	1.65	157
43		SANYO	SR-F245NSB	Frost Free	216	1.57	162
44		SANYO	SR-F247	Frost Free	216	1.57	162
45		SHARP	SJ-P231T-SL	One Door/Direct Cooling	215	0.92	244
46		GE	GTV085KCYR	Two Door/Direct Cooling	215	1.69	150
47		SHARP	SJ-D23T	Single Door	215	0.92	244
48		CHUNLAN	BCD-215	Two Door/Direct Cooling	215	0.96	242
49		SHARP	SJ-23TDL	Single Door	215	0.92	244
50		SHARP	SJ-S230T	Single Door/Direct Cooling	215	0.92	244

* tested but no labels yet

** inactive/phase out models

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	51	SHARP	SJ-S230T-SS	Single Door/Direct Cooling	215	0.92	244
	52	LG	GR-V262SLCK	Two Door/Manual Defrost	213	1.30	199
	53	MATRIX	MX-XRD186	Frost Free	213	1.43	168
	54	SAMSUNG	RL23FCMS	Two Door/Direct Cooling	212	1.06	253
	55	SAMSUNG	RL-23FCIH	Frost Free	212	1.43	198
	56	SAMSUNG	RL23FCTS	Two Door/Direct Cooling	212	1.06	253
	57	HAIER	HRF-259FACA	Frost Free	211	1.41	180
	58	SHARP	SJ-22T	Single Door	211	1.10	205
	59	GE	GTV085KCBR	Two Door/Direct Cooling	211	1.40	178
	60	GE	GTV085KCBRSH	Two Door/Automatic Defrost	211	1.40	178
	61	GE	GTV085KCBRLS	Two Door/No Frost	211	1.40	178
	62	HAIER	HRF-259FACA	Frost Free	211	1.41	180
	63	UNION	UGFR-200	Two Door/Direct Cooling	208	1.24	185
	64	ELECTROLUX	ETB2100PE	Two Door/Auto Defrost	210	1.49	174
	65	HAIER	BCD-216	Two Door	208	1.37	202
	66	SAMSUNG	RT24MESS	Two Door/No Frost	207	2.24	109
	67	SAMSUNG	RT24VESS	Two Door/No Frost	207	2.24	109
	68	ELECTROLUX	ETB2100PC-RPH	Frost Free	206	1.53	175
	69	LG	GC-269VL	Two Door/Manual Defrost	205	1.23	218
	70	SHARP	SJ-26N	Two Door/No Frost	205	1.48	160
	71	SHARP	SJ-26S	Two Door/Direct Cooling	205	1.56	157
	72	SHARP	SJ-26T-SL	Frost Free	205	1.54	157
	73	SAMSUNG	RT20FARVDSA	Frost Free	203	0.77	321
	74	KOLIN	KRD-210B	Two Door	203	1.35	191
	75	WWH	WR2150D	Two Door/Frost Free	202	1.89	130
	76	HITACHI	R-20PW3	Direct Cooling	200	1.00	210
	77	HITACHI	R-20A3P	Two Door/No Frost	200	1.57	154
	78	HITACHI	R-20P3	Direct Cooling	200	1.00	210
**	79	LG	GR-242 MVF	No Frost	200	2.20	114
	80	MARKES OF CANADA	MRS-206DCC	Single Door/Direct Cooling	200	1.09	190
	81	SHARP	SJ-DC219UGL-SL	Two Door/Manual Defrost	200	1.13	176
	82	SHARP	MRS-206DCC	Single Door	200	1.09	190
	83	UNION	UGFR-200	Two Door/Direct Cooling	200	1.33	164
	84	WWH	WR-1999C	Single Door/Direct Cooling	199	1.06	181
	85	GE	GTV080KCBRLS	Two Door/No Frost	197	1.46	162
	86	GE	GTV080KCBR	Two Door/Direct Cooling	197	1.46	162
	87	HAIER	HRF-229FACA	Frost Free	197	1.48	159
	88	CHUNLAN	BCD-195	Two Door/Direct Cooling	195	0.95	233
	89	LG	GN-241	Direct Cooling	190	0.77	259
	90	ADMIRAL	BCD-193W	Two Door/No Frost	190	1.65	144
	91	SHARP	SJ-D21P	Two Door/No Frost	190	1.68	138
	92	SHARP	SJ-D2IL	Two Door/No Frost	190	1.68	138
	93	MIDEA	BC-203WH	Two Door	189	1.73	133
	94	LG	GN-241D	Direct Cooling	188	0.85	235
	95	LG	GR-232D	No Frost	188	1.90	118
	96	LG	GR-U232	No Frost	188	1.27	176
	97	LG	GR-V232RL2	Two Door/Frost Free	188	1.39	164
	98	SHARP	SJ-21UGL	Two Door/Direct Cooling	188	1.93	115
	99	SHARP	SJ-212UG-MS	Two Door/Direct Cooling	188	1.93	115
	100	KOLIN	KRSK-65A	Direct Cooling/Single Door	187	1.03	191
	101	SAMSUNG	RT21MESS	Two Door/No Frost	187	2.38	93
	102	SAMSUNG	RT21MGBB	Two Door/No Frost	187	2.38	93

* tested but no labels yet

** inactive/phase out models

	103	SAMSUNG	RT21MHSS	Two Door/No Frost	187	2.38	93
	104	SAMSUNG	RT21VESS	Two Door/No Frost	187	2.38	93

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	105	TOSHIBA	GR-P200	Semi-Automatic	186	0.95	204
	106	TOSHIBA	GR-P201	Semi-Automatic	186	0.84	234
	107	TOSHIBA	GR-P200D	Semi-Automatic	186	0.95	204
	108	GE	GAV7BAMR	Single Door	186	1.15	166
	109	WWH	WR-1905CD	Single Door/Direct Cooling	186	1.06	186
	110	WWH	WR-1905C	Single Door/Direct Cooling	186	1.06	186
	111	WWH	WR-1908CD	Single Door/Direct Cooling	186	1.06	181
	112	WWH	WR-1908C	Single Door/Direct Cooling	186	1.06	186
	113	Whirlpool	WSV8	Frost Free	186	1.63	140
	114	LG	GR-232 w/dispenser	No Frost	186	1.90	118
	115	GE	GAV7BDNR	Single Door	185	1.15	165
**	116	LG	LR-231 GVF	Direct Cooling	185	0.90	218
	117	LG	LR-231GL	Direct Cooling	185	0.95	218
	118	LG	GR-231	Direct Cooling	185	0.89	218
	119	SANYO	SR-270NTW	Manual	184	1.31	172
	120	SHARP	SJ-DC19S	Single Door/Direct Cooling	183	0.71	245
	121	SHARP	SJ-DC19S-VL	Single Door/Direct Cooling	183	0.78	252
	122	SHARP	SJ-D20T	Single Door	183	0.97	198
	123	SHARP	SJ-DT70AS-SL	Single Door/Direct Cooling	183	0.78	252
	124	SHARP	SJ-S210T-SS	Single Door/Direct Cooling	183	0.97	198
	125	SHARP	SJ-21TDL	Single Door	183	0.97	198
	126	SHARP	SJ-P212T-MS	Single Door/Direct Cooling	183	0.97	198
	127	SHARP	ARSD-181	Single Door/Direct Cooling	181	0.89	214
	128	EVEREST	ETR235L	Single Door/Direct Cooling	181	0.98	256
	129	HANABISHI	HASREF-70S	One Door/Direct Cooling	181	0.80	239
	130	WHIRLPOOL	WRD72PS	Single Door/Manual Defrost	181	1.04	186
	131	FROST	BCD-18DN	Two Door/Direct Cooling	180	0.85	289
	132	DOWELL	TDR-180BF	Two Door/Manual Defrost	180	1.85	121
	133	FUJIDENZO	RSD75PSL	Two Door/Manual Defrost	180	1.02	223
	134	GE	GAV7BATR	Single Door	180	1.16	160
	135	EUROTEK	HER-707SA	Single Door/Direct Cooling	180	0.92	207
	136	HITACHI	R-18PW3	Direct Cooling	180	0.90	211
	137	HITACHI	R-18P3	Direct Cooling	180	0.90	213
	138	HITACHI	R-19P5	Direct Cooling	180	0.90	211
	139	HITACHI	R-19P5W	Direct Cooling	180	0.90	211
	140	SAMSUNG	RA20VHSS	Single Door/Direct Cooling	180	0.79	240
	141	SANYO	SR-LV209F	One Door	180	0.83	232
	142	SANYO	SR-S202FR	One Door	180	0.78	247
	143	SANYO	SR-S202FR-A	One Door	180	0.78	247
	144	GE	GAV7BDTR	Single Door	180	1.16	160
	145	SHARP	SJ-19T	Single Door	180	0.98	198
	146	SHARP	SJ-19TDL	Single Door	180	0.98	198
	147	SHARP	SJ-S190T-SS	One Door/Direct Cooling	180	0.98	198
	148	SHARP	SJ-P192T-MS	Single Door/Direct Cooling	180	0.98	198
	149	HAIER	HRF-228	Frost Free	179	1.34	164
	150	HAIER	HR-218P	Single Door/Direct Cooling	179	1.30	263
	151	SANYO	SR-F225N	No Frost	179	1.50	146
	152	SANYO	SR-S208BP-H	Single Door/Direct Cooling	179	0.84	223
	153	SANYO	SR-F227	Frost Free	179	1.34	164
	154	SANYO	SR-F225NSB	Frost Free	179	1.34	164
	155	SANYO	SR-S205SBP	Single Door/Direct Cooling	179	1.30	142

* tested but no labels yet

** inactive/phase out models

	156	SANYO	SR-S205SBP-H	One Door/Direct Cooling	179	1.30	142
	157	SANYO	SR-S207SBP-H	Single Door/Manual Defrost	179	1.30	142
	158	ELECTROLUX	ETB1800PC-RPH	Frost Free	177	1.48	145
	159	ELECTROLUX	ETM2000PA-RPH	Two Door/Manual Cooling	177	2.01	104

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	160	ELECTROLUX	WRM-2000A-R	Two Door/Manual Defrost	177	1.97	111
	161	GE	GMV070BAYR	Two Door/Direct Cooling	177	2.01	105
	162	GE	GMV070BDYR	Two Door/Direct Cooling	177	2.02	104
	163	GE	GMV070BDNR	Two Door	177	1.93	113
	164	POLYTRON	PR-209MVB	Single Door/Direct Cooling	177	1.04	185
	165	SANYO	SR-C29T	Two Door/Direct Cooling	177	1.95	107
	166	SANYO	SR-D29TMS	Single Door/Direct Cooling	177	1.95	104
	167	SANYO	SR-D29E	Two Door	177	2.16	100
	168	SANYO	SR-D29H	Two Door	177	2.16	100
	169	SANYO	SR-D29M	Two Door	177	2.16	100
	170	SANYO	SR-D29N	Two Door	177	1.82	123
	171	SANYO	SR-D29T	Two Door/Direct Cooling	177	1.95	107
	172	SHARP	SJ-22N	Two Door/No Frost	177	1.48	145
**	173	SHARP	SJ-22S-SL	Two Door/No Frost	177	1.64	131
	174	SHARP	SJ-22T-SL	Frost Free	177	1.32	162
	175	SHARP	SJ-22S	Two Door/Direct Cooling	177	1.42	151
	176	GE	GMV070BANR	Two Door	177	1.93	113
**	177	LG	GR-212	No Frost	176	1.90	114
	178	LG	GR-212DL	No Frost	176	1.89	114
	179	LG	GR-U212	No Frost	176	1.17	179
	180	LG	GR-V212RL	Two Door/Frost Free	176	1.08	192
	181	ELECTROLUX	ERM-1900PA	Single Door/Direct Cooling	175	0.84	215
	182	GE	GAV070BAPR	Single Door	175	0.85	218
	183	ELECTROLUX	ERM-1900PA-RPH	Single Door/Manual Defrost	175	0.84	223
	184	GE	GAV070BAYR	Single Door/Direct Cooling	175	0.73	251
	185	SAMSUNG	RA18FHSS	Single Door/Direct Cooling	175	0.79	231
	186	SANYO	SR-S701TW	One Door/Direct Cooling	175	0.70	265
	187	SANYO	SR-S701TW-MS	One Door/Direct Cooling	175	0.70	265
	188	SANYO	SR-S701THW	One Door/Direct Cooling	175	0.70	265
	189	SANYO	SR-S701THW-MS	One Door	175	0.70	265
	190	SANYO	SR-S70DW	One Door	175	0.90	207
	191	SANYO	SR-S70EW	One Door	175	0.84	221
	192	SANYO	SR-S70FW	One Door	175	0.90	207
	193	SANYO	SR-S70HW	One Door	175	0.84	221
	194	SANYO	SR-S70NW	One Door	175	0.81	229
	195	SANYO	SR-S70RW	One Door	175	0.81	229
	196	UNION	UGFR-170	Two Door/Direct Cooling	175	1.29	168
	197	UNION	UGR-190	Single Door/Direct Cooling	175	0.76	263
	198	SANYO	SR-S70TW	One Door	175	0.81	229
	199	WHIRLPOOL	WRD70K	Single Door/Direct Cooling	175	0.85	229
	200	WHIRLPOOL	WRD-70N	Single Door/Direct Cooling	175	0.81	281
	201	WWH	WR-1899C	Single Door/Direct Cooling	175	0.90	185
	202	WWH	WR-1899CD	Single Door/Direct Cooling	175	0.90	186
	203	ELECTROLUX	WR1905C	Single Door/Automatic Defrost	175	1.06	186
	204	MIDEA	BC-193WH	Two Door	174	1.67	129
	205	LG	GR-212w/dispenser	No Frost	174	1.90	114
	206	LG	GR-P193A	Direct Cooling/Single Door	173	0.84	193
**	207	LG	GN-221	Direct Cooling	173	0.78	236

* tested but no labels yet

** inactive/phase out models

	208	TOSHIBA	GR-P193B	Single Door/Manual Defrost	173	0.81	226
	209	MARKES	MRDF2-23H	Two Door	172	1.66	126
	210	FUJIDENZO	RDD-07A	Two Door/Manual Defrost	172	1.18	159
	211	LG	GN-221w/dispenser	Direct Cooling	171	0.78	234
	212	SAMSUNG	SR-A19NFB	Single Door/Direct Cooling	170	0.98	180

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	213	SAMSUNG	SR-A19NFE	Single Door/Direct Cooling	170	0.98	180
	214	SAMSUNG	SR-A19WFB	Single Door/Direct Cooling	170	0.98	180
	215	SAMSUNG	SR-A19WFE	Single Door/Direct Cooling	170	0.98	180
	216	SAMSUNG	RA20FGSS	Single Door/Direct Cooling	170	0.98	180
	217	SAMSUNG	RA20VGSS	Single Door/Direct Cooling	170	0.98	180
	218	KOLIN	KRD-170A	Single Door	168	0.70	218
	219	UNION	UGFR-170	Two Door/Manual Defrost	168	1.02	196
	220	MIDEA	BC-183WH	Two Door	168	1.92	106
	221	UNION	URF-629	Single Door/Direct Cooling	167	0.70	230
	222	AKIRA	RD-202P	Two Door	166	1.25	143
	223	LG	GN-U201	Direct Cooling	165	0.73	237
	224	SHARP	SJ-DC179UGL	Two Door/Manual Defrost	165	1.06	188
	225	AKIRA	RS-201P	One Door	164	0.70	232
	226	SHARP	SJ-18S	Frost Free	164	1.51	125
	227	SHARP	SJ-181P-SL	Frost Free	164	1.51	125
	228	SHARP	SJ-18S-SL	Frost Free	164	1.51	125
	229	TOSHIBA	GR-P173A	Direct Cool/Single Door	164	0.94	177
	230	TOSHIBA	GR-P173B	Single Door/Direct Cooling	164	0.70	249
	231	SHARP	SJ-18S-SL	Two Door/Frost Free	164	1.53	125
	232	SHARP	SJ-181P-SL	Two Door/Direct Cooling	164	1.51	125
	233	WHIRLPOOL	WSV7	Frost Free	164	1.66	124
	234	CHUNLAN	BCD-178	Two Door/Cycle Defrost	163	0.94	186
	235	EUROTEK	HER-607SA	Single Door/Direct Cooling	161	0.93	186
	236	FUJIDENZO	RSD-68PSL	Single Door/Direct Cooling	161	0.78	222
	237	POLYTRON	PR-189MSP	Single Door/Direct Cooling	161	1.03	169
	238	KOLIN	KRD-168KA	Single Door/Direct Cooling	161	0.70	214
	239	TOSHIBA	GR-P171	Single Door/Direct Cooling	161	0.94	177
	240	TOSHIBA	GR-P173	Direct Cool/Single Door	161	0.94	177
	241	TOSHIBA	GR-P256	Single Door/Direct Cooling	161	0.94	177
	242	WHIRLPOOL	WRD65PS	Single Door/Manual Defrost	160	1.08	159
	243	GE	SDR185HT	Single Door	159	0.88	180
	244	TOSHIBA	GR-P180	Semi-Automatic	159	0.85	196
	245	TOSHIBA	GR-P180D	Semi-Automatic	159	0.85	196
	246	WWH	WR-1808C	Single Door/Direct Cooling	159	0.90	186
	247	WWH	WR-1808CD	Single Door/Direct Cooling	159	0.90	186
	248	GE	GAV65BAMR	Single Door	159	0.88	180
	249	TOSHIBA	GR-P191	Single Door/Direct Cooling	158	0.84	193
	250	TOSHIBA	GR-P193	Direct Cool/Single Door	158	0.84	193
	251	TOSHIBA	GR-P181	Semi-Automatic	157	0.79	212
	252	EUROTEK	EHR-175M	Single Door/Direct Cooling	155	0.69	242
	253	GE	GAV6BATR	Single Door	155	0.85	188
	254	LG	GR-191	Direct Cooling	155	0.88	187
	255	LG	LR-191GVF	Direct Cooling	155	0.80	205
	256	LG	LR-191GL	Direct Cooling	155	0.80	205
**	257	LG	LR-191GVF	Direct Cooling	155	0.80	205
	258	LG	GN-V191RL7	Single Door/Manual Defrost	155	0.81	208
	259	SAMSUNG	RA18FGSS	Single Door/Direct Cooling	155	0.98	190
	260	SAMSUNG	RA18VGSS	Single Door/Direct Cooling	155	0.98	158

* tested but no labels yet

** inactive/phase out models

	261	SAMSUNG	SR-A17NFB	Single Door/Direct Cooling	155	0.86	190
	262	SAMSUNG	SR-A17NFE	Single Door/Direct Cooling	155	0.98	190
	263	SAMSUNG	SR-A17WFB	Single Door/Direct Cooling	155	0.98	158
	264	SAMSUNG	SR-A17WFE	Single Door/Direct Cooling	155	0.98	158
**	265	SANYO	SR-LL180F	One Door	155	0.84	194
	266	SANYO	SR-LV190F	One Door	155	0.84	194
	267	SANYO	SR-S63DW	One Door	155	0.83	199

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	268	SANYO	SR-S63FW	One Door	155	0.83	199
	269	SANYO	SR-S182FR-A	One Door	155	0.90	178
	270	WHIRLPOOL	WRD63K	Single Door/Direct Cooling	155	0.91	178
	271	WWH	WR-1799C	Single Door/Direct Cooling	155	0.88	168
	272	HAIER	HR-198P	Single Door/Direct Cooling	154	0.82	197
	273	SANYO	SR-S185SBP	One Door/Direct Cooling	154	0.90	179
	274	SANYO	SR-S185SBP-H	Single Door/Manual Cooling	154	0.90	179
	275	SANYO	SR-S187SBP	Single Door/Direct Cooling	154	0.90	179
	276	SANYO	SR-S187SBP-H	One Door/Direct Cooling	154	0.82	197
	277	SANYO	SR-S188SBP	One Door/Direct Cooling	154	0.82	197
	278	SANYO	SR-S188SBP-H	Single Door/Direct Cooling	154	0.82	197
	279	FROST	BCD-153	Two Door/Direct Cooling	153	0.99	179
**	280	SANYO	SR-S63HW	One Door	153	0.89	182
	281	AMERICAN HOME	ARSD-151	Single Door/Direct Cooling	151	0.81	197
	282	ELECTROLUX	ERM-1700	Single Door/Direct Cooling	151	0.63	251
	283	EVEREST	ETR-196L	One Door/Direct Cooling	151	0.82	254
	284	GE	GAV06BAYR	One Door/Direct Cooling	151	0.56	288
	285	GE	GAV065BAYR	One Door/Direct Cooling	151	0.56	288
	286	HAIER	HR-818C	Single Door	151	1.00	162
	287	HAIER	HR-182C	Single Door/Direct Cooling	151	0.54	295
	288	HANABISHI	HASREF-60S	Single Door/Direct Cooling	151	0.64	251
	289	SANYO	SR-S63MW	One Door	151	0.78	207
	290	SANYO	SR-S63NW	One Door	151	0.78	165
	291	SANYO	SR-S63PW	One Door	151	0.78	207
	292	SANYO	SR-S63RW	One Door	151	0.98	165
	293	SANYO	SR-S63TW	One Door/Direct Cooling	151	0.67	240
	294	SANYO	SR-S63THW	One Door/Direct Cooling	151	0.67	240
	295	WHIRLPOOL	WRD-63N	Single Door/Direct Cooling	151	0.98	251
	296	CONDURA	CSD171SA	Single Door/Manual Defrost	150	0.75	244
	297	FUJIDENZO	SSD55HGS	Single Door/Manual Defrost	150	0.78	201
**	298	LG	GN-171	Direct Cooling	150	0.56	285
	299	LG	GN-U171	Direct Cooling	150	0.68	231
	300	HAIER	HR-170U	Single Door	145	0.90	162
	301	HAIER	HR-175UD	Single Door	145	0.92	157
	302	ELECTROLUX	ERM-1600	Single Door/Direct Cooling	144	0.62	240
	303	GE	GAV060BAPR	Single Door	144	0.97	157
	304	GE	GAV060BAYR	One Door/Direct Cooling	144	0.58	266
	305	SHARP	SJ-DC15S	Single Door/Direct Cooling	144	0.68	201
	306	SHARP	SJ-DC15S-SL	One Door/Direct Cooling	144	0.75	209
	307	SHARP	SJ-DC15S-VL	One Door/Direct Cooling	144	0.75	209
	308	SHARP	SJ-DT55AS-SL	Single Door/Direct Cooling	144	0.75	209
	309	FUJIDENZO	RSD-60PSL	Single Door/Manual Defrost	142	0.97	200
	310	GE	GAV6BAMR	Single Door	141	0.90	164
	311	SHARP	SJ-S170T-SS	One Door/Direct Cooling	141	1.10	131
	312	SHARP	SJ-S170T	Single Door/Direct Cooling	141	1.03	142

* tested but no labels yet

** inactive/phase out models

	313	SHARP	SJ-177TGL	Single Door	141	1.10	131
	314	WWH	WR-1705C	Single Door/Direct Cooling	141	0.88	168
	315	WWH	WR-1708C	Single Door/Direct Cooling	141	0.88	168
	316	TOSHIBA	GR-P165	Semi-Automatic	141	0.93	160
	317	TOSHIBA	GR-P165D	Semi-Automatic	141	0.93	160
	318	TOSHIBA	GR-P153A	Direct Cooling/Single Door	131	0.72	159
	319	TOSHIBA	GR-P153B	Single Door/Manual Defrost	131	0.70	194
	320	SANYO	S155SBP	Direct Cooling	128	0.78	170
	321	GE	GAV055BAYR	Single Door/Direct Cooling	127	0.54	241

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	322	SANYO	SR-S52TW	One Door/Direct Cooling	127	0.62	217
	323	SANYO	SR-S52THW	One Door/Direct Cooling	127	0.62	217
	324	HAIER	HR152C	Single Door/Direct Cooling	127	0.51	261
	325	SANYO	SR-S155SBP	One Door/Direct Cooling	126	0.78	170
	326	SANYO	SR-S155SBP-H	One Door/Direct Cooling	126	0.78	170
	327	SANYO	SR-S157SBP	Single Door/Direct Cooling	126	0.78	170
	328	SANYO	SR-S157SBP-H	One Door/Direct Cooling	126	0.78	170
	329	TOSHIBA	GR-P151	Single Door/Direct Cooling	110	0.72	159
	330	TOSHIBA	GR-P153	Direct Cool/Single Door	110	0.72	159
	331	AKIRA	RD-220P		*	*	*
	332	ELECTROLUX	ETB-1800UA		*	*	*
	333	ELECTROLUX	ETB2100UA		*	*	*
	334	ELECTROLUX	WRM2000		*	*	*
	335	FRIGIDAIRE	BCD-155		*	*	*
	336	GE	GAV065BANR		*	*	*
	337	GE	GAV070BANR		*	*	*
	338	GE	GMV100BAYR		*	*	*
	339	GE	TBV8DNBRLG		*	*	*
	340	HAIER	HR-818CW		*	*	*
	341	IMARFLEX	IRF-660S		*	*	*
	342	KOLIN	KRD-220B		*	*	*
	343	LG	GR-191GV		*	*	*
	344	LG	GR-231GV		*	*	*
	345	LG	GR-282MVF		*	*	*
	346	LG	GR-212SV		*	*	*
	347	LG	GN-V231		*	*	*
	348	LG	GN-V191		*	*	*
	349	LG	GN-V232		*	*	*
	350	LG	GN-V262		*	*	*
	351	LG	GR-V262RSC		*	*	*
	352	MIDEA	MD-185		*	*	*
	353	MIDEA	MD-210		*	*	*
	354	MIDEA	BCD-179H		*	*	*
	355	POLYTRON	R-1985P		*	*	*
	356	POLYTRON	PR-163XP		*	*	*
	357	POLYTRON	PR-168SD		*	*	*
	358	SANYO	D29HW		*	*	*
	359	SANYO	D29NW		*	*	*
	360	SANYO	SR-F182R		*	*	*
	361	SANYO	SR-F202R		*	*	*
	362	SANYO	SR-S52T		*	*	*

* tested but no labels yet

** inactive/phase out models

363	SANYO	SR-S63T	*	*	*
364	SAMSUNG	RA21FA	*	*	*
365	SAMSUNG	RT-22 (plastic shelves)	*	*	*
366	SAMSUNG	RT-22 (wire shelves)	*	*	*
367	SAMSUNG	RT-25 (plastic shelves)	*	*	*
368	SAMSUNG	RT-25 (wire shelves)	*	*	*
369	SAMSUNG	RT24MHSS	*	*	*
370	SAMSUNG	SR-21	*	*	*
371	SAMSUNG	SR-24	*	*	*
372	SAMSUNG	SR-30	*	*	*
373	SAMSUNG	SR-34	*	*	*

**LIST OF CERTIFIED REFRIGERATORS
AS OF DECEMBER 2013**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	374	SHARP	SJ-D21U		*	*	*
	375	SHARP	VR-188P		*	*	*
	376	SINGER	ALD-82S		*	*	*
	377	SINGER	220L		*	*	*
	378	SINGER	215L		*	*	*
	379	SINGER	175L		*	*	*
	380	TOSHIBA	GR-P153A		*	*	*
	381	TOSHIBA	GR-P193A		*	*	*
	382	TOSHIBA	GR-P201D		*	*	*
	383	TOSHIBA	GR-P181D		*	*	*
	384	TOSHIBA	GR-S32P		*	*	*
	385	TOSHIBA	GR-S37PT		*	*	*
	386	WHIRLPOOL	WRD82		*	*	*
	387	WHIRLPOOL	WRN08Q		*	*	*
	388	WWH	WR-1805C		*	*	*
	389	WWH	WRNF08SA		*	*	*

** inactive/phase out models

* tested but no labels yet

Total no. of models certified: 389

Local - 377

Imported - 389

766 Models = TOTAL NO. OF MODELS CERTIFIED FOR 4TH QUARTER OF 2014

Prepared by:

Checked by:

Noted by:

C. Q. Ruiz
04.07.14

H. S. Orendia

I. C. Soriano