

Floor area (sq. m.):

## Energy Utilization Management Bureau Quality Management System

## EVCS OPERATION AND SPECIFICATIONS REPORT FORM (ANNEX B)

Doc Ref No.:	EUMB-AFETD-QR-002
Effective Date:	хх-хххх-хх
Revision No.:	0
Page No.:	1 of 2

## **EVCS Operation and Specification Report Form**

Nan	ne of Establishment							
Add	ress							
					ү			
	usive Dates of Submission	Month:		Year: to Month:		Month:	· 1	Year:
Tota	I Number of Employee		·	No. of Male				No. of Female
	B 4				· - · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
Item		Rating and Property				Re	marks	
	EVCS Mode:							
	Charging Protocol (CHAdeMO, CCS, GB/T, etc.) pursuant to the Type identified in PNS IEC 62196:							
	EVCS Output (AC, DC or AC/DC):							
ture	For AC output, specification of standard supported (e.g. SAE, IEC, GB/T, or TESLA, etc.)							
	For DC output, specification protocol supported (E.G. CHADEMO, CCS, GB/T of etc.)							
	Rated Voltage (V):							
Structure	Rated Current (A):							
	Rated maximum operating temperature (°C);	3						
	Rated Output Capacity (k)	N):						
	No load loss or standby po (Watts)	ower						
	Total harmonic distortion							
	Rated Frequency (Hz):							

	Protection Grade (	(IPXX):	
	Frequency range:		
	Charging interface	<b>:</b>	
	Efficiency		
Operation	No. of hours in op	eration per day (h):	
Sales	Total sales	in kWh:	
Sa		in Peso:	
	EVCS Manufacturer/Assembler:		
	Others:		